


 NUMBER
 :
 DELH23008812-A

 DATE
 :
 17TH AUG, 2023



Intertek India Pvt. Ltd.

290, Udyog Vihar, Phase-II, Gurgaon, Haryana –122016. Registered Office : E-20, Block B-1, Mohan Co-Operative Industrial Area, Mathura Road, New Delhi -110044.

Tel: 0124-4503400, Fax: 0124-4303592 www.Intertek.com Page 1 of 5





NUMBER : DELH23008812-A DATE : 17TH AUG, 2023

APPLICANT: ALL TIME PLASTICS PVT. LTD. PLOT NO. 377/1 (1&2) & 371/1(C), KACHIGAM CHAR RASTA, BEHIND STONE QUARRY, DAMAN (U.T.) 396210

ATTN: ZARIR PATEL

SAMPLE DESCRIPTION: SPATULA & SPREADER SET (ASSORTED) (2 PCS SET)

DATE RECEIVED	:	27 TH JUNE, 2023
TEST PERFORMANCE DATE	:	28 TH JUNE, 2023 TO 14 TH AUG, 2023
BUYER'S NAME	:	
BUYING AGENT/ CONTACT	:	
ORDER NO.	:	
BAR CODE	:	8902084015135
STYLE NO.	:	
HSN CODE	:	39241090
COLOR	:	RED
END USE	:	MIXING & SPREADING OF FOOD MATERIAL
SEASON	:	
COUNTRY OF ORIGIN	:	
COUNTRY OF DESTINATION	:	
MANUFACTURER'S NAME	:	ALL TIME PLASTICS PVT. LTD.

TESTS CONDUCTED:AS PER THE REQUEST BY THE APPLICANT. TOTAL LEAD CONTENT, TOTAL CADMIUM CONTENT, BISPHENOL-A CONTENT, DISHWASHER SAFE TEST, OVERALL MIGRATION, SPECIFIC MIGRATION OF HEAVY METALS (19 ELEMENTS), FOR FURTHER DETAILS PLEASE REFER TO THE ENCLOSED PAGE (S).

CONCLUSION:

TESTED SAMPLE	TEST PARAMETERS/STANDARD	RESULT
	TOTAL LEAD CONTENT (With Reference to Regulation (EC) No.1907/2006 (REACH) And Its Amendments, Annex XVII, Entry 63)	М
	TOTAL CADMIUM CONTENT (With Reference to Regulation (EC) NO.1907/2006 (REACH) And Its Amendments, Annex XVII, Entry 23)	М
	BISPHENOL-A CONTENT (By Solvent Extraction Followed By LC-MS/MS)	м
SUBMITTED SAMPLE	DISHWASHER SAFE TEST (As Per Intertek In-House Test Method (M0001-V05))	М
	OVERALL MIGRATION As Per European Commission Regulation (EC) No.1935/2004 and (EU) No. 10/2011, EU 2020/1245- On Plastic Materials and Articles Intended to Come into Contact with Food)	NA
	SPECIFIC MIGRATION OF HEAVY METALS (19 ELEMENTS) (As Per European Commission Regulation (EC) No.1935/2004 and (EU) No.10/2011, EU 2020/1245- On Plastic Materials and Articles Intended to Come into Contact with Food.)	NA

NOTE: M = MEET REQUIREMENT # = NO SPECIFIED REQUIREMENT

F = DO NOT MEET REQUIREMENT N/A = NOT APPLICABLE

Note:

1.Statement of conformity is based on the Simple acceptance rule without using measurement uncertainty. 2.Laboratory reports the final test results in test report. Any additional information, if required will be provided on request.

Intertek India Pvt. Ltd.

290, Udyog Vihar, Phase-II, Gurgaon, Haryana –122016. Registered Office : E-20, Block B-1, Mohan Co-Operative Industrial Area, Mathura Road, New Delhi -110044.







AUTHORIZED BY FOR INTERTEK INDIA PVT. LTD.

Saidhana Samal

KAMAL SARDHANA ASST. MANAGER - HARDLINE

 NUMBER
 :
 DELH23008812-A

 DATE
 :
 17TH AUG, 2023

290, Udyog Vihar, Phase-II, Gurgaon, Haryana –122016. Registered Office : E-20, Block B-1, Mohan Co-Operative Industrial Area, Mathura Road, New Delhi -110044. Tel: 0124-4503400, Fax: 0124-4303592 www.Intertek.com Page 3 of 5





NUMBER : DELH23008812-A DATE : 17TH AUG, 2023

TEST CONDUCTED:

1.TOTAL LEAD CONTENT:

Test Regulation: EC No. 1907/2006 (REACH) And Its Amendments, Annex XVII, Entry 63 Method: Analysis Was Performed By ICP-MS/AAS

Tested Component	Test Result (ppm)	Requirement
	COMPLIES	
Submitted Sample	Red Plastic: <10 ppm	500 ppm
	Red Silicon: <10 ppm	

Detection Limit: 10 ppm

2.TOTAL CADMIUM CONTENT:

Test Regulation: EC No. 1907/2006 (REACH) And Its Amendments, Annex XVII, Entry 23

Method: Analysis Was Performed By ICP-OES

Tested Component	Test Result (ppm)	Requirement
	COMPLIES	
Submitted Sample	Red Plastic: <10 ppm	100 ppm
	Red Silicon: <10 ppm	

Detection Limit: 10 ppm

3.BISPHENOL-A CONTENT:

Method: By Solvent Extraction Followed By LC-MS/MS.

Tested Sample	Test Result (ppm) (1 & 2)	Requirement
Submitted Sample	COMPLIES Not Detected	Shall Not Contain Any Detectable Levels of Bisphenol-A (BPA)

Detection Limit: 0.1 ppm

Tested Item:

1. Red Silicon

2. Red Plastic

4.DISHWASHER SAFE TEST:

Method: As Per Intertek In-House Test Method (M0001-V05) Test Condition: Selected Cycle: Normal Cycle Duration: 120 Minutes Temperature Condition: 60°C Detergent Used: Cascade No. Of cycles: 10 Cycles

Tested Sample	Test Results / Observation (1)	Requirement
Submitted Sample	COMPLIES	Shall not show any chipping, cracking, glaze crazing
Submitted Sample	(No visual change observed)	or other visual change in appearance.

Tested Item:

1.Sample (A)

Intertek India Pvt. Ltd.

290, Udyog Vihar, Phase-II, Gurgaon, Haryana –122016. Registered Office : E-20, Block B-1, Mohan Co-Operative Industrial Area, Mathura Road, New Delhi -110044.







NUMBER : DELH23008812-A DATE : 17TH AUG, 2023

END OF TEST REPORT

This report is made solely based on your instructions and/or information and materials supplied by you. It is not intended to be a recommendation for any course of action. Intertek does not accept a duty of care or any other responsibility to any person other than the Client in respect of this report and only accepts liability to the Client insofar as is expressly contained in the terms and conditions governing Intertek's provision of services to you. Intertek makes no warranties or representations either express or implied with respect to this report save as provided for in those terms and conditions. We have aimed to conduct the Review on a diligent and careful basis, and we do not accept any liability to you for any loss arising out of or in connection with this report, in contract, tort, by statute or otherwise, except in the event of our gross negligence or willful misconduct.


290, Udyog Vihar, Phase-II, Gurgaon, Haryana –122016. Registered Office : E-20, Block B-1, Mohan Co-Operative Industrial Area, Mathura Road, New Delhi -110044. Tel: 0124-4503400, Fax: 0124-4303592 www.Intertek.com Page 5 of 5





 NUMBER
 :
 DELH23008812-B

 DATE
 :
 17TH AUG, 2023



Intertek India Pvt. Ltd.

290, Udyog Vihar, Phase-II, Gurgaon, Haryana –122016. Registered Office : E-20, Block B-1, Mohan Co-Operative Industrial Area, Mathura Road, New Delhi -110044. Tel: 0124-4503400, Fax: 0124-4303592 www.Intertek.com Page 1 of 5





NUMBER : DELH23008812-B DATE : 17TH AUG, 2023

APPLICANT: ALL TIME PLASTICS PVT. LTD. PLOT NO. 377/1 (1&2) & 371/1(C), KACHIGAM CHAR RASTA, BEHIND STONE QUARRY, DAMAN (U.T.) 396210

ATTN: ZARIR PATEL

SAMPLE DESCRIPTION: SPATULA & SPREADER SET (ASSORTED) (2 PCS SET)

DATE RECEIVED	:	27 TH JUNE, 2023
TEST PERFORMANCE DATE	:	28 TH JUNE, 2023 TO 14 TH AUG, 2023
BUYER'S NAME	:	
BUYING AGENT/ CONTACT	:	
ORDER NO.	:	
BAR CODE	:	8902084015135
STYLE NO.	:	
HSN CODE	:	39241090
COLOR	:	PURPLE
END USE	:	MIXING & SPREADING OF FOOD MATERIAL
SEASON	:	
COUNTRY OF ORIGIN	:	
COUNTRY OF DESTINATION	:	
MANUFACTURER'S NAME	:	ALL TIME PLASTICS PVT. LTD.

TESTS CONDUCTED:AS PER THE REQUEST BY THE APPLICANT. TOTAL LEAD CONTENT, TOTAL CADMIUM CONTENT, BISPHENOL-A CONTENT, DISHWASHER SAFE TEST, OVERALL MIGRATION, SPECIFIC MIGRATION OF HEAVY METALS (19 ELEMENTS), FOR FURTHER DETAILS PLEASE REFER TO THE ENCLOSED PAGE (S).

CONCLUSION:

TESTED SAMPLE	TEST PARAMETERS/STANDARD	RESULT
	TOTAL LEAD CONTENT (With Reference to Regulation (EC) No.1907/2006 (REACH) And Its Amendments, Annex XVII, Entry 63)	М
	TOTAL CADMIUM CONTENT (With Reference to Regulation (EC) NO.1907/2006 (REACH) And Its Amendments, Annex XVII, Entry 23)	М
	BISPHENOL-A CONTENT (By Solvent Extraction Followed By LC-MS/MS)	м
SUBMITTED SAMPLE	DISHWASHER SAFE TEST (As Per Intertek In-House Test Method (M0001-V05))	М
	OVERALL MIGRATION As Per European Commission Regulation (EC) No.1935/2004 and (EU) No. 10/2011, EU 2020/1245- On Plastic Materials and Articles Intended to Come into Contact with Food)	NA
	SPECIFIC MIGRATION OF HEAVY METALS (19 ELEMENTS) (As Per European Commission Regulation (EC) No.1935/2004 and (EU) No.10/2011, EU 2020/1245- On Plastic Materials and Articles Intended to Come into Contact with Food.)	NA

NOTE: M = MEET REQUIREMENT # = NO SPECIFIED REQUIREMENT

F = DO NOT MEET REQUIREMENT N/A = NOT APPLICABLE

Note:

1.Statement of conformity is based on the Simple acceptance rule without using measurement uncertainty. 2.Laboratory reports the final test results in test report. Any additional information, if required will be provided on request.

Intertek India Pvt. Ltd.

290, Udyog Vihar, Phase-II, Gurgaon, Haryana –122016. Registered Office : E-20, Block B-1, Mohan Co-Operative Industrial Area, Mathura Road, New Delhi -110044.







AUTHORIZED BY FOR INTERTEK INDIA PVT. LTD.

Saidhana Samal

KAMAL SARDHANA ASST. MANAGER - HARDLINE

 NUMBER
 :
 DELH23008812-B

 DATE
 :
 17TH AUG, 2023

290, Udyog Vihar, Phase-II, Gurgaon, Haryana –122016. Registered Office : E-20, Block B-1, Mohan Co-Operative Industrial Area, Mathura Road, New Delhi -110044.







NUMBER : DELH23008812-B DATE : 17TH AUG, 2023

TEST CONDUCTED:

1.TOTAL LEAD CONTENT:

 Test Regulation: EC No. 1907/2006 (REACH) And Its Amendments, Annex XVII, Entry 63

 Method: Analysis Was Performed By ICP-MS/AAS

 Tested Component
 Test Result (ppm)

 Requirement

	COMPLIES	
Submitted Sample	Purple Plastic: <10 ppm	500 ppm
	Purple Silicon: <10 ppm	

Detection Limit: 10 ppm

2.TOTAL CADMIUM CONTENT:

Test Regulation: EC No. 1907/2006 (REACH) And Its Amendments, Annex XVII, Entry 23

Method: Analysis Was Performed By ICP-OES

Tested Component	Test Result (ppm)	Requirement
	COMPLIES	
Submitted Sample	Purple Plastic: <10 ppm	100 ppm
	Purple Silicon: <10 ppm	

Detection Limit: 10 ppm

3.BISPHENOL-A CONTENT:

Method: By Solvent Extraction Followed By LC-MS/MS.

Tested Sample	Test Result (ppm) (1 & 2)	Requirement
Submitted Sample	COMPLIES Not Detected	Shall Not Contain Any Detectable Levels of Bisphenol-A (BPA)

Detection Limit: 0.1 ppm

Tested Item:

1. Purple Silicon

2. Purple Plastic

4.DISHWASHER SAFE TEST:

Method: As Per Intertek In-House Test Method (M0001-V05) Test Condition: Selected Cycle: Normal Cycle Duration: 120 Minutes Temperature Condition: 60°C Detergent Used: Cascade No. Of cycles: 10 Cycles

Tested Sample	Test Results / Observation (1)	Requirement
Submitted Sample	COMPLIES (No visual change observed)	Shall not show any chipping, cracking, glaze crazing or other visual change in appearance.

Tested Item:

1.Sample (A)

Intertek India Pvt. Ltd.

290, Udyog Vihar, Phase-II, Gurgaon, Haryana –122016. Registered Office : E-20, Block B-1, Mohan Co-Operative Industrial Area, Mathura Road, New Delhi -110044.







NUMBER : DELH23008812-B DATE : 17TH AUG, 2023

END OF TEST REPORT

This report is made solely based on your instructions and/or information and materials supplied by you. It is not intended to be a recommendation for any course of action. Intertek does not accept a duty of care or any other responsibility to any person other than the Client in respect of this report and only accepts liability to the Client insofar as is expressly contained in the terms and conditions governing Intertek's provision of services to you. Intertek makes no warranties or representations either express or implied with respect to this report save as provided for in those terms and conditions. We have aimed to conduct the Review on a diligent and careful basis, and we do not accept any liability to you for any loss arising out of or in connection with this report, in contract, tort, by statute or otherwise, except in the event of our gross negligence or willful misconduct.

Intertek India Pvt. Ltd.

290, Udyog Vihar, Phase-II, Gurgaon, Haryana –122016. Registered Office : E-20, Block B-1, Mohan Co-Operative Industrial Area, Mathura Road, New Delhi -110044. Tel: 0124-4503400, Fax: 0124-4303592 www.Intertek.com Page 5 of 5

