


 NUMBER
 :
 DELH24002071-C

 DATE
 :
 22ND FEB, 2024



290, Udyog Vihar, Phase-II, Gurgaon, Haryana –122016. Registered Office : E-20, Block B-1, Mohan Co-Operative Industrial Area, Mathura Road, New Delhi -110044.

Tel: 0124-4503400, Fax: 0124-4303592 www.Intertek.com Page 1 of 4





 NUMBER
 :
 DELH24002071-C

 DATE
 :
 22ND FEB, 2024

APPLICANT: ALL TIME PLASTICS PVT. LTD. PLOT NO. 377/1 (1&2) & 371/1(C), KACHIGAM CHAR RASTA, BEHIND STONE QUARRY, DAMAN (U.T.) 396210

ATTN: ZARIR PATEL

SAMPLE DESCRIPTION: EASY RECTANGLE BASKET MEDIUM (ASSORTED)

BUYER'S NAMEBUYING AGENT/ CONTACTORDER NOHSN CODE3BAR CODE8STYLE NOCOLORAEND USESEASONCOUNTRY OF ORIGINCOUNTRY OF DESTINATION	- - 39241090 3902084017184 - - AQUIFER - - - -
MANUFACTURER'S NAME : A	ALL TIME PLASTICS PVT. LTD.

TESTS CONDUCTED:AS PER THE REQUEST BY THE APPLICANT. FOR FURTHER DETAILS PLEASE REFER TO THE ENCLOSED PAGE (S).

CONCLUSION:

TESTED SAMPLE	TEST PARAMETERS/STANDARD	RESULT
SUBMITTED SAMPLE	TOTAL LEAD CONTENT (With Reference to Regulation (EC) No.1907/2006 (REACH) And Its Amendments, Annex XVII, Entry 63)	м
SUDMITTED SAMPLE	TOTAL CADMIUM CONTENT (With Reference to Regulation (EC) NO.1907/2006 (REACH) And Its Amendments, Annex XVII, Entry 23)	м
	BISPHENOL-A CONTENT (By Solvent Extraction Followed By LC-MS/MS)	М

NOTE: M = MEET REQUIREMENT # = NO SPECIFIED REQUIREMENT F = DO NOT MEET REQUIREMENT N/A = NOT APPLICABLE

Note:

1. Statement of conformity is based on the simple acceptance rule without using measurement uncertainty.

- 2. In this report results relate only to the item tested.
- 3. Laboratory reports the final test results in test report. Any additional information, if required will be provided on request.
- 4. Samples received in good condition.
- 5. Testing has been performed as per the applicant's request.
- 6. Sampling is not done by Laboratory.





AUTHORIZED BY FOR INTERTEK INDIA PVT. LTD

udhanshi

SUDHANSHU KUMAR LAB MANAGER - HL AND TOYS

 NUMBER
 :
 DELH24002071-C

 DATE
 :
 22ND FEB, 2024

290, Udyog Vihar, Phase-II, Gurgaon, Haryana –122016. Registered Office : E-20, Block B-1, Mohan Co-Operative Industrial Area, Mathura Road, New Delhi -110044.







NUMBER : DELH24002071-C DATE : 22ND FEB, 2024

TEST CONDUCTED:

1.TOTAL LEAD CONTENT:

Test Regulation: EC No. 1907/2006 (REACH) And Its Amendments, Annex XVII, Entry 63 Method: Analysis Was Performed By ICP-MS/AAS

Tested Component	Test Result (ppm)	Requirement
Submitted Sample	COMPLIES	500 ppm
Submitted Sample	Aquifer plastic basket: <10 ppm	500 ppm

Detection Limit: 10 ppm

2.TOTAL CADMIUM CONTENT:

Test Regulation: EC No. 1907/2006 (REACH) And Its Amendments, Annex XVII, Entry 23 Method: Analysis Was Performed By ICP-OES.

Tested Component	Test Result (ppm)	Requirement
Submitted Sample	COMPLIES	100 ppm
Submitted Sample	Aquifer plastic basket: <10 ppm	Too ppin

Detection Limit: 10 ppm

3.BISPHENOL-A CONTENT:

Method: By Solvent Extraction Followed By LC-MS/MS.

Tested Sample	Test Result (ppm)	Requirement	
Cubraittad Camala	COMPLIES	Shall Not Contain Any Detectable Levels of	
Submitted Sample	Not Detected	Bisphenol-A (BPA)	

Detection Limit: 0.1 ppm

Tested Item:

1. Aquifer plastic basket

END OF TEST REPORT

This report is made solely on the basis of your instructions and/or information and materials supplied by you. It is not intended to be a recommendation for any particular course of action. Intertek does not accept a duty of care or any other responsibility to any person other than the Client in respect of this report and only accepts liability to the Client insofar as is expressly contained in the terms and conditions governing Intertek's provision of services to you. Intertek makes no warranties or representations either express or implied with respect to this report save as provided for in those terms and conditions. We have aimed to conduct the Review on a diligent and careful basis and we do not accept any liability to you for any loss arising out of or in connection with this report, in contract, tort, by statute or otherwise, except in the event of our gross negligence or willful misconduct.

290, Udyog Vihar, Phase-II, Gurgaon, Haryana –122016. Registered Office : E-20, Block B-1, Mohan Co-Operative Industrial Area, Mathura Road, New Delhi -110044.







 NUMBER
 :
 DELH24002072-C

 DATE
 :
 22ND FEB, 2024



290, Udyog Vihar, Phase-II, Gurgaon, Haryana –122016. Registered Office : E-20, Block B-1, Mohan Co-Operative Industrial Area, Mathura Road, New Delhi -110044.

Tel: 0124-4503400, Fax: 0124-4303592 www.Intertek.com Page 1 of 4





 NUMBER
 :
 DELH24002072-C

 DATE
 :
 22ND FEB, 2024

APPLICANT: ALL TIME PLASTICS PVT. LTD. PLOT NO. 377/1 (1&2) & 371/1(C), KACHIGAM CHAR RASTA, BEHIND STONE QUARRY, DAMAN (U.T.) 396210

ATTN: ZARIR PATEL

SAMPLE DESCRIPTION: EASY RECTANGLE BASKET MEDIUM (ASSORTED)

BAR CODE : 890 STYLE NO. : COLOR : MC END USE : SEASON : COUNTRY OF ORIGIN : COUNTRY OF DESTINATION :	0241090 002084017184 OONLIGHT
MANUFACTURER'S NAME : AL	L TIME PLASTICS PVT. LTD.

TESTS CONDUCTED:AS PER THE REQUEST BY THE APPLICANT. FOR FURTHER DETAILS PLEASE REFER TO THE ENCLOSED PAGE (S).

CONCLUSION:

TESTED SAMPLE	TEST PARAMETERS/STANDARD	RESULT
	TOTAL LEAD CONTENT (With Reference to Regulation (EC) No.1907/2006 (REACH) And Its Amendments, Annex XVII, Entry 63)	м
SUBMITTED SAMPLE	TOTAL CADMIUM CONTENT (With Reference to Regulation (EC) NO.1907/2006 (REACH) And Its Amendments, Annex XVII, Entry 23)	м
	BISPHENOL-A CONTENT (By Solvent Extraction Followed By LC-MS/MS)	М

NOTE: M = MEET REQUIREMENT # = NO SPECIFIED REQUIREMENT F = DO NOT MEET REQUIREMENT N/A = NOT APPLICABLE

Note:

1. Statement of conformity is based on the simple acceptance rule without using measurement uncertainty.

- 2. In this report results relate only to the item tested.
- 3. Laboratory reports the final test results in test report. Any additional information, if required will be provided on request.
- 4. Samples received in good condition.
- 5. Testing has been performed as per the applicant's request.
- 6. Sampling is not done by Laboratory.





AUTHORIZED BY FOR INTERTEK INDIA PVT. LTD

udhanshi

SUDHANSHU KUMAR LAB MANAGER - HL AND TOYS

 NUMBER
 :
 DELH24002072-C

 DATE
 :
 22ND FEB, 2024

290, Udyog Vihar, Phase-II, Gurgaon, Haryana –122016. Registered Office : E-20, Block B-1, Mohan Co-Operative Industrial Area, Mathura Road, New Delhi -110044.







NUMBER : DELH24002072-C DATE : 22ND FEB, 2024

TEST CONDUCTED:

1.TOTAL LEAD CONTENT:

Test Regulation: EC No. 1907/2006 (REACH) And Its Amendments, Annex XVII, Entry 63 Method: Analysis Was Performed By ICP-MS/AAS

Tested Component	Test Result (ppm)	Requirement
Submitted Sample	COMPLIES	500 ppm
Submitted Sample	Moonlight plastic basket: <10 ppm	500 ppm

Detection Limit: 10 ppm

2.TOTAL CADMIUM CONTENT:

Test Regulation: EC No. 1907/2006 (REACH) And Its Amendments, Annex XVII, Entry 23 Method: Analysis Was Performed By ICP-OES.

Tested Component	Test Result (ppm)	Requirement
Submitted Sample	COMPLIES	100 ppm
Submitted Sample	Moonlight plastic basket: <10 ppm	roo ppin

Detection Limit: 10 ppm

3.BISPHENOL-A CONTENT:

Method: By Solvent Extraction Followed By LC-MS/MS.

Tested Sample	Test Result (ppm)	Requirement	
Submitted Sample	COMPLIES Not Detected	Shall Not Contain Any Detectable Levels of Bisphenol-A (BPA)	

Detection Limit: 0.1 ppm

Tested Item:

1. Moonlight plastic basket

END OF TEST REPORT

This report is made solely on the basis of your instructions and/or information and materials supplied by you. It is not intended to be a recommendation for any particular course of action. Intertek does not accept a duty of care or any other responsibility to any person other than the Client in respect of this report and only accepts liability to the Client insofar as is expressly contained in the terms and conditions governing Intertek's provision of services to you. Intertek makes no warranties or representations either express or implied with respect to this report save as provided for in those terms and conditions. We have aimed to conduct the Review on a diligent and careful basis and we do not accept any liability to you for any loss arising out of or in connection with this report, in contract, tort, by statute or otherwise, except in the event of our gross negligence or willful misconduct.

290, Udyog Vihar, Phase-II, Gurgaon, Haryana –122016. Registered Office : E-20, Block B-1, Mohan Co-Operative Industrial Area, Mathura Road, New Delhi -110044.








 NUMBER
 :
 DELH24002070-C

 DATE
 :
 22ND FEB, 2024



Intertek India Pvt. Ltd.

290, Udyog Vihar, Phase-II, Gurgaon, Haryana –122016. Registered Office : E-20, Block B-1, Mohan Co-Operative Industrial Area, Mathura Road, New Delhi -110044.

Tel: 0124-4503400, Fax: 0124-4303592 www.Intertek.com Page 1 of 4





 NUMBER
 :
 DELH24002070-C

 DATE
 :
 22ND FEB, 2024

APPLICANT: ALL TIME PLASTICS PVT. LTD. PLOT NO. 377/1 (1&2) & 371/1(C), KACHIGAM CHAR RASTA, BEHIND STONE QUARRY, DAMAN (U.T.) 396210

ATTN: ZARIR PATEL

SAMPLE DESCRIPTION: EASY RECTANGLE BASKET MEDIUM (ASSORTED)

BUYER'S NAME:BUYING AGENT/ CONTACT:ORDER NO.:BAR CODE:BAR CODE:STYLE NO.:COLOR:END USE:SEASON:COUNTRY OF ORIGIN:COUNTRY OF DESTINATION:	 8902084017184 39241090 GREY
MANUFACTURER'S NAME : A	ALL TIME PLASTICS PVT. LTD.

TESTS CONDUCTED:AS PER THE REQUEST BY THE APPLICANT. FOR FURTHER DETAILS PLEASE REFER TO THE ENCLOSED PAGE (S).

CONCLUSION:

TESTED SAMPLE	TEST PARAMETERS/STANDARD	RESULT
	TOTAL LEAD CONTENT (With Reference to Regulation (EC) No.1907/2006 (REACH) And Its Amendments, Annex XVII, Entry 63)	м
SUBMITTED SAMPLE	TOTAL CADMIUM CONTENT (With Reference to Regulation (EC) NO.1907/2006 (REACH) And Its Amendments, Annex XVII, Entry 23)	м
	BISPHENOL-A CONTENT (By Solvent Extraction Followed By LC-MS/MS)	М

NOTE: M = MEET REQUIREMENT # = NO SPECIFIED REQUIREMENT F = DO NOT MEET REQUIREMENT N/A = NOT APPLICABLE

Note:

1. Statement of conformity is based on the simple acceptance rule without using measurement uncertainty.

- 2. In this report results relate only to the item tested.
- 3. Laboratory reports the final test results in test report. Any additional information, if required will be provided on request.
- 4. Samples received in good condition.
- 5. Testing has been performed as per the applicant's request.
- 6. Sampling is not done by Laboratory.





AUTHORIZED BY FOR INTERTEK INDIA PVT. LTD

udhanshi

SUDHANSHU KUMAR LAB MANAGER - HL AND TOYS

 NUMBER
 :
 DELH24002070-C

 DATE
 :
 22ND FEB, 2024

290, Udyog Vihar, Phase-II, Gurgaon, Haryana –122016. Registered Office : E-20, Block B-1, Mohan Co-Operative Industrial Area, Mathura Road, New Delhi -110044.







NUMBER : DELH24002070-C DATE : 22ND FEB, 2024

TEST CONDUCTED:

1.TOTAL LEAD CONTENT:

Test Regulation: EC No. 1907/2006 (REACH) And Its Amendments, Annex XVII, Entry 63 Method: Analysis Was Performed By ICP-MS/AAS

Tested Component	Test Result (ppm)	Requirement
Submitted Sample	COMPLIES	500 ppm
	Grey plastic basket: <10 ppm	

Detection Limit: 10 ppm

2.TOTAL CADMIUM CONTENT:

Test Regulation: EC No. 1907/2006 (REACH) And Its Amendments, Annex XVII, Entry 23 Method: Analysis Was Performed By ICP-OES.

Tested Component	Test Result (ppm)	Requirement
Submitted Sample	COMPLIES	100 ppm
	Grey plastic basket: <10 ppm	

Detection Limit: 10 ppm

3.BISPHENOL-A CONTENT:

Method: By Solvent Extraction Followed By LC-MS/MS.

Tested Sample	Test Result (ppm)	Requirement
Submitted Semple	COMPLIES	Shall Not Contain Any Detectable Levels of
Submitted Sample	Not Detected	Bisphenol-A (BPA)

Detection Limit: 0.1 ppm

Tested Item:

1. Grey Plastic basket

END OF TEST REPORT

This report is made solely on the basis of your instructions and/or information and materials supplied by you. It is not intended to be a recommendation for any particular course of action. Intertek does not accept a duty of care or any other responsibility to any person other than the Client in respect of this report and only accepts liability to the Client insofar as is expressly contained in the terms and conditions governing Intertek's provision of services to you. Intertek makes no warranties or representations either express or implied with respect to this report save as provided for in those terms and conditions. We have aimed to conduct the Review on a diligent and careful basis and we do not accept any liability to you for any loss arising out of or in connection with this report, in contract, tort, by statute or otherwise, except in the event of our gross negligence or willful misconduct.

290, Udyog Vihar, Phase-II, Gurgaon, Haryana –122016. Registered Office : E-20, Block B-1, Mohan Co-Operative Industrial Area, Mathura Road, New Delhi -110044.



