

NUMBER: DELH20012687 B : 24<sup>TH</sup> OCT, 2020 DATE



**ORIGINAL SAMPLES** 

Page 1 of 4





NUMBER: DELH20012687 B DATE : 24<sup>TH</sup> OCT, 2020

# APPLICANT:ALL TIME PLASTICS PVT. LTD./ DAMAN<br/>KACHIGAM, CHAR RASTA, BEHIND STONE QUARY DAMAN (U.) 396210ATTN:ZARIR PATEL / JYOTI

**SAMPLE DESCRIPTION:** THE SUBMITTED SAMPLE SAID TO BE – CHOPPING BOARD 033

(336 X 226 X 7.5 MM) (NATURAL) (24 PC PK)

DATE RECEIVED	: 16 <sup>th</sup> OCT, 2020
BUYER'S NAME	:
BUYING AGENT/ CONTACT	:
ORDER NO.	: DAM-PO-GL-1920-900 DT. 26.12.2019
BARCODE	: 8902083032614
STYLE NO.	: 303261
COLOR	:
END USE	:
SEASON	:
COUNTRY OF ORIGIN	: INDIA
COUNTRY OF DESTINATION	: INDIA
MANUFACTURER'S NAME	: ALL TIME PLASTICS PVT. LTD
CONTENT	:

**TESTS CONDUCTED:** AS PER THE REQUEST BY THE APPLICANT. FOR FURTHER DETAILS PLEASE REFER TO THE ENCLOSED PAGE (S).

CONCLUSION:

TESTED SAMPLE	<u>s</u>	TANDARD	<u>RESULT</u>
		SHER SAFE TEST SE TEST METHOD)	М
	BISPHENOL-A CONTENT (BY SOLVENT EXTRACTION FOLLOWED BY LC-MS/MS)		М
SUBMITTED SAMPLE		MIGRATION TEST (IS 9845)	М
	TOTAL LEAD CONTENT (AS PER EPA 3050B)		#
		ADMIUM CONTENT ER EPA 3050B)	#
	CLIENT'S REQUIREMENT PECIFIED REQUIREMENT	F = BELOW CLIENT'S REQUIREM N/A = NOT APPLICABL	

**TESTING REMARK**: AS CONFIRMED BY APPLICANT BOTH OF PRODUCT MADE BY SAME MATERIALS, NO TESTING CONDUCTED IN THIS TEST REPORT RESULT HAS BEEN INCORPORATED FROM REPORT NO. DELH20012687D AS PER APPLICANT'S REQUEST

PREPARED & CHECKED BY for INTERTEK INDIA PVT. LTD

Sodame

SANJAY SADANA TECHNICAL MANAGER – HARDLINE

Page 2 of 4



# intertek

fotal Quality. Assured.

NUMBER: DELH20012687 B DATE : 24<sup>TH</sup> OCT, 2020

# TEST REPORT

# TEST CONDUCTED:

# 1. DISHWASHER SAFE TEST:

(REFERENCE: IN-HOUSE TEST METHOD)

- TESTING CONDITIONS:
- (1) SELECTED CYCLE: NORMAL
- (2) CYCLE DURATION: 120 MINUTES (APROX.)
- (3) TEMPERATURE CONDITION: 60°C (APROX.)
- (4) NO. OF CYCLES: 10

TESTED COMPONENT	RESULTS	<b>CLIENT'S REQUIREMENT</b>
CHOPPING BOARD	<b>COMPLIES</b> NO VISUAL CHANGE OBSERVED	Shall not show any chipping, cracking, glaze crazing or other visual change in appearance.

## 2. BISPHENOL-A CONTENT:

(BY SOLVENT EXTRACTION FOLLOWED BY LC-MS/MS ANALYSIS)

TESTED PART	OBSERVATION	CLIENT'S REQUIREMENT
SUBMITTED SAMPLE	<b>COMPLIES</b> CHOPPING BOARD: Not Detected	Shall Not Contain Any Detectable Levels Of Bisphenol-A (BPA)

DETECTION LIMIT: 0.1 ppm

### **3. OVERALL MIGRATION TEST**

(TEST METHOD- IS 9845) TEST CONDITIONS AND RESULTS:

MATERIAL PUT INTO CONTACT	SIMULANT USED	TEST CONDITION	RESULT IN (mg/dm <sup>2</sup> )	<u>MAX. LIMIT</u> (mg/dm²)
	3% Acetic acid	70°C for 2 HOURS	<5	<10
SUBMITTED SAMPLE- CHOPPING BOARD	10% Ethanol & H <sub>2</sub> O	70°C for 2 HOURS	<5	<10
	95% Ethanol	60°C for 4 HOURS	<5	<10
	Iso-Octane	40°C for 30 MINS	<5	<10

**REMARK:** <= LESS THAN RESULTS ARE GIVEN IN mg/dm<sup>2</sup>

Page 3 of 4





NUMBER: DELH20012687 B DATE : 24<sup>TH</sup> OCT, 2020

# 4. LEAD CONTENT

(AS PER EPA 3050B)

TESTED SAMPLE	<u>RESULT (ppm)</u>	<b><u>CLIENT'S REQUIREMENT</u></b>
SUBMITTED SAMPLE	PLASTIC: <10 PPM	NOT PROVIDED

ND= NOT DETECTED DETECTION LIMIT = 10 ppm ppm = PARTS PER MILLION

#### **5. CADMIUM CONTENT**

(AS PER EPA 3050B)

TESTED SAMPLE	<u>RESULT (ppm)</u>	<b>CLIENT'S REQUIREMENT</b>
SUBMITTED SAMPLE	PLASTIC: <10 PPM	NOT PROVIDED
ND= NOT DETECTED		

DETECTION LIMIT = 10 ppm ppm = PARTS PER MILLION

#### 

# # END OF TEST REPORT #


This report is made solely on the basis of your instructions and/or information and materials supplied by you. It is not intended to be a recommendation for any particular course of action. Intertek does not accept a duty of care or any other responsibility to any person other than the Client in respect of this report and only accepts liability to the Client insofar as is expressly contained in the terms and conditions governing Intertek's provision of services to you. Intertek makes no warranties or representations either express or implied with respect to this report save as provided for in those terms and conditions. We have aimed to conduct the Review on a diligent and careful basis and we do not accept any liability to you for any loss arising out of or in connection with this report, in contract, tort, by statute or otherwise, except in the event of our gross negligence or wilful misconduct.

Page 4 of 4





NUMBER: DELH20012686 C : 24<sup>TH</sup> OCT, 2020 DATE



Page 1 of 4





NUMBER: DELH20012686 C DATE : 24<sup>TH</sup> OCT, 2020

# TEST REPORT

#### APPLICANT: ALL TIME PLASTICS PVT. LTD./ DAMAN KACHIGA, CHAR RASTA, BEHIND STONE QUARY DAMAN (U.) 396210 ATTN: ZARIR PATEL / JYOTI

# **SAMPLE DESCRIPTION:** THE SUBMITTED SAMPLE SAID TO BE – CHOPPING BOARD 033

	(336 X 226 X 7.5 MM) (ASSORTED) (24 PC PK)
DATE RECEIVED	: 16 <sup>th</sup> OCT, 2020
BUYER'S NAME	:
BUYING AGENT/ CONTACT	:
ORDER NO.	: DAM-PO-GL-1920-900 DT. 26.12.2019
BARCODE	: 8902083035318
STYLE NO.	: 303531
COLOR	:
END USE	:
SEASON	:
COUNTRY OF ORIGIN	: INDIA
COUNTRY OF DESTINATION	: INDIA
MANUFACTURER'S NAME	: ALL TIME PLASTICS PVT. LTD
CONTENT	:

**TESTS CONDUCTED:** AS PER THE REQUEST BY THE APPLICANT. FOR FURTHER DETAILS PLEASE REFER TO THE ENCLOSED PAGE (S).

# CONCLUSION:

TESTED SAMPLE	STANDARD	<u>RESULT</u>
	<b>DISHWASHER SAFE TEST</b> (IN-HOUSE TEST METHOD)	М
	BISPHENOL-A CONTENT (BY SOLVENT EXTRACTION FOLLOWED BY LC-MS/MS)	М
SUBMITTED SAMPLE	OVERALL MIGRATION TEST (IS 9845)	М
	TOTAL LEAD CONTENT (AS PER EPA 3050B)	#
	TOTAL CADMIUM CONTENT (AS PER EPA 3050B)	#
	CLIENT'S REQUIREMENT F = BELOW CLIENT'S REQUIREM	
# = NOSI	PECIFIED REQUIREMENT N/A = NOT APPLICABL	E

**TESTING REMARK**: AS CONFIRMED BY APPLICANT BOTH OF PRODUCT MADE BY SAME MATERIALS, NO TESTING CONDUCTED IN THIS TEST REPORT RESULT HAS BEEN INCORPORATED FROM REPORT NO. DELH20012686I AS PER APPLICANT'S REQUEST

PREPARED & CHECKED BY for INTERTEK INDIA PVT. LTD

Sodame

SANJAY SADANA TECHNICAL MANAGER – HARDLINE

Page 2 of 4



# intertek

fotal Quality. Assured.

NUMBER: DELH20012686 C DATE : 24<sup>TH</sup> OCT, 2020

# TEST REPORT

# **TEST CONDUCTED:**

# 1. DISHWASHER SAFE TEST:

(REFERENCE: IN-HOUSE TEST METHOD)

- TESTING CONDITIONS:
- (1) SELECTED CYCLE: NORMAL
- (2) CYCLE DURATION: 120 MINUTES (APROX.)
- (3) TEMPERATURE CONDITION: 60°C (APROX.)
- (4) NO. OF CYCLES: 10

TESTED COMPONENT	RESULTS	<b>CLIENT'S REQUIREMENT</b>
TURQUOISE CHOPPING BOARD	<b>COMPLIES</b> NO VISUAL CHANGE OBSERVED	Shall not show any chipping, cracking, glaze crazing or other visual change in appearance.

## 2. BISPHENOL-A CONTENT:

(BY SOLVENT EXTRACTION FOLLOWED BY LC-MS/MS ANALYSIS)

TESTED PART	OBSERVATION	CLIENT'S REQUIREMENT
SUBMITTED SAMPLE	<b>COMPLIES</b> TURQUOISE CHOPPING BOARD: Not Detected	Shall Not Contain Any Detectable Levels Of Bisphenol-A (BPA)

DETECTION LIMIT: 0.1 ppm

# **3. OVERALL MIGRATION TEST**

(TEST METHOD- IS 9845) TEST CONDITIONS AND RESULTS:

MATERIAL PUT INTO CONTACT	<u>SIMULANT</u> <u>USED</u>	TEST CONDITION	RESULT IN (mg/dm <sup>2</sup> )	<u>MAX. LIMIT</u> (mg/dm²)
	3% Acetic acid	70°C for 2 HOURS	<5	<10
SUBMITTED SAMPLE- TURQUOISE CHOPPING BOARD	10% Ethanol & H <sub>2</sub> O	70°C for 2 HOURS	<5	<10
	95% Ethanol	60°C for 4 HOURS	<5	<10
	Iso-Octane	40°C for 30 MINS	<5	<10

**REMARK:** <= LESS THAN RESULTS ARE GIVEN IN mg/dm<sup>2</sup>

Page 3 of 4



Intertek India Private Ltd.

Registered Office: E-20, Block B-1, Mohan Co-Operative Industrial Area, Mathura Road, New Delhi -110044. Web site: www.intertek-labtest.com.



## NUMBER: DELH20012686 C DATE : 24<sup>TH</sup> OCT, 2020

## 4. LEAD CONTENT

(AS PER EPA 3050B)

TESTED SAMPLE	<u>RESULT (ppm)</u>	<b><u>CLIENT'S REQUIREMENT</u></b>
SUBMITTED SAMPLE	TURQUOISE PLASTIC: <10 PPM	NOT PROVIDED
ND- NOT DETECTED		

ND= NOT DETECTED DETECTION LIMIT = 10 ppm ppm = PARTS PER MILLION

## **5. CADMIUM CONTENT**

(AS PER EPA 3050B)

TESTED SAMPLE	<u>RESULT (ppm)</u>	RESULT (ppm) CLIENT'S REQUIREMENT	
SUBMITTED SAMPLE	TURQUOISE PLASTIC: <10 PPM	NOT PROVIDED	
ND= NOT DETECTED			

DETECTION LIMIT = 10 ppm ppm = PARTS PER MILLION

#### 

## # END OF TEST REPORT #

This report is made solely on the basis of your instructions and/or information and materials supplied by you. It is not intended to be a recommendation for any particular course of action. Intertek does not accept a duty of care or any other responsibility to any person other than the Client in respect of this report and only accepts liability to the Client insofar as is expressly contained in the terms and conditions governing Intertek's provision of services to you. Intertek makes no warranties or representations either express or implied with respect to this report save as provided for in those terms and conditions. We have aimed to conduct the Review on a diligent and careful basis and we do not accept any liability to you for any loss arising out of or in connection with this report, in contract, tort, by statute or otherwise, except in the event of our gross negligence or wilful misconduct.

Page 4 of 4



Intertek India Private Ltd.



NUMBER: DELH20012686 D : 24<sup>TH</sup> OCT, 2020 DATE



Page 1 of 4





NUMBER: DELH20012686 D DATE : 24<sup>TH</sup> OCT, 2020

# TEST REPORT

#### APPLICANT: ALL TIME PLASTICS PVT. LTD./ DAMAN KACHIGA, CHAR RASTA, BEHIND STONE QUARY DAMAN (U.) 396210 ATTN: ZARIR PATEL / JYOTI

# **SAMPLE DESCRIPTION:** THE SUBMITTED SAMPLE SAID TO BE – CHOPPING BOARD 033

	(336 X 226 X 7.5 MM) (ASSORTED) (24 PC PK)
DATE RECEIVED	: 16 <sup>th</sup> OCT, 2020
BUYER'S NAME	:
BUYING AGENT/ CONTACT	:
ORDER NO.	: DAM-PO-GL-1920-900 DT. 26.12.2019
BARCODE	: 8902083035318
STYLE NO.	: 303531
COLOR	:
END USE	:
SEASON	:
COUNTRY OF ORIGIN	: INDIA
COUNTRY OF DESTINATION	: INDIA
MANUFACTURER'S NAME	: ALL TIME PLASTICS PVT. LTD
CONTENT	:

**TESTS CONDUCTED:** AS PER THE REQUEST BY THE APPLICANT. FOR FURTHER DETAILS PLEASE REFER TO THE ENCLOSED PAGE (S).

# CONCLUSION:

TESTED SAMPLE	<u>S</u>	TANDARD	<u>RESULT</u>
		<b>SHER SAFE TEST</b> SE TEST METHOD)	м
		NOL-A CONTENT MON FOLLOWED BY LC-MS/MS)	М
SUBMITTED SAMPLE	_	MIGRATION TEST (IS 9845)	м
		<b>LEAD CONTENT</b> ER EPA 3050B)	#
		ADMIUM CONTENT ER EPA 3050B)	#
	CLIENT'S REQUIREMENT PECIFIED REQUIREMENT	F = BELOW CLIENT'S REQUIREM N/A = NOT APPLICABL	

**TESTING REMARK**: AS CONFIRMED BY APPLICANT BOTH OF PRODUCT MADE BY SAME MATERIALS, NO TESTING CONDUCTED IN THIS TEST REPORT RESULT HAS BEEN INCORPORATED FROM REPORT NO. DELH20012686J AS PER APPLICANT'S REQUEST

PREPARED & CHECKED BY for INTERTEK INDIA PVT. LTD

odance

SANJAY SADANA TECHNICAL MANAGER – HARDLINE

Page 2 of 4



# intertek

fotal Quality. Assured.

NUMBER: DELH20012686 D DATE : 24<sup>TH</sup> OCT, 2020

# TEST REPORT

## TEST CONDUCTED:

# 1. DISHWASHER SAFE TEST:

(REFERENCE: IN-HOUSE TEST METHOD)

- TESTING CONDITIONS:
- (1) SELECTED CYCLE: NORMAL
- (2) CYCLE DURATION: 120 MINUTES (APROX.)
- (3) TEMPERATURE CONDITION: 60°C (APROX.)
- (4) NO. OF CYCLES: 10

TESTED COMPONENT	RESULTS	<b>CLIENT'S REQUIREMENT</b>
PURPLE CHOPPING BOARD	<b>COMPLIES</b> NO VISUAL CHANGE OBSERVED	Shall not show any chipping, cracking, glaze crazing or other visual change in appearance.

## 2. BISPHENOL-A CONTENT:

(BY SOLVENT EXTRACTION FOLLOWED BY LC-MS/MS ANALYSIS)

TESTED PART	OBSERVATION	CLIENT'S REQUIREMENT
SUBMITTED SAMPLE	<b>COMPLIES</b> PURPLE CHOPPING BOARD: Not Detected	Shall Not Contain Any Detectable Levels Of Bisphenol-A (BPA)

DETECTION LIMIT: 0.1 ppm

#### **3. OVERALL MIGRATION TEST**

(TEST METHOD- IS 9845) TEST CONDITIONS AND RESULTS:

MATERIAL PUT INTO CONTACT	SIMULANT USED	TEST CONDITION	RESULT IN (mg/dm <sup>2</sup> )	<u>MAX. LIMIT</u> (mg/dm <sup>2</sup> )
	3% Acetic acid	70°C for 2 HOURS	<5	<10
SUBMITTED SAMPLE- PURPLE	10% Ethanol & H <sub>2</sub> O	70°C for 2 HOURS	<5	<10
CHOPPING BOARD	95% Ethanol	60°C for 4 HOURS	<5	<10
	Iso-Octane	40°C for 30 MINS	<5	<10

**REMARK:** <= LESS THAN RESULTS ARE GIVEN IN mg/dm<sup>2</sup>

Page 3 of 4



Intertek India Private Ltd.

290, Udyog Vihar, Phase-II, Gurgaon, Haryana -122016. Tel: 0124-4503400, Fax: 0124-4303592.

Registered Office: E-20, Block B-1, Mohan Co-Operative Industrial Area, Mathura Road, New Delhi -110044. Web site: www.intertek-labtest.com.



# NUMBER: DELH20012686 D DATE : 24<sup>TH</sup> OCT, 2020

## 4. LEAD CONTENT

(AS PER EPA 3050B)

TESTED SAMPLE	<u>RESULT (ppm)</u>	<b>CLIENT'S REQUIREMENT</b>
SUBMITTED SAMPLE	PURPLE PLASTIC: <10 PPM	NOT PROVIDED
ND- NOT DETECTED		

ND= NOT DETECTED DETECTION LIMIT = 10 ppm ppm = PARTS PER MILLION

## **5. CADMIUM CONTENT**

(AS PER EPA 3050B)

TESTED SAMPLE	<u>RESULT (ppm)</u>	<b><u>CLIENT'S REQUIREMENT</u></b>
SUBMITTED SAMPLE	PURPLE PLASTIC: <10 PPM	NOT PROVIDED
ND= NOT DETECTED		

DETECTION LIMIT = 10 ppm ppm = PARTS PER MILLION

#### 

## # END OF TEST REPORT #


This report is made solely on the basis of your instructions and/or information and materials supplied by you. It is not intended to be a recommendation for any particular course of action. Intertek does not accept a duty of care or any other responsibility to any person other than the Client in respect of this report and only accepts liability to the Client insofar as is expressly contained in the terms and conditions governing Intertek's provision of services to you. Intertek makes no warranties or representations either express or implied with respect to this report save as provided for in those terms and conditions. We have aimed to conduct the Review on a diligent and careful basis and we do not accept any liability to you for any loss arising out of or in connection with this report, in contract, tort, by statute or otherwise, except in the event of our gross negligence or wilful misconduct.

Page 4 of 4





NUMBER: DELH20012686 E : 24<sup>TH</sup> OCT, 2020 DATE



Page 1 of 4





NUMBER: DELH20012686 E DATE : 24<sup>TH</sup> OCT, 2020

#### APPLICANT: ALL TIME PLASTICS PVT. LTD./ DAMAN KACHIGA, CHAR RASTA, BEHIND STONE QUARY DAMAN (U.) 396210 ATTN: ZARIR PATEL / JYOTI

SAMPLE DESCRIPTION: THE SUBMITTED SAMPLE SAID TO BE – CHOPPING BOARD 033

(336 X 226 X 7.5 MM) (ASSORTED) (24 PC PK) RED

	1 6777 0 077 0 0 0 0
DATE RECEIVED	: 16 <sup>th</sup> OCT, 2020
BUYER'S NAME	:
BUYING AGENT/ CONTACT	:
ORDER NO.	: DAM-PO-GL-1920-900 DT. 26.12.2019
BARCODE	: 8902083035318
STYLE NO.	: 303531
COLOR	:
END USE	:
SEASON	:
COUNTRY OF ORIGIN	: INDIA
COUNTRY OF DESTINATION	: INDIA
MANUFACTURER'S NAME	: ALL TIME PLASTICS PVT. LTD
CONTENT	:

**TESTS CONDUCTED:** AS PER THE REQUEST BY THE APPLICANT. FOR FURTHER DETAILS PLEASE REFER TO THE ENCLOSED PAGE (S).

# CONCLUSION:

TESTED SAMPLE	<u>8</u>	TANDARD	<u>RESULT</u>
	_	<b>SHER SAFE TEST</b> SE TEST METHOD)	М
		NOL-A CONTENT NON FOLLOWED BY LC-MS/MS)	М
SUBMITTED SAMPLE		MIGRATION TEST (IS 9845)	М
	_	<b>LEAD CONTENT</b> ER EPA 3050B)	#
		ADMIUM CONTENT ER EPA 3050B)	#
	CLIENT'S REQUIREMENT PECIFIED REOUIREMENT	F = BELOW CLIENT'S REQUIREM N/A = NOT APPLICABL	

**TESTING REMARK**: AS CONFIRMED BY APPLICANT BOTH OF PRODUCT MADE BY SAME MATERIALS, NO TESTING CONDUCTED IN THIS TEST REPORT RESULT HAS BEEN INCORPORATED FROM REPORT NO. DELH20012686H AS PER APPLICANT'S REQUEST

PREPARED & CHECKED BY for INTERTEK INDIA PVT. LTD

Sodame

SANJAY SADANA TECHNICAL MANAGER – HARDLINE

Page 2 of 4





NUMBER: DELH20012686 E DATE : 24<sup>TH</sup> OCT, 2020

## TEST CONDUCTED:

## **1. DISHWASHER SAFE TEST:**

(REFERENCE: IN-HOUSE TEST METHOD)

- TESTING CONDITIONS:
- (1) SELECTED CYCLE: NORMAL
- (2) CYCLE DURATION: 120 MINUTES (APROX.)
- (3) TEMPERATURE CONDITION: 60°C (APROX.)
- (4) NO. OF CYCLES: 10

TESTED COMPONENT	RESULTS	<b>CLIENT'S REQUIREMENT</b>
RED CHOPPING BOARD	<b>COMPLIES</b> NO VISUAL CHANGE OBSERVED	Shall not show any chipping, cracking, glaze crazing or other visual change in appearance.

## 2. BISPHENOL-A CONTENT:

(BY SOLVENT EXTRACTION FOLLOWED BY LC-MS/MS ANALYSIS)

TESTED PART	OBSERVATION	CLIENT'S REQUIREMENT
SUBMITTED SAMPLE	<b>COMPLIES</b> RED CHOPPING BOARD: Not Detected	Shall Not Contain Any Detectable Levels Of Bisphenol-A (BPA)

DETECTION LIMIT: 0.1 ppm

#### **3. OVERALL MIGRATION TEST**

(TEST METHOD- IS 9845) TEST CONDITIONS AND RESULTS:

MATERIAL PUT INTO CONTACT	SIMULANT USED	TEST CONDITION	RESULT IN (mg/dm <sup>2</sup> )	<u>MAX. LIMIT</u> (mg/dm <sup>2</sup> )
<b>SUBMITTED SAMPLE-</b> RED CHOPPING BOARD	3% Acetic acid	70°C for 2 HOURS	<5	<10
	10% Ethanol & H <sub>2</sub> O	70°C for 2 HOURS	<5	<10
	95% Ethanol	60°C for 4 HOURS	<5	<10
	Iso-Octane	40°C for 30 MINS	<5	<10

**REMARK:** <= LESS THAN RESULTS ARE GIVEN IN mg/dm<sup>2</sup>

Page 3 of 4



Intertek India Private Ltd.

290, Udyog Vihar, Phase-II, Gurgaon, Haryana -122016. Tel: 0124-4503400, Fax: 0124-4303592.

Registered Office: E-20, Block B-1, Mohan Co-Operative Industrial Area, Mathura Road, New Delhi -110044. Web site: www.intertek-labtest.com.



## NUMBER: DELH20012686 E DATE : 24<sup>TH</sup> OCT, 2020

#### 4. LEAD CONTENT

(AS PER EPA 3050B)

TESTED SAMPLE	<u>RESULT (ppm)</u>	<b><u>CLIENT'S REQUIREMENT</u></b>
SUBMITTED SAMPLE	RED PLASTIC: <10 PPM	NOT PROVIDED

ND= NOT DETECTED DETECTION LIMIT = 10 ppm ppm = PARTS PER MILLION

## **5. CADMIUM CONTENT**

(AS PER EPA 3050B)

TESTED SAMPLE	<u>RESULT (ppm)</u>	<u>CLIENT'S REQUIREMENT</u>
SUBMITTED SAMPLE	RED PLASTIC: <10 PPM	NOT PROVIDED
ND= NOT DETECTED		

DETECTION LIMIT = 10 ppm ppm = PARTS PER MILLION

#### 

#### # END OF TEST REPORT #

This report is made solely on the basis of your instructions and/or information and materials supplied by you. It is not intended to be a recommendation for any particular course of action. Intertek does not accept a duty of care or any other responsibility to any person other than the Client in respect of this report and only accepts liability to the Client insofar as is expressly contained in the terms and conditions governing Intertek's provision of services to you. Intertek makes no warranties or representations either express or implied with respect to this report save as provided for in those terms and conditions. We have aimed to conduct the Review on a diligent and careful basis and we do not accept any liability to you for any loss arising out of or in connection with this report, in contract, tort, by statute or otherwise, except in the event of our gross negligence or wilful misconduct.

Page 4 of 4

