

NUMBER : DELH23000935-G **TEST REPORT** DATE : 06<sup>TH</sup> MAY, 2023



Tel: 0124-4503400,



TEST REPORT

NUMBER : DELH23000935-G
DATE : 06<sup>TH</sup> MAY, 2023

APPLICANT: ALL TIME PLASTICS PVT. LTD.

PLOT NO. 377/1 (1&2) & 371/1(C), KACHIGAM CHAR RASTA,

BEHIND STONE QUARRY, DAMAN (U.T.) 396210

ATTN: ZARIR PATEL

SAMPLE DESCRIPTION: PICNIC BOWL (930 ML)

DATE RECEIVED : 28<sup>TH</sup> JAN, 2023

TEST PERFORMANCE DATE : 28<sup>TH</sup> JAN, 2023 TO 28<sup>TH</sup> MAR, 2023

BUYER'S NAME : --

BUYING AGENT/ CONTACT : -- ORDER NO. : --

BAR CODE : 8902084012745 STYLE NO. : HSN CODE: 39241090

COLOR : BLUSH

END USE : -SEASON : -COUNTRY OF ORIGIN : -COUNTRY OF DESTINATION : --

MANUFACTURER'S NAME : ALL TIME PLASTICS PVT. LTD.

TESTS CONDUCTED: AS PER THE REQUEST BY THE APPLICANT.

TOTAL LEAD CONTENT, TOTAL CADMIUM CONTENT, BISPHENOL-A CONTENT, DISHWASHER SAFE TEST,

OVERALL MIGRATION, FREEZER SAFE TEST, MICROWAVE SAFE TEST, SPECIFIC MIGRATION OF HEAVY METAL

FOR FURTHER DETAILS PLEASE REFER TO THE ENCLOSED PAGE (S).

### CONCLUSION:

| TESTED SAMPLE    | TEST PARAMETERS/STANDARD  | RESULT |
|------------------|---|--------|
|                  | TOTAL LEAD CONTENT (With Reference to Regulation (EC) No.1907/2006 (REACH) And Its Amendments, Annex XVII, Entry 63)    | М      |
|                  | TOTAL CADMIUM CONTENT (With Reference to Regulation (EC) NO.1907/2006 (REACH) And Its Amendments, Annex XVII, Entry 23) | М      |
|                  | BISPHENOL-A CONTENT (By Solvent Extraction Followed By LC-MS/MS)  | M      |
| SUBMITTED SAMPLE | DISHWASHER SAFE TEST (As Per Intertek In-House Test Method (M0001-V05))   | М      |
|                  | OVERALL MIGRATION (Food Safety and Standards (Packaging) Regulations, 2018)   | М      |
|                  | FREEZER SAFE TEST (As Per Intertek In-House Test Method(M0004-V03))   | М      |
|                  | MICROWAVE SAFE TEST As Per Intertek In-House Test Method (M0002-V02)  | М      |
|                  | SPECIFIC MIGRATION OF HEAVY METAL (Food Safety and Standards (Packaging) Regulations, 2018)                             | М      |

NOTE: M = MEET REQUIREMENT F = DO NOT MEET REQUIREMENT

# = NO SPECIFIED REQUIREMENT N/A = NOT APPLICABLE

### Note:

1.Statement of conformity is based on the Simple acceptance rule without using measurement uncertainty.

2.Laboratory reports the final test results in test report. Any additional information, if required will be provided on request.



Tel: 0124-4503400, Fax: 0124-4303592 www.Intertek.com



AUTHORIZED BY

FOR INTERTEK INDIA PVT. LTD.

KAMAL SARDHANA

ASST. MANAGER - HARDLINE

Testing Remark: Test results have been incorporated from report no. DELH23000935-A as per applicant's request.





#### **TEST REPORT** NUMBER : DELH23000935-G 06<sup>TH</sup> MAY, 2023 DATE

# **TEST CONDUCTED:**

### **1.TOTAL LEAD CONTENT:**

Test Regulation: EC No. 1907/2006 (REACH) And Its Amendments, Annex XVII, Entry 63.

Method: Analysis Was Performed By ICP-MS/AAS

| Tested Component | Test Result (ppm)               | Requirement                 |
|------------------|---------------------------------|-----------------------------|
| Submitted Sample | COMPLIES Blush Plastic: <10 ppm | < 500 ppm (0.05% By Weight) |

Detection Limit: 10 ppm

### 2.TOTAL CADMIUM CONTENT:

Test Regulation: EC No. 1907/2006 (REACH) And Its Amendments, Annex XVII, Entry 23

Method: Analysis Was Performed By ICP-OES

| Wiction: / Waiyolo Wao I | enermed by for GEG.    |                      |
|--------------------------|------------------------|----------------------|
| Tested Component         | Test Result (mg/kg)    | Client's Requirement |
| Submitted Sample         | COMPLIES               | < 50 mg/kg           |
|                          | Blush Plastic: <10 ppm | ~ 50 mg/kg           |

Detection Limit: 10 ppm

### 3.BISPHENOL-A CONTENT:

Method: By Solvent Extraction Followed By LC-MS/MS.

| Tested Sample    | Test Result (ppm) | Client's Requirement                       |
|------------------|-------------------|--|
| O. I             | COMPLIES          | Shall Not Contain Any Detectable Levels of |
| Submitted Sample | Not Detected      | Bisphenol-A (BPA)                          |

Detection Limit: 0.1 ppm

Tested Item: Blush Plastic

# **4.DISHWASHER SAFE TEST:**

Method: As Per In-House Test Method (M0001)

Test Condition;

Selected Cycle: Normal Cycle Duration: 120 Minutes Temperature Condition: 60°C Detergent Used: Cascade No. Of cycles: 10 Cycles

| Tested Sample    | Test Results / Observation  | Requirement  |
|------------------|-----------------------------|--|
| Submitted Sample | COMPLIES                    | Shall not show any chipping, cracking, glaze crazing |
|                  | (No visual change observed) | or other visual change in appearance.                |





#### **TEST REPORT** NUMBER : DELH23000935-G : 06<sup>TH</sup> MAY, 2023 DATE

### **5.OVERALL MIGRATION TEST:**

Test Specification: Food Safety and Standards (Packaging) Regulations, 2018

Test Method: IS 9845:1998 Reaffirmed 2020

| Simulant Used   | Test Condition      | Test Result (mg/dm²) | Max. Limit (mg/dm²) |
|-----------------|---------------------|----------------------|---------------------|
| 10% Ethanol     | 70°C for 2 Hours    | < 5.0                | < 10                |
| 3% Acetic Acid  | 70°C for 2 Hours    | < 5.0                | < 10                |
| 50% Ethanol     | 70°C for 2 Hours    | < 5.0                | < 10                |
| Distilled Water | 70°C for 2 Hours    | < 5.0                | < 10                |
| N-Heptane       | 38°C for 30 Minutes | < 5.0                | < 10                |

**Tested Item:** Blush Plastic

### 6.FREEZER SAFE TEST:

Method: As Per Intertek In-House Test Method(M0004-V03)

**Test Condition:** 

Temperature of freezer: -18°F Exposure period: 24 Hours

| Tested Sample    | Test Results / Observation                                | Requirement                          |
|------------------|---|--------------------------------------|
|                  | COMPLIES  | No discoloration, cracking, crazing, |
| Submitted Sample | (No discoloration, cracking, crazing, chipping, permanent | chipping, permanent deformation,     |
| -                | deformation observed & No functionality loss observed)    | No functionality loss                |

# 7.MICROWAVE SAFE TEST:

Method: As Per Intertek In-House Test Method (M0002-V02)

No of cycles: 06 Cycles

| Tested Sample    | Test Results / Observation  | Requirement  |
|------------------|-----------------------------|--------------|
| Submitted Sample | (No visual change observed) | Not Provided |

# **8.SPECIFIC MIGRATION OF HEAVY METAL:**

Test Specification: Food Safety and Standards (Packaging) Regulations, 2018

Test Method: EN 13130:2004

Test Condition: 3% Acetic Acid at 70°C for 2 hours

| Element        | Results (mg/kg) | Max. Permissible limit (mg/kg) |
|----------------|-----------------|--------------------------------|
| Barium (Ba)    | <0.1            | 1.0                            |
| Cobalt (Co)    | <0.01           | 0.05                           |
| Copper (Cu)    | <1.0            | 5.0                            |
| Iron (Fe)      | <5.0            | 48.0                           |
| Lithium (Li)   | <0.1            | 0.6                            |
| Manganese (Mn) | <0.1            | 0.6                            |
| Zinc (Zn)      | <1.0            | 25.0                           |
| Antimony (Sb)  | <0.02           | 0.04                           |

**Tested Item:** Blush Plastic

# END OF TEST REPORT #



This report is made solely on the basis of your instructions and/or information and materials supplied by you. It is not intended to be a recommendation for any particular course of action. Intertek does not accept a duty of care or any other responsibility to any person other than the Client in respect of this report and only accepts liability to the Client insofar as is expressly contained in the terms and conditions governing Intertek's provision of services to you. Intertek makes no warranties or representations either express or implied with respect to this report save as provided for in those terms and conditions. We have aimed to conduct the Review on a diligent and careful basis and we do not accept any liability to you for any loss arising out of or in connection with this report, in contract, tort, by statute or otherwise, except in the event of our gross negligence or willful misconduct.

(N)



# **TEST REPORT**

NUMBER : DELH23000935-H DATE : 06<sup>TH</sup> MAY, 2023







TEST REPORT

NUMBER : DELH23000935-H
DATE : 06<sup>TH</sup> MAY, 2023

APPLICANT: ALL TIME PLASTICS PVT. LTD.

PLOT NO. 377/1 (1&2) & 371/1(C), KACHIGAM CHAR RASTA,

BEHIND STONE QUARRY, DAMAN (U.T.) 396210

ATTN: ZARIR PATEL

SAMPLE DESCRIPTION: PICNIC BOWL (930 ML)

DATE RECEIVED : 28<sup>TH</sup> JAN, 2023

TEST PERFORMANCE DATE : 28<sup>TH</sup> JAN, 2023 TO 28<sup>TH</sup> MAR, 2023

BUYER'S NAME : --BUYING AGENT/ CONTACT : --

BUYING AGENT/ CONTACT : -ORDER NO. : --

BAR CODE : 8902084012745 STYLE NO. : HSN CODE: 39241090

COLOR : MOONLIGHT

END USE : -SEASON : -COUNTRY OF ORIGIN : -COUNTRY OF DESTINATION : --

MANUFACTURER'S NAME : ALL TIME PLASTICS PVT. LTD.

TESTS CONDUCTED: AS PER THE REQUEST BY THE APPLICANT.

TOTAL LEAD CONTENT, TOTAL CADMIUM CONTENT, BISPHENOL-A CONTENT, DISHWASHER SAFE TEST,

OVERALL MIGRATION, FREEZER SAFE TEST, MICROWAVE SAFE TEST, SPECIFIC MIGRATION OF HEAVY METAL

FOR FURTHER DETAILS PLEASE REFER TO THE ENCLOSED PAGE (S).

### **CONCLUSION:**

| TESTED SAMPLE    | TEST PARAMETERS/STANDARD  | RESULT |
|------------------|---|--------|
|                  | TOTAL LEAD CONTENT (With Reference to Regulation (EC) No.1907/2006 (REACH) And Its Amendments, Annex XVII, Entry 63)    | М      |
|                  | TOTAL CADMIUM CONTENT (With Reference to Regulation (EC) NO.1907/2006 (REACH) And Its Amendments, Annex XVII, Entry 23) | М      |
|                  | BISPHENOL-A CONTENT (By Solvent Extraction Followed By LC-MS/MS)  | M      |
| SUBMITTED SAMPLE | DISHWASHER SAFE TEST (As Per Intertek In-House Test Method (M0001-V05))   | М      |
|                  | OVERALL MIGRATION (Food Safety and Standards (Packaging) Regulations, 2018)   | М      |
|                  | FREEZER SAFE TEST (As Per Intertek In-House Test Method(M0004-V03))   | М      |
|                  | MICROWAVE SAFE TEST As Per Intertek In-House Test Method (M0002-V02)  | М      |
|                  | SPECIFIC MIGRATION OF HEAVY METAL (Food Safety and Standards (Packaging) Regulations, 2018)                             | М      |

NOTE: M = MEET REQUIREMENT F = DO NOT MEET REQUIREMENT

# = NO SPECIFIED REQUIREMENT N/A = NOT APPLICABLE

### Note:

1.Statement of conformity is based on the Simple acceptance rule without using measurement uncertainty.

2. Laboratory reports the final test results in test report. Any additional information, if required will be provided on request.



New Delhi -110044.

Tel: 0124-4503400, Fax: 0124-4303592 www.Intertek.com



AUTHORIZED BY

FOR INTERTEK INDIA PVT. LTD.

KAMAL SARDHANA

ASST. MANAGER - HARDLINE

Testing Remark: Test results have been incorporated from report no. DELH23000935-B as per applicant's request.





# **TEST CONDUCTED:**

### **1.TOTAL LEAD CONTENT:**

Test Regulation: EC No. 1907/2006 (REACH) And Its Amendments, Annex XVII, Entry 63.

Method: Analysis Was Performed By ICP-MS/AAS

| Tested Component | Test Result (ppm)                      | Requirement                 |
|------------------|--|-----------------------------|
| Submitted Sample | COMPLIES<br>Moonlight Plastic: <10 ppm | < 500 ppm (0.05% By Weight) |

Detection Limit: 10 ppm

### 2.TOTAL CADMIUM CONTENT:

Test Regulation: EC No. 1907/2006 (REACH) And Its Amendments, Annex XVII, Entry 23

Method: Analysis Was Performed By ICP-OES.

| Metrod: Analysis was renormed by for -OLO. |                                      |                      |
|--|--------------------------------------|----------------------|
| Tested Component                           | Test Result (mg/kg)                  | Client's Requirement |
| Submitted Sample                           | COMPLIES  Moonlight Plastic: <10 ppm | < 50 mg/kg           |

Detection Limit: 10 ppm

### 3.BISPHENOL-A CONTENT:

Method: By Solvent Extraction Followed By LC-MS/MS.

| Tested Sample    | Test Result (ppm) | Client's Requirement                       |
|------------------|-------------------|--|
| O. I             | COMPLIES          | Shall Not Contain Any Detectable Levels of |
| Submitted Sample | Not Detected      | Bisphenol-A (BPA)                          |

Detection Limit: 0.1 ppm

**Tested Item:** Moonlight Plastic

# 4. DISHWASHER SAFE TEST:

Method: As Per In-House Test Method (M0001)

Test Condition;

Selected Cycle: Normal Cycle Duration: 120 Minutes Temperature Condition: 60°C Detergent Used: Cascade No. Of cycles: 10 Cycles

| Tested Sample    | Test Results / Observation  | Requirement  |
|------------------|-----------------------------|--|
| Submitted Sample | COMPLIES                    | Shall not show any chipping, cracking, glaze crazing |
|                  | (No visual change observed) | or other visual change in appearance.                |





### **5.OVERALL MIGRATION TEST:**

Test Specification: Food Safety and Standards (Packaging) Regulations, 2018

Test Method: IS 9845:1998 Reaffirmed 2020

| Simulant Used   | Test Condition      | Test Result (mg/dm²) | Max. Limit (mg/dm²) |
|-----------------|---------------------|----------------------|---------------------|
| 10% Ethanol     | 70°C for 2 Hours    | < 5.0                | < 10                |
| 3% Acetic Acid  | 70°C for 2 Hours    | < 5.0                | < 10                |
| 50% Ethanol     | 70°C for 2 Hours    | < 5.0                | < 10                |
| Distilled Water | 70°C for 2 Hours    | < 5.0                | < 10                |
| N-Heptane       | 38°C for 30 Minutes | < 5.0                | < 10                |

**Tested Item:** Moonlight Plastic

### 6.FREEZER SAFE TEST:

Method: As Per Intertek In-House Test Method(M0004-V03)

**Test Condition:** 

Temperature of freezer: -18°F Exposure period: 24 Hours

| Tested Sample    | Test Results / Observation                                | Requirement                          |
|------------------|---|--------------------------------------|
|                  | COMPLIES  | No discoloration, cracking, crazing, |
| Submitted Sample | (No discoloration, cracking, crazing, chipping, permanent | chipping, permanent deformation,     |
|                  | deformation observed & No functionality loss observed)    | No functionality loss                |

### 7.MICROWAVE SAFE TEST:

Method: As Per Intertek In-House Test Method (M0002-V02)

No of cycles: 06 Cycles

| ito di cycles. do cycles |                             |              |
|--------------------------|-----------------------------|--------------|
| Tested Sample            | Test Results / Observation  | Requirement  |
| Submitted Sample         | (No visual change observed) | Not Provided |

# **8.SPECIFIC MIGRATION OF HEAVY METAL:**

Test Specification: Food Safety and Standards (Packaging) Regulations, 2018

Test Method: EN 13130:2004

Test Condition: 3% Acetic Acid at 70°C for 2 hours

| Element        | Results (mg/kg) | Max. Permissible limit (mg/kg) |
|----------------|-----------------|--------------------------------|
| Barium (Ba)    | <0.1            | 1.0                            |
| Cobalt (Co)    | <0.01           | 0.05                           |
| Copper (Cu)    | <1.0            | 5.0                            |
| Iron (Fe)      | <5.0            | 48.0                           |
| Lithium (Li)   | <0.1            | 0.6                            |
| Manganese (Mn) | <0.1            | 0.6                            |
| Zinc (Zn)      | <1.0            | 25.0                           |
| Antimony (Sb)  | <0.02           | 0.04                           |

**Tested Item:** Moonlight Plastic

# END OF TEST REPORT #

(n

Page 5 of 6



This report is made solely on the basis of your instructions and/or information and materials supplied by you. It is not intended to be a recommendation for any particular course of action. Intertek does not accept a duty of care or any other responsibility to any person other than the Client in respect of this report and only accepts liability to the Client insofar as is expressly contained in the terms and conditions governing Intertek's provision of services to you. Intertek makes no warranties or representations either express or implied with respect to this report save as provided for in those terms and conditions. We have aimed to conduct the Review on a diligent and careful basis and we do not accept any liability to you for any loss arising out of or in connection with this report, in contract, tort, by statute or otherwise, except in the event of our gross negligence or willful misconduct.

(N)

Page 6 of 6



# TEST REPORT

NUMBER : DELH23000935-I DATE : 06<sup>TH</sup> MAY, 2023





TEST REPORT

NUMBER : DELH23000935-I
DATE : 06<sup>TH</sup> MAY, 2023

APPLICANT: ALL TIME PLASTICS PVT. LTD.

PLOT NO. 377/1 (1&2) & 371/1(C), KACHIGAM CHAR RASTA,

BEHIND STONE QUARRY, DAMAN (U.T.) 396210

ATTN: ZARIR PATEL

SAMPLE DESCRIPTION: PICNIC BOWL (930 ML)

DATE RECEIVED : 28<sup>TH</sup> JAN, 2023

TEST PERFORMANCE DATE : 28<sup>TH</sup> JAN, 2023 TO 28<sup>TH</sup> MAR, 2023

BUYER'S NAME : -BUYING AGENT/ CONTACT : -ORDER NO. : --

BAR CODE : 8902084012745 STYLE NO. : HSN CODE: 39241090

COLOR : GREY
END USE : -SEASON : -COUNTRY OF ORIGIN : -COUNTRY OF DESTINATION : --

MANUFACTURER'S NAME : ALL TIME PLASTICS PVT. LTD.

TESTS CONDUCTED: AS PER THE REQUEST BY THE APPLICANT.

TOTAL LEAD CONTENT, TOTAL CADMIUM CONTENT, BISPHENOL-A CONTENT, DISHWASHER SAFE TEST, OVERALL MIGRATION, FREEZER SAFE TEST, MICROWAVE SAFE TEST,

SPECIFIC MIGRATION, FREEZER SAFE TEST, MICROWAVE SAFE TEST, SPECIFIC MIGRATION OF HEAVY METAL

FOR FURTHER DETAILS PLEASE REFER TO THE ENCLOSED PAGE (S).

### **CONCLUSION:**

| TESTED SAMPLE    | TEST PARAMETERS/STANDARD  | RESULT |
|------------------|---|--------|
|                  | TOTAL LEAD CONTENT (With Reference to Regulation (EC) No.1907/2006 (REACH) And Its Amendments, Annex XVII, Entry 63)    | М      |
|                  | TOTAL CADMIUM CONTENT (With Reference to Regulation (EC) NO.1907/2006 (REACH) And Its Amendments, Annex XVII, Entry 23) | M      |
| SUBMITTED SAMPLE | BISPHENOL-A CONTENT (By Solvent Extraction Followed By LC-MS/MS)  | М      |
|                  | DISHWASHER SAFE TEST (As Per Intertek In-House Test Method (M0001-V05))   | М      |
|                  | OVERALL MIGRATION (Food Safety and Standards (Packaging) Regulations, 2018)   | М      |
|                  | FREEZER SAFE TEST (As Per Intertek In-House Test Method(M0004-V03))   | М      |
|                  | MICROWAVE SAFE TEST As Per Intertek In-House Test Method (M0002-V02)  | M      |
|                  | SPECIFIC MIGRATION OF HEAVY METAL (Food Safety and Standards (Packaging) Regulations, 2018)                             | М      |

NOTE: M = MEET REQUIREMENT F = DO NOT MEET REQUIREMENT

# = NO SPECIFIED REQUIREMENT N/A = NOT APPLICABLE

### Note:

1.Statement of conformity is based on the Simple acceptance rule without using measurement uncertainty.

2.Laboratory reports the final test results in test report. Any additional information, if required will be provided on request.





 TEST REPORT
 NUMBER DATE
 : DELH23000935-I DATE
 : D6TH MAY, 2023

AUTHORIZED BY

FOR INTERTEK INDIA PVT. LTD.

KAMAL SARDHANA

ASST. MANAGER - HARDLINE

Testing Remark: Test results have been incorporated from report no. DELH23000935-C as per applicant's request.





# TEST REPORT NUMBER : DELH23000935-I DATE : 06<sup>TH</sup> MAY, 2023

# **TEST CONDUCTED:**

### **1.TOTAL LEAD CONTENT:**

Test Regulation: EC No. 1907/2006 (REACH) And Its Amendments, Annex XVII, Entry 63.

Method: Analysis Was Performed By ICP-MS/AAS

| Tested Component | Test Result (ppm)              | Requirement                 |
|------------------|--------------------------------|-----------------------------|
| Submitted Sample | COMPLIES Grey Plastic: <10 ppm | < 500 ppm (0.05% By Weight) |

Detection Limit: 10 ppm

### 2.TOTAL CADMIUM CONTENT:

Test Regulation: EC No. 1907/2006 (REACH) And Its Amendments, Annex XVII, Entry 23

Method: Analysis Was Performed By ICP-OES.

| moundary that yello trade to thornton by for the electric trade |                       |                      |  |
|---|-----------------------|----------------------|--|
| Tested Component  | Test Result (mg/kg)   | Client's Requirement |  |
| Submitted Sample  | COMPLIES              | < 50 mg/kg           |  |
| Submitted Sample  | Grey Plastic: <10 ppm | < 50 mg/kg           |  |

Detection Limit: 10 ppm

### 3.BISPHENOL-A CONTENT:

Method: By Solvent Extraction Followed By LC-MS/MS.

| Tested Sample    | Test Result (ppm) | Client's Requirement                       |
|------------------|-------------------|--|
| O. I             | COMPLIES          | Shall Not Contain Any Detectable Levels of |
| Submitted Sample | Not Detected      | Bisphenol-A (BPA)                          |

Detection Limit: 0.1 ppm

**Tested Item:** Grey Plastic

# 4. DISHWASHER SAFE TEST:

Method: As Per In-House Test Method (M0001)

Test Condition;

Selected Cycle: Normal
Cycle Duration: 120 Minutes
Temperature Condition: 60°C
Detergent Used: Cascade
No. Of cycles: 10 Cycles

| Tested Sample    | Test Results / Observation  | Requirement  |
|------------------|-----------------------------|--|
| Submitted Sample | COMPLIES                    | Shall not show any chipping, cracking, glaze crazing |
|                  | (No visual change observed) | or other visual change in appearance.                |



New Delhi -110044.



# TEST REPORT NUMBER DATE : DELH23000935-I DATE : D6TH MAY, 2023

### **5.OVERALL MIGRATION TEST:**

Test Specification: Food Safety and Standards (Packaging) Regulations, 2018

Test Method: IS 9845:1998 Reaffirmed 2020

| Simulant Used   | Test Condition      | Test Result (mg/dm²) | Max. Limit (mg/dm²) |
|-----------------|---------------------|----------------------|---------------------|
| 10% Ethanol     | 70°C for 2 Hours    | < 5.0                | < 10                |
| 3% Acetic Acid  | 70°C for 2 Hours    | < 5.0                | < 10                |
| 50% Ethanol     | 70°C for 2 Hours    | < 5.0                | < 10                |
| Distilled Water | 70°C for 2 Hours    | < 5.0                | < 10                |
| N-Heptane       | 38°C for 30 Minutes | < 5.0                | < 10                |

**Tested Item**: Grey Plastic

### 6.FREEZER SAFE TEST:

Method: As Per Intertek In-House Test Method(M0004-V03)

**Test Condition:** 

Temperature of freezer: -18°F Exposure period: 24 Hours

| Tested Sample    | Test Results / Observation                                | Requirement                          |
|------------------|---|--------------------------------------|
| Submitted Sample | COMPLIES  | No discoloration, cracking, crazing, |
|                  | (No discoloration, cracking, crazing, chipping, permanent | chipping, permanent deformation,     |
|                  | deformation observed & No functionality loss observed)    | No functionality loss                |

### 7.MICROWAVE SAFE TEST:

Method: As Per Intertek In-House Test Method (M0002-V02)

No of cycles: 06 Cycles

| 140 of cycles. 00 Cycles |                             |              |
|--------------------------|-----------------------------|--------------|
| Tested Sample            | Test Results / Observation  | Requirement  |
| Submitted Sample         | (No visual change observed) | Not Provided |

# **8.SPECIFIC MIGRATION OF HEAVY METAL:**

Test Specification: Food Safety and Standards (Packaging) Regulations, 2018

Test Method: EN 13130:2004

Test Condition: 3% Acetic Acid at 70°C for 2 hours

| Element        | Results (mg/kg) | Max. Permissible limit (mg/kg) |
|----------------|-----------------|--------------------------------|
| Barium (Ba)    | <0.1            | 1.0                            |
| Cobalt (Co)    | <0.01           | 0.05                           |
| Copper (Cu)    | <1.0            | 5.0                            |
| Iron (Fe)      | <5.0            | 48.0                           |
| Lithium (Li)   | <0.1            | 0.6                            |
| Manganese (Mn) | <0.1            | 0.6                            |
| Zinc (Zn)      | <1.0            | 25.0                           |
| Antimony (Sb)  | <0.02           | 0.04                           |

**Tested Item:** Grey Plastic

# END OF TEST REPORT #



Page 5 of 6



 NUMBER
 :
 DELH23000935-I

 DATE
 :
 06<sup>TH</sup> MAY, 2023

This report is made solely on the basis of your instructions and/or information and materials supplied by you. It is not intended to be a recommendation for any particular course of action. Intertek does not accept a duty of care or any other responsibility to any person other than the Client in respect of this report and only accepts liability to the Client insofar as is expressly contained in the terms and conditions governing Intertek's provision of services to you. Intertek makes no warranties or representations either express or implied with respect to this report save as provided for in those terms and conditions. We have aimed to conduct the Review on a diligent and careful basis and we do not accept any liability to you for any loss arising out of or in connection with this report, in contract, tort, by statute or otherwise, except in the event of our gross negligence or willful misconduct.

(N)