

NUMBER: DELH20012342 B

DATE :  $16^{TH}$  OCT, 2020



**ORIGINAL SAMPLES** 



NUMBER: DELH20012342 B

DATE : 16<sup>TH</sup> OCT, 2020

APPLICANT: ALL TIME PLASTICS PVT. LTD./ DAMAN

KACHIGA, CHAR RASTA, BEHIND STONE QUARY DAMAN (U.) 396210

ATTN: ZARIR PATEL / JYOTI

SAMPLE DESCRIPTION: THE SUBMITTED SAMPLE SAID TO BE - Lock & Safe Container 500H

(500 ml) - Turquoise

DATE RECEIVED : 08<sup>TH</sup> OCT, 2020

BUYER'S NAME : --BUYING AGENT/ CONTACT : --

ORDER NO. : DAM-PO-GL-1920-900 DT. 26.12.2019

BARCODE : 8902084016712

STYLE NO. : 401671

COLOR : -END USE : -SEASON : -COUNTRY OF ORIGIN : INDIA

COUNTRY OF DESTINATION : INDIA

MANUFACTURER'S NAME : ALL TIME PLASTICS PVT. LTD

CONTENT : --

**TESTS CONDUCTED:** AS PER THE REQUEST BY THE APPLICANT. FOR FURTHER DETAILS PLEASE REFER TO THE ENCLOSED PAGE (S).

#### CONCLUSION

CONCLUSION:		
TESTED SAMPLE	<u>STANDARD</u>	RESULT
	<b>DISHWASHER SAFE TEST</b> (IN-HOUSE TEST METHOD)	М
	BISPHENOL-A CONTENT (BY SOLVENT EXTRACTION FOLLOWED BY LC-MS/MS)	M
	OVERALL MIGRATION TEST (IS 9845)	M
SUBMITTED SAMPLE	TOTAL LEAD CONTENT (AS PER EPA 3050B)	#
	TOTAL CADMIUM CONTENT (AS PER EPA 3050B)	#
	FREEZER TEST (AS PER IN HOUSE TEST METHOD)	M
	MICROWAVE TEST (AS PER IN HOUSE TEST METHOD)	M

NOTE: M = MEET CLIENT'S REQUIREMENT # = NO SPECIFIED REQUIREMENT F = BELOW CLIENT'S REQUIREMENT N/A = NOT APPLICABLE

**TESTING REMARK**: AS CONFIRMED BY APPLICANT BOTH OF PRODUCT MADE BY SAME MATERIALS, NO TESTING CONDUCTED IN THIS TEST REPORT RESULT HAS BEEN INCORPORATED FROM REPORT NO. DELH19014665 AS PER APPLICANT'S REQUEST

PREPARED & CHECKED BY for INTERTEK INDIA PVT. LTD

Stodana Sanjay sadana

TECHNICAL MANAGER - HARDLINE

Page 2 of 5





NUMBER: DELH20012342 B

DATE : 16<sup>TH</sup> OCT, 2020

## **TEST CONDUCTED:**

### 1. DISHWASHER SAFE TEST:

(REFERENCE: IN-HOUSE TEST METHOD)

TESTING CONDITIONS:

(1) SELECTED CYCLE: NORMAL

(2) CYCLE DURATION: 120 MINUTES (APROX.)

(3) TEMPERATURE CONDITION: 60°C (APROX.)

(4) NO. OF CYCLES: 10

TESTED COMPONENT	<u>RESULTS</u>	CLIENT'S REQUIREMENT
SUBMITTED SAMPLE	COMPLIES NO VISUAL CHANGE OBSERVED	Shall not show any chipping, cracking, glaze crazing or other visual change in appearance.

### 2. BISPHENOL-A CONTENT:

(BY SOLVENT EXTRACTION FOLLOWED BY LC-MS/MS)

TESTED PART	OBSERVATION	CLIENT'S REQUIREMENT
SUBMITTED SAMPLE	COMPLIES Turquoise Plastic: Not Detected Transparent Plastic: Not Detected	Shall Not Contain Any Detectable Levels Of Bisphenol-A (BPA)

DETECTION LIMIT: 0.1 ppm

## 3. OVERALL MIGRATION TEST

(TEST METHOD: IS 9845)

TEST CONDITIONS AND RESULTS:

MATERIAL PUT INTO CONTACT	SIMULANT USED	TEST CONDITION	RESULT IN (mg/dm²)	MAX. LIMIT (mg/dm²)
	3% Acetic acid	40°C for 10 DAYS	<5	<10
SUBMITTED	10% Ethanol & H <sub>2</sub> O	40°C for 10 DAYS	<5	<10
SAMPLE- LID PART	95% Ethanol	40°C for 10 DAYS	<5	<10
	Iso-Octane	20°C for 2 DAYS	<5	<10



NUMBER: DELH20012342 B

DATE : 16<sup>TH</sup> OCT, 2020

MATERIAL PUT INTO CONTACT	SIMULANT USED	TEST CONDITION	RESULT IN (mg/dm²)	MAX. LIMIT (mg/dm²)
	3% Acetic acid	40°C for 10 DAYS	<5	<10
SUBMITTED SAMPLE-	10% Ethanol & H <sub>2</sub> O	40°C for 10 DAYS	<5	<10
CONTAINER PART	95% Ethanol	40°C for 10 DAYS	<5	<10
	Iso-Octane	20°C for 2 DAYS	<5	<10

**REMARK:** <= LESS THAN

RESULTS ARE GIVEN IN mg/dm<sup>2</sup>

### 4. LEAD CONTENT

(AS PER EPA 3050B)

TESTED SAMPLE	RESULT (ppm)	CLIENT'S REQUIREMENT
SUBMITTED SAMPLE	Turquoise Plastic: <10 PPM Transparent Plastic: <10 PPM	NOT PROVIDED

ND= NOT DETECTED
DETECTION LIMIT = 10 ppm
ppm = PARTS PER MILLION

## 5. CADMIUM CONTENT

(AS PER EPA 3050B)

TESTED SAMPLE	RESULT (ppm)	CLIENT'S REQUIREMENT
SUBMITTED SAMPLE	Turquoise Plastic: <10 PPM Transparent Plastic: <10 PPM	NOT PROVIDED

ND= NOT DETECTED
DETECTION LIMIT = 10 ppm
ppm = PARTS PER MILLION

(n)



NUMBER: DELH20012342 B

DATE : 16<sup>TH</sup> OCT, 2020

### 6. FREEZER TEST

(AS PER IN HOUSE TEST METHOD)

### **TESTING CONDITIONS:**

1 FREEZER TEMPARATURE: 0 °F 2 EXPOSURE PERIOD: 24 HOURS

TESTED SAMPLE	RESULTS	REQUIREMENT
SUBMITTED SAMPLE	COMPLIES (No visual change observed)	SHALL NOT SHOW ANY DISCOLORATION, DEFORMATION, CRACKING, CRAZING, CHIPPING OR OTHER CHANGE FROM THE ORIGINAL STATE.

### 7. MICROWAVE TEST

(AS PER IN HOUSE TEST METHOD)

TESTED SAMPLE	RESULTS	REQUIREMENT
SUBMITTED SAMPLE	COMPLIES (No visual change observed)	SHALL NOT SHOW ANY CHIPPING, CRACKING, CRAZING OR OTHER CHANGE FROM THE ORIGINAL STATE IS RATED AS A FAILURE.

### # END OF TEST REPORT #

This report is made solely on the basis of your instructions and/or information and materials supplied by you. It is not intended to be a recommendation for any particular course of action. Intertek does not accept a duty of care or any other responsibility to any person other than the Client in respect of this report and only accepts liability to the Client insofar as is expressly contained in the terms and conditions governing Intertek's provision of services to you. Intertek makes no warranties or representations either express or implied with respect to this report save as provided for in those terms and conditions. We have aimed to conduct the Review on a diligent and careful basis and we do not accept any liability to you for any loss arising out of or in connection with this report, in contract, tort, by statute or otherwise, except in the event of our gross negligence or wilful misconduct.

(in)



NUMBER: DELH20012342 C

DATE : 16<sup>TH</sup> OCT, 2020



ORIGINAL SAMPLES



NUMBER: DELH20012342 C

DATE : 16<sup>TH</sup> OCT, 2020

APPLICANT: ALL TIME PLASTICS PVT. LTD./ DAMAN

KACHIGA, CHAR RASTA, BEHIND STONE QUARY DAMAN (U.) 396210

ATTN: ZARIR PATEL / JYOTI

SAMPLE DESCRIPTION: THE SUBMITTED SAMPLE SAID TO BE - Lock & Safe Container 500H

(500 ml) - Purple

DATE RECEIVED : 08<sup>TH</sup> OCT, 2020

BUYER'S NAME : --BUYING AGENT/ CONTACT : --

ORDER NO. : DAM-PO-GL-1920-900 DT. 26.12.2019

BARCODE : 8902084016712

STYLE NO. : 401671

COLOR : -END USE : -SEASON : -COUNTRY OF ORIGIN : INDIA

COUNTRY OF DESTINATION : INDIA

MANUFACTURER'S NAME : ALL TIME PLASTICS PVT. LTD

CONTENT : --

**TESTS CONDUCTED:** AS PER THE REQUEST BY THE APPLICANT. FOR FURTHER DETAILS PLEASE REFER TO THE ENCLOSED PAGE (S).

#### CONCLUSION:

CONCLUSION:		
TESTED SAMPLE	<u>STANDARD</u>	RESULT
	<b>DISHWASHER SAFE TEST</b> (IN-HOUSE TEST METHOD)	М
	BISPHENOL-A CONTENT (BY SOLVENT EXTRACTION FOLLOWED BY LC-MS/MS)	M
	OVERALL MIGRATION TEST (IS 9845)	M
SUBMITTED SAMPLE	TOTAL LEAD CONTENT (AS PER EPA 3050B)	#
	TOTAL CADMIUM CONTENT (AS PER EPA 3050B)	#
	FREEZER TEST (AS PER IN HOUSE TEST METHOD)	M
	<b>MICROWAVE TEST</b> (AS PER IN HOUSE TEST METHOD)	M

NOTE: M = MEET CLIENT'S REQUIREMENT # = NO SPECIFIED REQUIREMENT F = BELOW CLIENT'S REQUIREMENT N/A = NOT APPLICABLE

**TESTING REMARK**: AS CONFIRMED BY APPLICANT BOTH OF PRODUCT MADE BY SAME MATERIALS, NO TESTING CONDUCTED IN THIS TEST REPORT RESULT HAS BEEN INCORPORATED FROM REPORT NO. DELH19014665 AS PER APPLICANT'S REQUEST

PREPARED & CHECKED BY for INTERTEK INDIA PVT. LTD

Sodana Sanjay sadana

TECHNICAL MANAGER - HARDLINE

age 2 or 5



NUMBER: DELH20012342 C

DATE : 16<sup>TH</sup> OCT, 2020

## TEST CONDUCTED:

### 1. DISHWASHER SAFE TEST:

(REFERENCE: IN-HOUSE TEST METHOD)

TESTING CONDITIONS:

(1) SELECTED CYCLE: NORMAL

(2) CYCLE DURATION: 120 MINUTES (APROX.)

(3) TEMPERATURE CONDITION: 60°C (APROX.)

(4) NO. OF CYCLES: 10

TESTED COMPONENT	<u>RESULTS</u>	CLIENT'S REQUIREMENT
SUBMITTED SAMPLE	COMPLIES NO VISUAL CHANGE OBSERVED	Shall not show any chipping, cracking, glaze crazing or other visual change in appearance.

### 2. BISPHENOL-A CONTENT:

(BY SOLVENT EXTRACTION FOLLOWED BY LC-MS/MS)

TESTED PART	OBSERVATION	CLIENT'S REQUIREMENT
SUBMITTED SAMPLE	<b>COMPLIES</b> Purple Plastic: Not Detected Transparent Plastic: Not Detected	Shall Not Contain Any Detectable Levels Of Bisphenol-A (BPA)

DETECTION LIMIT: 0.1 ppm

### 3. OVERALL MIGRATION TEST

(TEST METHOD: IS 9845)

TEST CONDITIONS AND RESULTS:

MATERIAL PUT INTO CONTACT	SIMULANT USED	TEST CONDITION	RESULT IN (mg/dm²)	MAX. LIMIT (mg/dm²)
SUBMITTED SAMPLE- LID PART	3% Acetic acid	40°C for 10 DAYS	<5	<10
	10% Ethanol & H <sub>2</sub> O	40°C for 10 DAYS	<5	<10
	95% Ethanol	40°C for 10 DAYS	<5	<10
	Iso-Octane	20°C for 2 DAYS	<5	<10



NUMBER: DELH20012342 C

DATE : 16<sup>TH</sup> OCT, 2020

MATERIAL PUT INTO CONTACT	SIMULANT USED	TEST CONDITION	RESULT IN (mg/dm²)	MAX. LIMIT (mg/dm²)
	3% Acetic acid	40°C for 10 DAYS	<5	<10
SUBMITTED SAMPLE- CONTAINER PART	10% Ethanol & H <sub>2</sub> O	40°C for 10 DAYS	<5	<10
	95% Ethanol	40°C for 10 DAYS	<5	<10
	Iso-Octane	20°C for 2 DAYS	<5	<10

**REMARK:** <= LESS THAN

RESULTS ARE GIVEN IN mg/dm<sup>2</sup>

### 4. LEAD CONTENT

(AS PER EPA 3050B)

TESTED SAMPLE	RESULT (ppm)	CLIENT'S REQUIREMENT
SUBMITTED SAMPLE	Purple Plastic: <10 PPM Transparent Plastic: <10 PPM	NOT PROVIDED

ND= NOT DETECTED
DETECTION LIMIT = 10 ppm
ppm = PARTS PER MILLION

## 5. CADMIUM CONTENT

(AS PER EPA 3050B)

TESTED SAMPLE	RESULT (ppm)	CLIENT'S REQUIREMENT
SUBMITTED SAMPLE	Purple Plastic: <10 PPM Transparent Plastic: <10 PPM	NOT PROVIDED

ND= NOT DETECTED
DETECTION LIMIT = 10 ppm
ppm = PARTS PER MILLION





NUMBER: DELH20012342 C

DATE : 16<sup>TH</sup> OCT, 2020

### 6. FREEZER TEST

(AS PER IN HOUSE TEST METHOD)

### **TESTING CONDITIONS:**

1 FREEZER TEMPARATURE: 0 °F 2 EXPOSURE PERIOD: 24 HOURS

TESTED SAMPLE	RESULTS	REQUIREMENT
SUBMITTED SAMPLE	COMPLIES (No visual change observed)	SHALL NOT SHOW ANY DISCOLORATION, DEFORMATION, CRACKING, CRAZING, CHIPPING OR OTHER CHANGE FROM THE ORIGINAL STATE.

### 7. MICROWAVE TEST

(AS PER IN HOUSE TEST METHOD)

TESTED SAMPLE	RESULTS	REQUIREMENT
SUBMITTED SAMPLE	COMPLIES (No visual change observed)	SHALL NOT SHOW ANY CHIPPING, CRACKING, CRAZING OR OTHER CHANGE FROM THE ORIGINAL STATE IS RATED AS A FAILURE.

### # END OF TEST REPORT #

This report is made solely on the basis of your instructions and/or information and materials supplied by you. It is not intended to be a recommendation for any particular course of action. Intertek does not accept a duty of care or any other responsibility to any person other than the Client in respect of this report and only accepts liability to the Client insofar as is expressly contained in the terms and conditions governing Intertek's provision of services to you. Intertek makes no warranties or representations either express or implied with respect to this report save as provided for in those terms and conditions. We have aimed to conduct the Review on a diligent and careful basis and we do not accept any liability to you for any loss arising out of or in connection with this report, in contract, tort, by statute or otherwise, except in the event of our gross negligence or wilful misconduct.

(in)