

 NUMBER
 :
 DELH23002620-A

 DATE
 :
 10TH MAR, 2023



290, Udyog Vihar, Phase-II, Gurgaon, Haryana –122016. Registered Office : E-20, Block B-1, Mohan Co-Operative Industrial Area, Mathura Road, New Delhi -110044. Tel: 0124-4503400, Fax: 0124-4303592 www.Intertek.com Page 1 of 3



intertek Total Quality. Assured.

TEST REPORT

 NUMBER
 :
 DELH23002620-A

 DATE
 :
 10TH MAR, 2023

APPLICANT: ALL TIME PLASTICS PVT. LTD. PLOT NO. 377/1 (1&2) & 371/1(C), KACHIGAM CHAR RASTA, BEHIND STONE QUARRY, DAMAN (U.T.) 396210

ATTN: ZARIR PATEL

SAMPLE DESCRIPTION: ST. BUCKET WITH PLASTIC HANDLE (3 LTR)

DATE RECEIVED TEST PERFORMANCE DATE BUYER'S NAME BUYING AGENT/ CONTACT ORDER NO. BAR CODE STYLE NO. COLOR END USE SEASON COUNTRY OF ORIGIN COUNTRY OF DESTINATION	 04 TH MAR, 2023 04 TH MAR, 2023 TO 9 TH MAR, 2023 8902084060104 HSN CODE: 39249090 GREEN
MANUFACTURER'S NAME	 ALL TIME PLASTICS PVT. LTD.

TESTS CONDUCTED:AS PER THE REQUEST BY THE APPLICANT. **TOTAL LEAD CONTENT, TOTAL CADMIUM CONTENT** FOR FURTHER DETAILS PLEASE REFER TO THE ENCLOSED PAGE (S).

CONCLUSION:

TESTED SAMPLE	TEST PARAMETERS/STANDARD	RESULT
SUBMITTED SAMPLE	TOTAL LEAD CONTENT (With Reference to Regulation (EC) No.1907/2006 (REACH) And Its Amendments, Annex XVII, Entry 63)	м
	TOTAL CADMIUM CONTENT (With Reference to Regulation (EC) NO.1907/2006 (REACH) And Its Amendments, Annex XVII, Entry 23)	м

NOTE: M = MEET REQUIREMENT # = NO SPECIFIED REQUIREMENT F = DO NOT MEET REQUIREMENT N/A = NOT APPLICABLE

Note:

1. Statement of conformity is based on the Simple acceptance rule without using measurement uncertainty.

2.Laboratory reports the final test results in test report. Any additional information, if required will be provided on request.

AUTHORIZED BY FOR INTERTEK INDIA PVT. LTD

alhansthe

SUDHANSHU KUMAR LAB MANAGER - HL AND TOYS

Testing Remark: Test results have been incorporated from report no. DELH23002620 as per applicant's request

290, Udyog Vihar, Phase-II, Gurgaon, Haryana –122016. Registered Office : E-20, Block B-1, Mohan Co-Operative Industrial Area, Mathura Road, New Delhi -110044.



Page 2 of 3



NUMBER : DELH23002620-A DATE : 10TH MAR, 2023

TEST CONDUCTED:

1.TOTAL LEAD CONTENT:

Test Regulation: EC No. 1907/2006 (REACH) And Its Amendments, Annex XVII, Entry 63 Method: Analysis Was Performed By ICP-MS/AAS

Tested Component	Test Result (ppm)	Requirement
Submitted Sample	COMPLIES Green plastic: <10 ppm	500 ppm

Detection Limit: 10 ppm

2.TOTAL CADMIUM CONTENT:

Test Regulation: EC No. 1907/2006 (REACH) And Its Amendments, Annex XVII, Entry 23 Method: Analysis Was Performed By ICP-OES.

Tested Component	Test Result (ppm)	Requirement
Submitted Sample	COMPLIES	100 ppm
1	Green plastic: <10 ppm	11

Detection Limit: 10 ppm

END OF TEST REPORT

This report is made solely on the basis of your instructions and/or information and materials supplied by you. It is not intended to be a recommendation for any particular course of action. Intertek does not accept a duty of care or any other responsibility to any person other than the Client in respect of this report and only accepts liability to the Client insofar as is expressly contained in the terms and conditions governing Intertek's provision of services to you. Intertek makes no warranties or representations either express or implied with respect to this report save as provided for in those terms and conditions. We have aimed to conduct the Review on a diligent and careful basis and we do not accept any liability to you for any loss arising out of or in connection with this report, in contract, tort, by statute or otherwise, except in the event of our gross negligence or willful misconduct.

290, Udyog Vihar, Phase-II, Gurgaon, Haryana –122016. Registered Office : E-20, Block B-1, Mohan Co-Operative Industrial Area, Mathura Road, New Delhi -110044.







 NUMBER
 :
 DELH23002621-A

 DATE
 :
 10TH MAR, 2023



290, Udyog Vihar, Phase-II, Gurgaon, Haryana –122016. Registered Office : E-20, Block B-1, Mohan Co-Operative Industrial Area, Mathura Road, New Delhi -110044.





intertek Total Quality. Assured.

TEST REPORT

 NUMBER
 :
 DELH23002621-A

 DATE
 :
 10TH MAR, 2023

APPLICANT: ALL TIME PLASTICS PVT. LTD. PLOT NO. 377/1 (1&2) & 371/1(C), KACHIGAM CHAR RASTA, BEHIND STONE QUARRY, DAMAN (U.T.) 396210

ATTN: ZARIR PATEL

SAMPLE DESCRIPTION: ST. BUCKET WITH PLASTIC HANDLE (3 LTR)

TEST PERFORMANCE DATE:BUYER'S NAME:BUYING AGENT/ CONTACT:ORDER NO.:BAR CODE:STYLE NO.:COLOR:END USE:SEASON:COUNTRY OF ORIGIN:COUNTRY OF DESTINATION:	04 TH MAR, 2023 04 TH MAR, 2023 TO 09 TH MAR, 2023 8902084060104 HSN CODE: 39249090 PINK
MANUFACTURER'S NAME : /	ALL TIME PLASTICS PVT. LTD.
MANUFACTURER'S NAME	ALL TIME PLASTICS PVT. LTD.

TESTS CONDUCTED:AS PER THE REQUEST BY THE APPLICANT. **TOTAL LEAD CONTENT, TOTAL CADMIUM CONTENT** FOR FURTHER DETAILS PLEASE REFER TO THE ENCLOSED PAGE (S).

CONCLUSION:

TESTED SAMPLE	TEST PARAMETERS/STANDARD	RESULT
SUBMITTED SAMPLE	TOTAL LEAD CONTENT (With Reference to Regulation (EC) No.1907/2006 (REACH) And Its Amendments, Annex XVII, Entry 63)	м
	TOTAL CADMIUM CONTENT (With Reference to Regulation (EC) NO.1907/2006 (REACH) And Its Amendments, Annex XVII, Entry 23)	м

NOTE: M = MEET REQUIREMENT # = NO SPECIFIED REQUIREMENT F = DO NOT MEET REQUIREMENT N/A = NOT APPLICABLE

Note:

1. Statement of conformity is based on the Simple acceptance rule without using measurement uncertainty.

2.Laboratory reports the final test results in test report. Any additional information, if required will be provided on request.

AUTHORIZED BY FOR INTERTEK INDIA PVT. LTD.

Kamal Sardhana

KAMAL SARDHANA ASST. MANAGER - HARDLINE

Testing Remark: Test results have been incorporated from report no. DELH23002621 as per applicant's request



Page 2 of 3



NUMBER : DELH23002621-A DATE : 10TH MAR, 2023

TEST CONDUCTED:

1.TOTAL LEAD CONTENT:

Test Regulation: EC No. 1907/2006 (REACH) And Its Amendments, Annex XVII, Entry 63 Method: Analysis Was Performed By ICP-MS/AAS

Tested Component	Test Result (ppm)	Requirement
Submitted Sample	COMPLIES Pink plastic: <10 ppm	500 ppm

Detection Limit: 10 ppm

2.TOTAL CADMIUM CONTENT:

Test Regulation: EC No. 1907/2006 (REACH) And Its Amendments, Annex XVII, Entry 23 Method: Analysis Was Performed By ICP-OES.

,		
Tested Component	Test Result (ppm)	Requirement
Submitted Sample	COMPLIES	100 ppm
•	Pink plastic: <10 ppm	

Detection Limit: 10 ppm

END OF TEST REPORT

This report is made solely on the basis of your instructions and/or information and materials supplied by you. It is not intended to be a recommendation for any particular course of action. Intertek does not accept a duty of care or any other responsibility to any person other than the Client in respect of this report and only accepts liability to the Client insofar as is expressly contained in the terms and conditions governing Intertek's provision of services to you. Intertek makes no warranties or representations either express or implied with respect to this report save as provided for in those terms and conditions. We have aimed to conduct the Review on a diligent and careful basis and we do not accept any liability to you for any loss arising out of or in connection with this report, in contract, tort, by statute or otherwise, except in the event of our gross negligence or willful misconduct.

290, Udyog Vihar, Phase-II, Gurgaon, Haryana –122016. Registered Office : E-20, Block B-1, Mohan Co-Operative Industrial Area, Mathura Road, New Delhi -110044.





 NUMBER
 :
 DELH23002619-A

 DATE
 :
 10TH MAR, 2023



290, Udyog Vihar, Phase-II, Gurgaon, Haryana –122016. Registered Office : E-20, Block B-1, Mohan Co-Operative Industrial Area, Mathura Road, New Delhi -110044.





intertek Total Quality. Assured.

TEST REPORT

 NUMBER
 :
 DELH23002619-A

 DATE
 :
 10TH MAR, 2023

APPLICANT: ALL TIME PLASTICS PVT. LTD. PLOT NO. 377/1 (1&2) & 371/1(C), KACHIGAM CHAR RASTA, BEHIND STONE QUARRY, DAMAN (U.T.) 396210

ATTN: ZARIR PATEL

SAMPLE DESCRIPTION: ST. BUCKET WITH PLASTIC HANDLE (3 LTR)

STYLE NO.:HSNCOLOR:BLUEEND USE:SEASON:COUNTRY OF ORIGIN:COUNTRY OF DESTINATION:	_
MANUFACTURER'S NAME : ALL	TIME PLASTICS PVT. LTD.

TESTS CONDUCTED: AS PER THE REQUEST BY THE APPLICANT. TOTAL LEAD CONTENT, TOTAL CADMIUM CONTENT FOR FURTHER DETAILS PLEASE REFER TO THE ENCLOSED PAGE (S).

CONCLUSION:

TESTED SAMPLE	TEST PARAMETERS/STANDARD	RESULT
	TOTAL LEAD CONTENT (With Reference to Regulation (EC) No.1907/2006 (REACH) And Its Amendments, Annex XVII, Entry 63)	м
SUBMITTED SAMPLE	TOTAL CADMIUM CONTENT (With Reference to Regulation (EC) NO.1907/2006 (REACH) And Its Amendments, Annex XVII, Entry 23)	М

NOTE: M = MEET REQUIREMENT # = NO SPECIFIED REQUIREMENT F = DO NOT MEET REQUIREMENT N/A = NOT APPLICABLE

Note:

1. Statement of conformity is based on the Simple acceptance rule without using measurement uncertainty.

2.Laboratory reports the final test results in test report. Any additional information, if required will be provided on request.

AUTHORIZED BY FOR INTERTEK INDIA PVT. LTD.

Kamad Sardhana

KAMAL SARDHANA ASST. MANAGER - HARDLINE

Testing Remark: Test results have been incorporated from report no. DELH23002619 as per applicant's request

290, Udyog Vihar, Phase-II, Gurgaon, Haryana –122016. Registered Office : E-20, Block B-1, Mohan Co-Operative Industrial Area, Mathura Road, New Delhi -110044.



Page 2 of 3



NUMBER : DELH23002619-A DATE : 10TH MAR, 2023

TEST CONDUCTED:

1.TOTAL LEAD CONTENT:

Test Regulation: EC No. 1907/2006 (REACH) And Its Amendments, Annex XVII, Entry 63 Method: Analysis Was Performed By ICP-MS/AAS

Tested Component	Test Result (ppm)	Requirement
Submitted Sample	COMPLIES Blue plastic: <10 ppm	500 ppm

Detection Limit: 10 ppm

2.TOTAL CADMIUM CONTENT:

Test Regulation: EC No. 1907/2006 (REACH) And Its Amendments, Annex XVII, Entry 23 Method: Analysis Was Performed By ICP-OES.

Tested Component	Test Result (ppm)	Requirement
Submitted Sample	COMPLIES	100 ppm
Submitted Sample	Blue plastic: <10 ppm	roo ppin

Detection Limit: 10 ppm

END OF TEST REPORT

This report is made solely on the basis of your instructions and/or information and materials supplied by you. It is not intended to be a recommendation for any particular course of action. Intertek does not accept a duty of care or any other responsibility to any person other than the Client in respect of this report and only accepts liability to the Client insofar as is expressly contained in the terms and conditions governing Intertek's provision of services to you. Intertek makes no warranties or representations either express or implied with respect to this report save as provided for in those terms and conditions. We have aimed to conduct the Review on a diligent and careful basis and we do not accept any liability to you for any loss arising out of or in connection with this report, in contract, tort, by statute or otherwise, except in the event of our gross negligence or willful misconduct.

290, Udyog Vihar, Phase-II, Gurgaon, Haryana –122016. Registered Office : E-20, Block B-1, Mohan Co-Operative Industrial Area, Mathura Road, New Delhi -110044.



