

TEST REPORT



Test Report No. GGN/H(FCM)/26/002551

Dated. 2026.07.29

Sample Image(s) (As Received)



Component No. A

TEST REPORT



TL-1082

Test Report No. GGN/H(FCM)/26/002551

Dated. 2026.07.29

Applicant / Company Name : ALL TIME PLASTICS LIMITED
Address : Plot No. 377/1 (1&2) & 371/1(C), Kachigam Char Rasta,
Daman (U.T.) 396210
Attention / Contact Person : Zarir Patel
Date of Sample Receipt : Received on 2029.07.07 at 11:38 A.M.
Test Period : 2026.07.07 To 2026.07.29
Article / Sample Description : Vittoria Bucket (18 Ltr) (Assorted)
Colour : Beige
Product Type / End Use : Bathroom Bucket
Style No. : 8902084026704
Buyer : N.A.
Agent : N.A.
Supplier : N.A.
Season : N.A.
Country Of Origin : India
Country Of Destination : N.A.

Note:

1. The submitted sample(s) is / are Not Drawn by the Laboratory

2. Unless otherwise agreed upon, PASS or FAIL verdicts are given based on the measured values without any considerations of measurement uncertainties. Every test method has a measurement uncertainty which has been evaluated by the laboratory and are available on request. By taking measurement uncertainties into account, it might happen that measured values can neither be assessed as PASS nor as FAIL"

3. Disclaimer: The testing approach, the testing methods, and the reported results in this report demonstrate compliance or non-compliance to the client's requirements which were mutually agreed at the contract review and stipulated in the quotation.

The testing approach, the testing methods, and the reported results may not or only partially fulfil the associated requirements of the applicable regulations.

4. The laboratory will retain the sample(s) for 45 days except for the mandatory retention period specified by the Regulatory Bodies and unless otherwise specified by the client.

TEST REPORT



Test Report No. GGN/H(FCM)/26/002551

Dated. 2026.07.29

Remarks:

1. Test(s) performed as requested by applicant.
2. Conclusion(s) of the test(s) was drawn as per compliance requirement(s) specified by applicant.

Authorized By

Verma, Parvesh Kumar
(Authorised Signatory)

Please Contact:

For any technical issues: Anuradha Dhamija at :Anuradha.Dhamija@tuvsud.com

For any complaint: Ashima Sapra at: Ashima.Sapra@tuvsud.com

By accepting this document, the customer hereby agrees and accepts the 'Terms & Conditions' and the relevant 'Testing & Certification Regulations' of TÜV SÜD South Asia Pvt Ltd. which are available at Company's website at the link-<https://www.tuvsud.com/en-in/terms-and-conditions>

Note: The test report is electronically generated. Hence original signature is not required.

Note: (1) The results relate only to the items tested, (2) The test report shall not be reproduced except in full without the written approval of the laboratory (3) Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4. (4) The correctness of the information related to sample(s) in the Test Request Form/Customer letterhead/Email is the customer's responsibility. The laboratory reports the said information in the test report and is not liable for the same, (5) The testing conditions are followed as per the reported test standard. For additional test conditions apart from the reported test conditions laboratory can be contacted for details

Laboratory:
TÜV SÜD South Asia Pvt. Ltd.
373 Udyog Vihar Phase II
Sector 20
Gurgaon – 122016

Phone : +91 (124) 6199699
Email :
Anuradha.Dhamija@tuvsud.com
www.tuvsud.com

Registered Office:
TÜV SÜD South Asia Pvt. Ltd.
TÜV SÜD House
Off Saki Vihar Road
Saki Naka, Andheri (East),
Mumbai – 400072. India

TÜV®
Page 3 of 5

TEST REPORT



Test Report No. GGN/H(FCM)/26/002551

Dated. 2026.07.29

Summary of Test Result(s)

S. No.	Test(s)	Conclusion (#)
1.	Total Lead Content	Pass
2.	Total Cadmium Content	Pass
3.	Drop Test	Pass
(#) For details regarding specification(s) / regulation(s) based on which compliance is decided, refer test details.		

Material list / List of material(s) (As confirmed by applicant)

Component No.	Component description	Material	Color
A	Vittoria Bucket (18 Ltr) (Assorted)	Plastic	Beige

Sampling plan (As requested by applicant)

S. No.	Test(s)	Component No.
1.	Total Lead Content	A
2.	Total Cadmium Content	A

TEST REPORT



Test Report No. GGN/H(FCM)/26/002551

Dated. 2026.07.29

Test Result(s):

Total Lead Content

Test Specification(s) / Regulation(s): REACH Regulation (EC) No 1907/2006 (Annex XVII) & its amendments (Entry level / No.: 63);

Test method(s) adopted: In-house method {(GTP_Chem_CPS_25134C) -Non-Metal / (Acid digestion followed by analysis using ICP-MS)};

Equipment(s) used: Inductively Coupled Plasma – Mass Spectrometer (ICP – MS).

S. No.	Component No.	Test Result (mg/kg)	Limit of quantification (mg/kg)	Compliance Requirement(s) / Limit Max (mg/kg)	Conclusion
1.	A	ND	10.0	Less than 500	Pass

Total Cadmium Content

Test Specification(s) / Regulation(s): REACH Regulation (EC) No 1907/2006 (Annex XVII) & its amendments (Entry level / No.: 23);

Test method(s) adopted: EN 16711 (Part 1) (Acid digestion followed by analysis using ICP-MS)};

Equipment(s) used: Inductively Coupled Plasma – Mass Spectrometer (ICP – MS).

S. No.	Component No.	Test Result (mg/kg)	Limit of Quantification (mg/kg)	Compliance Requirement(s) / Limit Max (mg/kg)	Conclusion
1.	A	ND	10.0	Less than 100	Pass

Drop Test

Test method(s) adopted: As per applicant specified test condition.

Number of Drops: 01

Height: 2 Ft

Tested Sample	Test Requirement	Test Result / Observation	Conclusion
Component A - Vittoria Bucket (18 Ltr) (Assorted) / Beige	No visible damage shall be observed after one drop from 2 ft onto a concrete floor with the bucket filled to 80% of its capacity with water.	No any visual damage observed	Pass

Abbreviations

“mg/kg” denotes milligram per kilogram & is equivalent to ppm (parts per million); “ND” denotes Not Detected or below limit of quantification.

--- END OF THE TEST REPORT ---

TEST REPORT



Test Report No. GGN/H(FCM)/26/002550

Dated. 2026.07.29

Sample Image(s) (As Received)



Component No. A

TEST REPORT



TL-1082

Test Report No. GGN/H(FCM)/26/002550

Dated. 2026.07.29

Applicant / Company Name : ALL TIME PLASTICS LIMITED
Address : Plot No. 377/1 (1&2) & 371/1(C), Kachigam Char Rasta,
Daman (U.T.) 396210
Attention / Contact Person : Zarir Patel
Date of Sample Receipt : Received on 2029.07.07 at 11:38 A.M.
Test Period : 2026.07.07 To 2026.07.29
Article / Sample Description : Vittoria Bucket (18 Ltr) (Assorted)
Colour : Greyish Lilac
Product Type / End Use : Bathroom Bucket
Style No. : 8902084026704
Buyer : N.A.
Agent : N.A.
Supplier : N.A.
Season : N.A.
Country Of Origin : India
Country Of Destination : N.A.

Note:

1. The submitted sample(s) is / are Not Drawn by the Laboratory

2. Unless otherwise agreed upon, PASS or FAIL verdicts are given based on the measured values without any considerations of measurement uncertainties. Every test method has a measurement uncertainty which has been evaluated by the laboratory and are available on request. By taking measurement uncertainties into account, it might happen that measured values can neither be assessed as PASS nor as FAIL"

3. Disclaimer: The testing approach, the testing methods, and the reported results in this report demonstrate compliance or non-compliance to the client's requirements which were mutually agreed at the contract review and stipulated in the quotation.

The testing approach, the testing methods, and the reported results may not or only partially fulfil the associated requirements of the applicable regulations.

4. The laboratory will retain the sample(s) for 45 days except for the mandatory retention period specified by the Regulatory Bodies and unless otherwise specified by the client.

TEST REPORT



Test Report No. GGN/H(FCM)/26/002550

Dated. 2026.07.29

Remarks:

1. Test(s) performed as requested by applicant.
2. Conclusion(s) of the test(s) was drawn as per compliance requirement(s) specified by applicant.

Authorized By

Verma, Parvesh Kumar
(Authorised Signatory)

Please Contact:

For any technical issues: Anuradha Dhamija at :Anuradha.Dhamija@tuvsud.com

For any complaint: Ashima Sapra at: Ashima.Sapra@tuvsud.com

By accepting this document, the customer hereby agrees and accepts the 'Terms & Conditions' and the relevant 'Testing & Certification Regulations' of TÜV SÜD South Asia Pvt Ltd. which are available at Company's website at the link-<https://www.tuvsud.com/en-in/terms-and-conditions>

Note: The test report is electronically generated. Hence original signature is not required.

Note: (1) The results relate only to the items tested, (2) The test report shall not be reproduced except in full without the written approval of the laboratory (3) Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4. (4) The correctness of the information related to sample(s) in the Test Request Form/Customer letterhead/Email is the customer's responsibility. The laboratory reports the said information in the test report and is not liable for the same, (5) The testing conditions are followed as per the reported test standard. For additional test conditions apart from the reported test conditions laboratory can be contacted for details

Laboratory:
TÜV SÜD South Asia Pvt. Ltd.
373 Udyog Vihar Phase II
Sector 20
Gurgaon – 122016

Phone : +91 (124) 6199699
Email :
Anuradha.Dhamija@tuvsud.com
www.tuvsud.com

Registered Office:
TÜV SÜD South Asia Pvt. Ltd.
TÜV SÜD House
Off Saki Vihar Road
Saki Naka, Andheri (East),
Mumbai – 400072. India

TÜV®
Page 3 of 5

TEST REPORT



Test Report No. GGN/H(FCM)/26/002550

Dated. 2026.07.29

Summary of Test Result(s)

S. No.	Test(s)	Conclusion (#)
1.	Total Lead Content	Pass
2.	Total Cadmium Content	Pass
3.	Drop Test	Pass
(#) For details regarding specification(s) / regulation(s) based on which compliance is decided, refer test details.		

Material list / List of material(s) (As confirmed by applicant)

Component No.	Component description	Material	Color
A	Vittoria Bucket (18 Ltr) (Assorted)	Plastic	Greyish Lilac

Sampling plan (As requested by applicant)

S. No.	Test(s)	Component No.
1.	Total Lead Content	A
2.	Total Cadmium Content	A

TEST REPORT



Test Report No. GGN/H(FCM)/26/002550

Dated. 2026.07.29

Test Result(s):

Total Lead Content

Test Specification(s) / Regulation(s): REACH Regulation (EC) No 1907/2006 (Annex XVII) & its amendments (Entry level / No.: 63);

Test method(s) adopted: In-house method {(GTP_Chem_CPS_25134C) -Non-Metal / (Acid digestion followed by analysis using ICP-MS)};

Equipment(s) used: Inductively Coupled Plasma – Mass Spectrometer (ICP – MS).

S. No.	Component No.	Test Result (mg/kg)	Limit of quantification (mg/kg)	Compliance Requirement(s) / Limit Max (mg/kg)	Conclusion
1.	A	ND	10.0	Less than 500	Pass

Total Cadmium Content

Test Specification(s) / Regulation(s): REACH Regulation (EC) No 1907/2006 (Annex XVII) & its amendments (Entry level / No.: 23);

Test method(s) adopted: EN 16711 (Part 1) (Acid digestion followed by analysis using ICP-MS)};

Equipment(s) used: Inductively Coupled Plasma – Mass Spectrometer (ICP – MS).

S. No.	Component No.	Test Result (mg/kg)	Limit of Quantification (mg/kg)	Compliance Requirement(s) / Limit Max (mg/kg)	Conclusion
1.	A	ND	10.0	Less than 100	Pass

Drop Test

Test method(s) adopted: As per applicant specified test condition.

Number of Drops: 01

Height: 2 Ft

Tested Sample	Test Requirement	Test Result / Observation	Conclusion
Component A - Vittoria Bucket (18 Ltr) (Assorted) / Greyish Lilac	No visible damage shall be observed after one drop from 2 ft onto a concrete floor with the bucket filled to 80% of its capacity with water.	No any visual damage observed	Pass

Abbreviations

“mg/kg” denotes milligram per kilogram & is equivalent to ppm (parts per million); “ND” denotes Not Detected or below limit of quantification.

--- END OF THE TEST REPORT ---

TEST REPORT



Test Report No. GGN/H(FCM)/26/002549

Dated. 2026.07.29

Sample Image(s) (As Received)



Component No. A

TEST REPORT



TL-1082

Test Report No. GGN/H(FCM)/26/002549

Dated. 2026.07.29

Applicant / Company Name : ALL TIME PLASTICS LIMITED
Address : Plot No. 377/1 (1&2) & 371/1(C), Kachigam Char Rasta,
Daman (U.T.) 396210
Attention / Contact Person : Zarir Patel
Date of Sample Receipt : Received on 2029.07.07 at 11:38 A.M.
Test Period : 2026.07.07 To 2026.07.29
Article / Sample Description : Vittoria Bucket (18 Ltr) (Assorted)
Colour : Ice White
Product Type / End Use : Bathroom Bucket
Style No. : 8902084026704
Buyer : N.A.
Agent : N.A.
Supplier : N.A.
Season : N.A.
Country Of Origin : India
Country Of Destination : N.A.

Note:

1. The submitted sample(s) is / are Not Drawn by the Laboratory

2. Unless otherwise agreed upon, PASS or FAIL verdicts are given based on the measured values without any considerations of measurement uncertainties. Every test method has a measurement uncertainty which has been evaluated by the laboratory and are available on request. By taking measurement uncertainties into account, it might happen that measured values can neither be assessed as PASS nor as FAIL"

3. Disclaimer: The testing approach, the testing methods, and the reported results in this report demonstrate compliance or non-compliance to the client's requirements which were mutually agreed at the contract review and stipulated in the quotation.

The testing approach, the testing methods, and the reported results may not or only partially fulfil the associated requirements of the applicable regulations.

4. The laboratory will retain the sample(s) for 45 days except for the mandatory retention period specified by the Regulatory Bodies and unless otherwise specified by the client.

TEST REPORT



Test Report No. GGN/H(FCM)/26/002549

Dated. 2026.07.29

Remarks:

1. Test(s) performed as requested by applicant.
2. Conclusion(s) of the test(s) was drawn as per compliance requirement(s) specified by applicant.

Authorized By

Verma, Parvesh Kumar
(Authorised Signatory)

Please Contact:

For any technical issues: Anuradha Dhamija at :Anuradha.Dhamija@tuvsud.com

For any complaint: Ashima Sapra at: Ashima.Sapra@tuvsud.com

By accepting this document, the customer hereby agrees and accepts the 'Terms & Conditions' and the relevant 'Testing & Certification Regulations' of TÜV SÜD South Asia Pvt Ltd. which are available at Company's website at the link-<https://www.tuvsud.com/en-in/terms-and-conditions>

Note: The test report is electronically generated. Hence original signature is not required.

Note: (1) The results relate only to the items tested, (2) The test report shall not be reproduced except in full without the written approval of the laboratory (3) Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4. (4) The correctness of the information related to sample(s) in the Test Request Form/Customer letterhead/Email is the customer's responsibility. The laboratory reports the said information in the test report and is not liable for the same, (5) The testing conditions are followed as per the reported test standard. For additional test conditions apart from the reported test conditions laboratory can be contacted for details

Laboratory:
TÜV SÜD South Asia Pvt. Ltd.
373 Udyog Vihar Phase II
Sector 20
Gurgaon – 122016

Phone : +91 (124) 6199699
Email :
Anuradha.Dhamija@tuvsud.com
www.tuvsud.com

Registered Office:
TÜV SÜD South Asia Pvt. Ltd.
TÜV SÜD House
Off Saki Vihar Road
Saki Naka, Andheri (East),
Mumbai – 400072. India

TÜV®
Page 3 of 5

TEST REPORT



Test Report No. GGN/H(FCM)/26/002549

Dated. 2026.07.29

Summary of Test Result(s)

S. No.	Test(s)	Conclusion (#)
1.	Total Lead Content	Pass
2.	Total Cadmium Content	Pass
3.	Drop Test	Pass
(#) For details regarding specification(s) / regulation(s) based on which compliance is decided, refer test details.		

Material list / List of material(s) (As confirmed by applicant)

Component No.	Component description	Material	Color
A	Vittoria Bucket (18 Ltr) (Assorted)	Plastic	Ice White

Sampling plan (As requested by applicant)

S. No.	Test(s)	Component No.
1.	Total Lead Content	A
2.	Total Cadmium Content	A

TEST REPORT



Test Report No. GGN/H(FCM)/26/002549

Dated. 2026.07.29

Test Result(s):

Total Lead Content

Test Specification(s) / Regulation(s): REACH Regulation (EC) No 1907/2006 (Annex XVII) & its amendments (Entry level / No.: 63);
Test method(s) adopted: In-house method {(GTP_Chem_CPS_25134C) -Non-Metal / (Acid digestion followed by analysis using ICP-MS)};
Equipment(s) used: Inductively Coupled Plasma – Mass Spectrometer (ICP – MS).

S. No.	Component No.	Test Result (mg/kg)	Limit of quantification (mg/kg)	Compliance Requirement(s) / Limit Max (mg/kg)	Conclusion
1.	A	15.6	10.0	Less than 500	Pass

Total Cadmium Content

Test Specification(s) / Regulation(s): REACH Regulation (EC) No 1907/2006 (Annex XVII) & its amendments (Entry level / No.: 23);
Test method(s) adopted: EN 16711 (Part 1) (Acid digestion followed by analysis using ICP-MS)};
Equipment(s) used: Inductively Coupled Plasma – Mass Spectrometer (ICP – MS).

S. No.	Component No.	Test Result (mg/kg)	Limit of Quantification (mg/kg)	Compliance Requirement(s) / Limit Max (mg/kg)	Conclusion
1.	A	ND	10.0	Less than 100	Pass

Drop Test

Test method(s) adopted: As per applicant specified test condition.
Number of Drops: 01
Height: 2 Ft

Tested Sample	Test Requirement	Test Result / Observation	Conclusion
Component A - Vittoria Bucket (18 Ltr) (Assorted) / Ice White	No visible damage shall be observed after one drop from 2 ft onto a concrete floor with the bucket filled to 80% of its capacity with water.	No any visual damage observed	Pass

Abbreviations

“mg/kg” denotes milligram per kilogram & is equivalent to ppm (parts per million); “ND” denotes Not Detected or below limit of quantification.

--- END OF THE TEST REPORT ---