

NUMBER : DELH20012758 A

DATE : 18th OCT, 2020



Page 1 of 3



Intertek India Private Ltd. 290, Udyog Vihar, Phase-II, Gurgaon, Haryana -122016. Tel: 0124-4503400, Fax: 0124-4303592. Registered Office: E-20, Block B-1, Mohan Co-Operative Industrial Area, Mathura Road, New Delhi -110044. Web site: www.intertek-labtest.com.



--

NUMBER : DELH20012758 A

DATE : 18th OCT, 2020

APPLICANT: ALL TIME PLASTICS PVT. LTD./DAMAN

PLOT NO. 377/1/1&2), KACHIGAM, CHAR RASTA, DAMAN AND DIU- 396210

ATTN:

SAMPLE DESCRIPTION: THE SUBMITTED SAMPLE SAID TO BE – ST. BUCKET WITH PLASTIC HANDLE (3LTR) BLUE

| | (SLIK |
|------------------------|------------------------------------|
| DATE RECEIVED | : 17 th OCT 2020 |
| BUYER'S NAME | : |
| BUYING AGENT/ CONTACT | : |
| ORDER NO. | : DAM-PO-GL-1920-900/DT.26.12.2019 |
| BARCODE | : 8902084060104 |
| STYLE NUMBER | : 406010 |
| COLOR | : |
| END USE | : |
| SEASON | : |
| COUNTRY OF ORIGIN | : INDIA |
| COUNTRY OF DESTINATION | : INDIA |
| MANUFACTURER'S NAME | : ALL TIME PLASTICS PVT.LTD. |
| CONTENT | : |
| | |

TESTS CONDUCTED: AS PER THE REQUEST BY THE APPLICANT. FOR FURTHER DETAILS PLEASE REFER TO THE ENCLOSED PAGE (S).

CONCLUSION:

| TESTED SAMPLE | <u>s</u> | TANDARD | <u>RESULT</u> |
|---------------|--|--|---------------|
| SUBMITTED | TOTAL LEAD CONTENT (AS PER EPA 3050B) | | # |
| SAMPLE | TOTAL CADMIUM CONTENT (AS PER EPA 3050B) | | # |
| | CLIENT'S REQUIREMENT PECIFIED REQUIREMENT | F = BELOW CLIENT'S REQUIREM N/A = NOT APPLICABL | |

TESTING REMARK: AS CONFIRMED BY APPLICANT BOTH OF PRODUCT MADE BY SAME MATERIALS, NO TESTING CONDUCTED IN THIS TEST REPORT RESULT HAS BEEN INCORPORATED FROM REPORT NO. DELH19014732 AS PER APPLICANT'S REQUEST.

PREPARED & CHECKED BY for INTERTEK INDIA PVT. LTD

Sodame

SANJAY SADANA TECHNICAL MANAGER – HARDLINE

Page 2 of 3



Intertek India Private Ltd.

290, Udyog Vihar, Phase-II, Gurgaon, Haryana -122016. Tel: 0124-4503400, Fax: 0124-4303592. Registered Office: E-20, Block B-1, Mohan Co-Operative Industrial Area, Mathura Road, New Delhi -110044. Web site: www.intertek-labtest.com.



NUMBER : DELH20012758 A

DATE : 18TH OCT, 2020

TEST CONDUCTED:

1. LEAD CONTENT

(AS PER EPA 3050B)

| TESTED SAMPLE | <u>RESULT (ppm)</u> | <u>CLIENT'S REQUIREMENT</u> |
|------------------|----------------------|------------------------------------|
| SUBMITTED SAMPLE | Blue plastic:<10 PPM | NOT PROVIDED |
| ND= NOT DETECTED | | |

DETECTION LIMIT = 10 ppm

ppm = PARTS PER MILLION

2. CADMIUM CONTENT

(AS PER EPA 3050B)

| TESTED SAMPLE | <u>RESULT (ppm)</u> | <u>CLIENT'S REQUIREMENT</u> |
|------------------|----------------------|------------------------------------|
| SUBMITTED SAMPLE | Blue plastic:<10 PPM | NOT PROVIDED |
| ND= NOT DETECTED | | |

DETECTION LIMIT = 10 ppm ppm = PARTS PER MILLION

END OF TEST REPORT

This report is made solely on the basis of your instructions and/or information and materials supplied by you. It is not intended to be a recommendation for any particular course of action. Intertek does not accept a duty of care or any other responsibility to any person other than the Client in respect of this report and only accepts liability to the Client insofar as is expressly contained in the terms and conditions governing Intertek's provision of services to you. Intertek makes no warranties or representations either express or implied with respect to this report save as provided for in those terms and conditions. We have aimed to conduct the Review on a diligent and careful basis and we do not accept any liability to you for any loss arising out of or in connection with this report, in contract, tort, by statute or otherwise, except in the event of our gross negligence or willful misconduct.

Page 3 of 3



Intertek India Private Ltd.

290, Udyog Vihar, Phase-II, Gurgaon, Haryana -122016. Tel: 0124-4503400, Fax: 0124-4303592.

Registered Office: E-20, Block B-1, Mohan Co-Operative Industrial Area, Mathura Road, New Delhi -110044. Web site: www.intertek-labtest.com.



NUMBER : DELH20012758 B

DATE : 18th OCT, 2020



Page 1 of 3



Intertek India Private Ltd. 290, Udyog Vihar, Phase-II, Gurgaon, Haryana -122016. Tel: 0124-4503400, Fax: 0124-4303592. Registered Office: E-20, Block B-1, Mohan Co-Operative Industrial Area, Mathura Road, New Delhi -110044. Web site: www.intertek-labtest.com.



--

NUMBER : DELH20012758 B

DATE : 18th OCT, 2020

APPLICANT: ALL TIME PLASTICS PVT.LTD./DAMAN

PLOT NO. 377/1/1&2), KACHIGAM, CHAR RASTA, DAMAN AND DIU- 396210

ATTN:

SAMPLE DESCRIPTION: THE SUBMITTED SAMPLE SAID TO BE – ST. BUCKET WITH PLASTIC HANDLE (3LTR) PINK

| (01110 |
|------------------------------------|
| : 17 th OCT 2020 |
| : |
| : |
| : DAM-PO-GL-1920-900/DT.26.12.2019 |
| : 8902084060104 |
| : 406010 |
| : |
| : |
| : |
| : INDIA |
| : INDIA |
| : ALL TIME PLASTICS PVT.LTD. |
| : |
| |

TESTS CONDUCTED: AS PER THE REQUEST BY THE APPLICANT. FOR FURTHER DETAILS PLEASE REFER TO THE ENCLOSED PAGE (S).

CONCLUSION:

| TESTED SAMPLE | 2 | STANDARD | RESULT |
|----------------|----------------------|----------------------------------|--------|
| SUBMITTED | | LEAD CONTENT ER EPA 3050B) | # |
| SAMPLE | | ADMIUM CONTENT PER EPA 3050B) | # |
| NOTE: M = MEET | CLIENT'S REQUIREMENT | F = BELOW CLIENT'S REQUIREM | IENT |

= NO SPECIFIED REQUIREMENT

N/A = NOT APPLICABLE

TESTING REMARK: AS CONFIRMED BY APPLICANT BOTH OF PRODUCT MADE BY SAME MATERIALS, NO TESTING CONDUCTED IN THIS TEST REPORT RESULT HAS BEEN INCORPORATED FROM REPORT NO. DELH19014730 AS PER APPLICANT'S REQUEST.

PREPARED & CHECKED BY for INTERTEK INDIA PVT. LTD

Stadame

SANJAY SADANA TECHNICAL MANAGER – HARDLINE

Page 2 of 3



Intertek India Private Ltd.

290, Udyog Vihar, Phase-II, Gurgaon, Haryana -122016. Tel: 0124-4503400, Fax: 0124-4303592.

Registered Office: E-20, Block B-1, Mohan Co-Operative Industrial Area, Mathura Road, New Delhi -110044. Web site: www.intertek-labtest.com.



NUMBER : DELH20012758 B

DATE : 18TH OCT, 2020

TEST CONDUCTED:

1. LEAD CONTENT

(AS PER EPA 3050B)

| TESTED SAMPLE | <u>RESULT (ppm)</u> | CLIENT'S REQUIREMENT |
|--------------------------|----------------------|-----------------------------|
| SUBMITTED SAMPLE | Pink plastic:<10 PPM | NOT PROVIDED |
| ND= NOT DETECTED | | |
| DETECTION LIMIT = 10 ppm | | |
| ppm = PARTS PER MILLION | | |

2. CADMIUM CONTENT

(AS PER EPA 3050B)

| TESTED SAMPLE | <u>RESULT (ppm)</u> | CLIENT'S REQUIREMENT |
|------------------|----------------------|-----------------------------|
| SUBMITTED SAMPLE | Pink plastic:<10 PPM | NOT PROVIDED |
| ND= NOT DETECTED | | |

DETECTION LIMIT = 10 ppm ppm = PARTS PER MILLION

END OF TEST REPORT

This report is made solely on the basis of your instructions and/or information and materials supplied by you. It is not intended to be a recommendation for any particular course of action. Intertek does not accept a duty of care or any other responsibility to any person other than the Client in respect of this report and only accepts liability to the Client insofar as is expressly contained in the terms and conditions governing Intertek's provision of services to you. Intertek makes no warranties or representations either express or implied with respect to this report save as provided for in those terms and conditions. We have aimed to conduct the Review on a diligent and careful basis and we do not accept any liability to you for any loss arising out of or in connection with this report, in contract, tort, by statute or otherwise, except in the event of our gross negligence or willful misconduct.

Page 3 of 3



Intertek India Private Ltd. 290, Udyog Vihar, Phase-II, Gurgaon, Haryana -122016.

Tel: 0124-4503400, Fax: 0124-4303592. Registered Office: E-20, Block B-1, Mohan Co-Operative Industrial Area, Mathura Road, New Delhi -110044. Web site: www.intertek-labtest.com.



NUMBER : DELH20012758 C

DATE : 18th OCT, 2020



Page 1 of 3



Intertek India Private Ltd. 290, Udyog Vihar, Phase-II, Gurgaon, Haryana -122016. Tel: 0124-4503400, Fax: 0124-4303592. Registered Office: E-20, Block B-1, Mohan Co-Operative Industrial Area, Mathura Road, New Delhi -110044. Web site: www.intertek-labtest.com.



<u>TEST REPORT</u>

--

NUMBER : DELH20012758 C

DATE : 18th OCT, 2020

APPLICANT: ALL TIME PLASTICS PVT.LTD./DAMAN PLOT NO. 377/1/1&2), KACHIGAM, CHAR RASTA, DAMAN AND DIU- 396210

ATTN:

SAMPLE DESCRIPTION: THE SUBMITTED SAMPLE SAID TO BE – ST. BUCKET WITH PLASTIC HANDLE (3LTR) GREEN

| | (ODIR |
|------------------------|------------------------------------|
| DATE RECEIVED | : 17 th OCT 2020 |
| BUYER'S NAME | : |
| BUYING AGENT/ CONTACT | : |
| ORDER NO. | : DAM-PO-GL-1920-900/DT.26.12.2019 |
| BARCODE | : 8902084060104 |
| STYLE NUMBER | : 406010 |
| COLOR | : |
| END USE | : |
| SEASON | : |
| COUNTRY OF ORIGIN | : INDIA |
| COUNTRY OF DESTINATION | : INDIA |
| MANUFACTURER'S NAME | : ALL TIME PLASTICS PVT.LTD. |
| CONTENT | : |
| | |

TESTS CONDUCTED: AS PER THE REQUEST BY THE APPLICANT. FOR FURTHER DETAILS PLEASE REFER TO THE ENCLOSED PAGE (S).

CONCLUSION:

| TESTED SAMPLE | STANDARD | <u>RESULT</u> |
|---|---|---------------|
| SUBMITTED | TOTAL LEAD CONTENT (AS PER EPA 3050B) | # |
| SAMPLE | TOTAL CADMIUM CONTENT (AS PER EPA 3050B) | # |
| NOTE: M = MEET CLIENT'S REQUIREMENTF = BELOW CLIENT'S REQUIREM# = NO SPECIFIED REQUIREMENTN/A = NOT APPLICABL | | |

TESTING REMARK: AS CONFIRMED BY APPLICANT BOTH OF PRODUCT MADE BY SAME MATERIALS, NO TESTING CONDUCTED IN THIS TEST REPORT RESULT HAS BEEN INCORPORATED FROM REPORT NO. DELH19014731 AS PER APPLICANT'S REQUEST.

PREPARED & CHECKED BY for INTERTEK INDIA PVT. LTD

Sodance

SANJAY SADANA TECHNICAL MANAGER – HARDLINE

Page 2 of 3

(n)

Intertek India Private Ltd. 290, Udyog Vihar, Phase-II, Gurgaon, Haryana -122016.

Tel: 0124-4503400, Fax: 0124-4303592. Registered Office: E-20, Block B-1, Mohan Co-Operative Industrial Area, Mathura Road, New Delhi -110044. Web site: www.intertek-labtest.com.



NUMBER : DELH20012758 C

DATE : 18th OCT, 2020

TEST CONDUCTED:

1. LEAD CONTENT

(AS PER EPA 3050B)

| TESTED SAMPLE | <u>RESULT (ppm)</u> | CLIENT'S REQUIREMENT |
|--------------------------|-----------------------|-----------------------------|
| SUBMITTED SAMPLE | Green plastic:<10 PPM | NOT PROVIDED |
| ND= NOT DETECTED | | |
| DETECTION LIMIT = 10 ppm | 1 | |

ppm = PARTS PER MILLION

2. CADMIUM CONTENT

(AS PER EPA 3050B)

| TESTED SAMPLE | <u>RESULT (ppm)</u> | CLIENT'S REQUIREMENT |
|------------------|-----------------------|-----------------------------|
| SUBMITTED SAMPLE | Green plastic:<10 PPM | NOT PROVIDED |
| ND= NOT DETECTED | | |

DETECTION LIMIT = 10 ppm ppm = PARTS PER MILLION

END OF TEST REPORT

This report is made solely on the basis of your instructions and/or information and materials supplied by you. It is not intended to be a recommendation for any particular course of action. Intertek does not accept a duty of care or any other responsibility to any person other than the Client in respect of this report and only accepts liability to the Client insofar as is expressly contained in the terms and conditions governing Intertek's provision of services to you. Intertek makes no warranties or representations either express or implied with respect to this report save as provided for in those terms and conditions. We have aimed to conduct the Review on a diligent and careful basis and we do not accept any liability to you for any loss arising out of or in connection with this report, in contract, tort, by statute or otherwise, except in the event of our gross negligence or willful misconduct.





NUMBER: DELH20012707 A

DATE : 18th OCT, 2020



ORIGINAL SAMPLE



290, Udyog Vihar, Phase-II, Gurgaon, Haryana –122016. Registered Office : E-20, Block B-1, Mohan Co-Operative Industrial Area, Mathura Road, New Delhi -110044.





NUMBER: DELH20012707 A

DATE : 18th OCT, 2020

APPLICANT: ALL TIME PLASTICS PVT. LTD./ DAMAN KACHIGAM, CHAR RASTA, BEHIND STONE QUARY DAMAN (U.T.) - 396210 DAMAN AND DIU ATTN: ZARIR PATEL / JYOTI

SAMPLE DESCRIPTION: THE SUBMITTED SAMPLE SAID TO BE - ST. BUCKET WITH PLASTIC HANDLE

| | (3 LTR) – ROSE PINK |
|------------------------|-------------------------------------|
| DATE RECEIVED | : 07 TH OCT, 2020 |
| BUYER'S NAME | : |
| BUYING AGENT/ CONTACT | : |
| ORDER NO. | : DAM-PO-GL-1920-900 DT. 26.12.2019 |
| BARCODE | : 8902084070813 |
| STYLE NO. | : 407081 |
| COLOR | : |
| END USE | : |
| SEASON | : |
| COUNTRY OF ORIGIN | : INDIA |
| COUNTRY OF DESTINATION | : INDIA |
| MANUFACTURER'S NAME | : ALL TIME PLASTICS PVT. LTD |
| CONTENT | : |

TESTS CONDUCTED: AS PER THE REQUEST BY THE APPLICANT. FOR FURTHER DETAILS PLEASE REFER TO THE ENCLOSED PAGE (S).

CONCLUSION:

| TESTED SAMPLE | STANDARD | | <u>RESULT</u> |
|-------------------------------------|---|--|---------------|
| SUBMITTED SAMPLE | TOTAL LEAD CONTENT (AS PER EPA 3050B) | | # |
| | | EADMIUM CONTENT PER EPA 3050B) | # |
| NOTE: M = MEET CLII # = NO SPECI | ENT'S REQUIREMENT FIED REQUIREMENT | F = BELOW CLIENT'S REQUIE N/A = NOT APPLICA | |

PREPARED & CHECKED BY for INTERTEK INDIA PVT. LTD

Sodame

SANJAY SADANA TECHNICAL MANAGER – HARDLINE





NUMBER: DELH20012707 A

DATE : 18TH OCT, 2020

TEST CONDUCTED:

1. LEAD CONTENT

(AS PER EPA 3050B)

| TESTED SAMPLE | <u>RESULT (ppm)</u> | CLIENT'S REQUIREMENT |
|------------------|----------------------------|-----------------------------|
| SUBMITTED SAMPLE | ROSE PINK PLASTIC: <10 PPM | NOT PROVIDED |
| ND- NOT DETECTED | | |

ND= NOT DETECTED DETECTION LIMIT = 10 ppm ppm = PARTS PER MILLION

CADMIUM CONTENT

2.

(AS PER EPA 3050B)

| TESTED SAMPLE | <u>RESULT (ppm)</u> | <u>CLIENT'S REQUIREMENT</u> |
|------------------|----------------------------|------------------------------------|
| SUBMITTED SAMPLE | ROSE PINK PLASTIC: <10 PPM | NOT PROVIDED |
| ND= NOT DETECTED | | |

DETECTION LIMIT = 10 ppm ppm = PARTS PER MILLION

END OF TEST REPORT

This report is made solely on the basis of your instructions and/or information and materials supplied by you. It is not intended to be a recommendation for any particular course of action. Intertek does not accept a duty of care or any other responsibility to any person other than the Client in respect of this report and only accepts liability to the Client insofar as is expressly contained in the terms and conditions governing Intertek's provision of services to you. Intertek makes no warranties or representations either express or implied with respect to this report save as provided for in those terms and conditions. We have aimed to conduct the Review on a diligent and careful basis and we do not accept any liability to you for any loss arising out of or in connection with this report, in contract, tort, by statute or otherwise, except in the event of our gross negligence or wilful misconduct.





NUMBER: DELH20012707 B

DATE : 18th OCT, 2020



ORIGINAL SAMPLE

Intertek India Pvt. Ltd.

290, Udyog Vihar, Phase-II, Gurgaon, Haryana –122016. Registered Office : E-20, Block B-1, Mohan Co-Operative Industrial Area, Mathura Road, New Delhi -110044.





NUMBER: DELH20012707 B

DATE : 18th OCT, 2020

APPLICANT: ALL TIME PLASTICS PVT. LTD./ DAMAN KACHIGAM, CHAR RASTA, BEHIND STONE QUARY DAMAN (U.T.) - 396210 DAMAN AND DIU ATTN: ZARIR PATEL / JYOTI

SAMPLE DESCRIPTION: THE SUBMITTED SAMPLE SAID TO BE - ST. BUCKET WITH PLASTIC HANDLE

|) – PASTEL BLUE |
|-----------------|
|) – PASTEL BLUE |

| DATE RECEIVED | : 07 th OCT, 2020 |
|------------------------|-------------------------------------|
| BUYER'S NAME | : |
| BUYING AGENT/ CONTACT | : |
| ORDER NO. | : DAM-PO-GL-1920-900 DT. 26.12.2019 |
| BARCODE | : 8902084070813 |
| STYLE NO. | : 407081 |
| COLOR | : |
| END USE | : |
| SEASON | : |
| COUNTRY OF ORIGIN | : INDIA |
| COUNTRY OF DESTINATION | : INDIA |
| MANUFACTURER'S NAME | : ALL TIME PLASTICS PVT. LTD |
| CONTENT | : |
| | |

TESTS CONDUCTED: AS PER THE REQUEST BY THE APPLICANT. FOR FURTHER DETAILS PLEASE REFER TO THE ENCLOSED PAGE (S).

CONCLUSION:

| TESTED SAMPLE | STANDARD | | <u>RESULT</u> |
|------------------------------------|---------------------------------------|--|---------------|
| SUBMITTED SAMPLE | | P LEAD CONTENT PER EPA 3050B) | # |
| | | ADMIUM CONTENT PER EPA 3050B) | # |
| NOTE: M = MEET CLI # = NO SPECI | ENT'S REQUIREMENT FIED REQUIREMENT | F = BELOW CLIENT'S REQUIE N/A = NOT APPLICA | |

PREPARED & CHECKED BY for INTERTEK INDIA PVT. LTD

Sodame

SANJAY SADANA TECHNICAL MANAGER – HARDLINE





NUMBER: DELH20012707 B

DATE : 18th OCT, 2020

TEST CONDUCTED:

1. LEAD CONTENT

(AS PER EPA 3050B)

| TESTED SAMPLE | <u>RESULT (ppm)</u> | <u>CLIENT'S REQUIREMENT</u> |
|------------------|------------------------------|------------------------------------|
| SUBMITTED SAMPLE | PASTEL BLUE PLASTIC: <10 PPM | NOT PROVIDED |
| ND= NOT DETECTED | | |

ND= NOT DETECTED DETECTION LIMIT = 10 ppm ppm = PARTS PER MILLION

CADMIUM CONTENT

2.

(AS PER EPA 3050B)

| TESTED SAMPLE | <u>RESULT (ppm)</u> | CLIENT'S REQUIREMENT |
|--|-----------------------------------|-----------------------------|
| SUBMITTED SAMPLE | PASTEL BLUE PINK PLASTIC: <10 PPM | NOT PROVIDED |
| ND= NOT DETECTED DETECTION LIMIT = 10 ppr | n | |

DETECTION LIMIT = 10 ppm ppm = PARTS PER MILLION

END OF TEST REPORT

This report is made solely on the basis of your instructions and/or information and materials supplied by you. It is not intended to be a recommendation for any particular course of action. Intertek does not accept a duty of care or any other responsibility to any person other than the Client in respect of this report and only accepts liability to the Client insofar as is expressly contained in the terms and conditions governing Intertek's provision of services to you. Intertek makes no warranties or representations either express or implied with respect to this report save as provided for in those terms and conditions. We have aimed to conduct the Review on a diligent and careful basis and we do not accept any liability to you for any loss arising out of or in connection with this report, in contract, tort, by statute or otherwise, except in the event of our gross negligence or wilful misconduct.





NUMBER: DELH20012707 C

DATE : 18th OCT, 2020



ORIGINAL SAMPLE



290, Udyog Vihar, Phase-II, Gurgaon, Haryana –122016. Registered Office : E-20, Block B-1, Mohan Co-Operative Industrial Area, Mathura Road, New Delhi -110044.





NUMBER: DELH20012707 C

DATE : 18th OCT, 2020

APPLICANT: ALL TIME PLASTICS PVT. LTD./ DAMAN KACHIGAM, CHAR RASTA, BEHIND STONE QUARY DAMAN (U.T.) - 396210 DAMAN AND DIU ATTN: ZARIR PATEL / JYOTI

SAMPLE DESCRIPTION: THE SUBMITTED SAMPLE SAID TO BE - ST. BUCKET WITH PLASTIC HANDLE

(3 LTR) – CREAM

| : 07 th OCT, 2020 |
|-------------------------------------|
| : |
| : |
| : DAM-PO-GL-1920-900 DT. 26.12.2019 |
| : 8902084070813 |
| : 407081 |
| : |
| : |
| : |
| : INDIA |
| : INDIA |
| : ALL TIME PLASTICS PVT. LTD |
| : |
| |

TESTS CONDUCTED: AS PER THE REQUEST BY THE APPLICANT. FOR FURTHER DETAILS PLEASE REFER TO THE ENCLOSED PAGE (S).

CONCLUSION:

| TESTED SAMPLE | STANDARD | | <u>RESULT</u> |
|-------------------------------------|---|--|---------------|
| SUBMITTED SAMPLE | TOTAL LEAD CONTENT (AS PER EPA 3050B) | | # |
| | | C ADMIUM CONTENT PER EPA 3050B) | # |
| NOTE: M = MEET CLII # = NO SPECI | ENT'S REQUIREMENT FIED REQUIREMENT | F = BELOW CLIENT'S REQUIE N/A = NOT APPLICA | |

PREPARED & CHECKED BY for INTERTEK INDIA PVT. LTD

Sodame

SANJAY SADANA TECHNICAL MANAGER – HARDLINE





NUMBER: DELH20012707 C

DATE : 18TH OCT, 2020

TEST CONDUCTED:

1. LEAD CONTENT

(AS PER EPA 3050B)

| TESTED SAMPLE | <u>RESULT (ppm)</u> | <u>CLIENT'S REQUIREMENT</u> |
|------------------|------------------------|------------------------------------|
| SUBMITTED SAMPLE | CREAM PLASTIC: <10 PPM | NOT PROVIDED |
| ND- NOT DETECTED | | |

ND= NOT DETECTED DETECTION LIMIT = 10 ppm ppm = PARTS PER MILLION

CADMIUM CONTENT

2.

(AS PER EPA 3050B)

| TESTED SAMPLE | <u>RESULT (ppm)</u> | CLIENT'S REQUIREMENT |
|------------------|------------------------|-----------------------------|
| SUBMITTED SAMPLE | CREAM PLASTIC: <10 PPM | NOT PROVIDED |
| ND- NOT DETECTED | | |

ND= NOT DETECTED DETECTION LIMIT = 10 ppm ppm = PARTS PER MILLION

END OF TEST REPORT

This report is made solely on the basis of your instructions and/or information and materials supplied by you. It is not intended to be a recommendation for any particular course of action. Intertek does not accept a duty of care or any other responsibility to any person other than the Client in respect of this report and only accepts liability to the Client insofar as is expressly contained in the terms and conditions governing Intertek's provision of services to you. Intertek makes no warranties or representations either express or implied with respect to this report save as provided for in those terms and conditions. We have aimed to conduct the Review on a diligent and careful basis and we do not accept any liability to you for any loss arising out of or in connection with this report, in contract, tort, by statute or otherwise, except in the event of our gross negligence or wilful misconduct.

