

NUMBER : DELH20012758 G

DATE : 18th OCT, 2020



Page 1 of 3



Intertek India Private Ltd. 290, Udyog Vihar, Phase-II, Gurgaon, Haryana -122016. Tel: 0124-4503400, Fax: 0124-4303592. Registered Office: E-20, Block B-1, Mohan Co-Operative Industrial Area, Mathura Road, New Delhi -110044. Web site: www.intertek-labtest.com.



--

NUMBER : DELH20012758 G

DATE : 18th OCT, 2020

APPLICANT: ALL TIME PLASTICS PVT.LTD./DAMAN

PLOT NO. 377/1/1&2), KACHIGAM, CHAR RASTA, DAMAN AND DIU- 396210

ATTN:

SAMPLE DESCRIPTION: THE SUBMITTED SAMPLE SAID TO BE – ST. BUCKET WITH PLASTIC HANDLE (9LTR) BLUE

	()1110
DATE RECEIVED	: 17 th OCT 2020
BUYER'S NAME	:
BUYING AGENT/ CONTACT	:
ORDER NO.	: DAM-PO-GL-1920-900/DT.26.12.2019
BARCODE	: 8902084060128
STYLE NUMBER	: 406012
COLOR	:
END USE	:
SEASON	:
COUNTRY OF ORIGIN	: INDIA
COUNTRY OF DESTINATION	: INDIA
MANUFACTURER'S NAME	: ALL TIME PLASTICS PVT.LTD.
CONTENT	:

TESTS CONDUCTED: AS PER THE REQUEST BY THE APPLICANT. FOR FURTHER DETAILS PLEASE REFER TO THE ENCLOSED PAGE (S).

CONCLUSION:

TESTED SAMPLE	<u>S'</u>	<u>FANDARD</u>	<u>RESULT</u>
SUBMITTED		LEAD CONTENT CR EPA 3050B)	#
SAMPLE		DMIUM CONTENT CR EPA 3050B)	#
	CLIENT'S REQUIREMENT PECIFIED REQUIREMENT	F = BELOW CLIENT'S REQUIREM N/A = NOT APPLICABL	

TESTING REMARK: AS CONFIRMED BY APPLICANT BOTH OF PRODUCT MADE BY SAME MATERIALS, NO TESTING CONDUCTED IN THIS TEST REPORT RESULT HAS BEEN INCORPORATED FROM REPORT NO. DELH19014732 AS PER APPLICANT'S REQUEST.

PREPARED & CHECKED BY for INTERTEK INDIA PVT. LTD

Stadame

SANJAY SADANA TECHNICAL MANAGER – HARDLINE

Page 2 of 3



Intertek India Private Ltd.

290, Udyog Vihar, Phase-II, Gurgaon, Haryana -122016. Tel: 0124-4503400, Fax: 0124-4303592.

Registered Office: E-20, Block B-1, Mohan Co-Operative Industrial Area, Mathura Road, New Delhi -110044. Web site: www.intertek-labtest.com.



NUMBER : DELH20012758 G

DATE : 18TH OCT, 2020

TEST CONDUCTED:

1. LEAD CONTENT

(AS PER EPA 3050B)

TESTED SAMPLE	<u>RESULT (ppm)</u>	<u>CLIENT'S REQUIREMENT</u>
SUBMITTED SAMPLE	Blue plastic:<10 PPM	NOT PROVIDED
ND= NOT DETECTED		
DETECTION LIMIT = 10 ppr ppm = PARTS PER MILLION		

2. CADMIUM CONTENT

(AS PER EPA 3050B)

TESTED SAMPLE	<u>RESULT (ppm)</u>	CLIENT'S REQUIREMENT
SUBMITTED SAMPLE	Blue plastic:<10 PPM	NOT PROVIDED
ND= NOT DETECTED		

DETECTION LIMIT = 10 ppm ppm = PARTS PER MILLION

END OF TEST REPORT

This report is made solely on the basis of your instructions and/or information and materials supplied by you. It is not intended to be a recommendation for any particular course of action. Intertek does not accept a duty of care or any other responsibility to any person other than the Client in respect of this report and only accepts liability to the Client insofar as is expressly contained in the terms and conditions governing Intertek's provision of services to you. Intertek makes no warranties or representations either express or implied with respect to this report save as provided for in those terms and conditions. We have aimed to conduct the Review on a diligent and careful basis and we do not accept any liability to you for any loss arising out of or in connection with this report, in contract, tort, by statute or otherwise, except in the event of our gross negligence or willful misconduct.

Page 3 of 3



Intertek India Private Ltd. 290, Udyog Vihar, Phase-II, Gurgaon, Haryana -122016.

Tel: 0124-4503400, Fax: 0124-4303592.

Registered Office: E-20, Block B-1, Mohan Co-Operative Industrial Area, Mathura Road, New Delhi -110044. Web site: www.intertek-labtest.com.



NUMBER : DELH20012758 H

DATE : 18th OCT, 2020



Page 1 of 3



Intertek India Private Ltd. 290, Udyog Vihar, Phase-II, Gurgaon, Haryana -122016. Tel: 0124-4503400, Fax: 0124-4303592. Registered Office: E-20, Block B-1, Mohan Co-Operative Industrial Area, Mathura Road, New Delhi -110044. Web site: www.intertek-labtest.com.



NUMBER : DELH20012758 H

DATE : 18th OCT, 2020

APPLICANT: ALL TIME PLASTICS PVT.LTD./DAMAN

PLOT NO. 377/1/1&2), KACHIGAM, CHAR RASTA, DAMAN AND DIU- 396210

ATTN:

SAMPLE DESCRIPTION: THE SUBMITTED SAMPLE SAID TO BE – ST. BUCKET WITH PLASTIC HANDLE (9LTR) PINK

	(JHIR)
DATE RECEIVED	: 17 th OCT 2020
BUYER'S NAME	:
BUYING AGENT/ CONTACT	:
ORDER NO.	: DAM-PO-GL-1920-900/DT.26.12.2019
BARCODE	: 8902084060128
STYLE NUMBER	: 406012
COLOR	:
END USE	:
SEASON	:
COUNTRY OF ORIGIN	: INDIA
COUNTRY OF DESTINATION	: INDIA
MANUFACTURER'S NAME	: ALL TIME PLASTICS PVT.LTD.
CONTENT	:

TESTS CONDUCTED: AS PER THE REQUEST BY THE APPLICANT. FOR FURTHER DETAILS PLEASE REFER TO THE ENCLOSED PAGE (S).

CONCLUSION:

TESTED SAMPLE	<u>STANDARD</u>	<u>RESULT</u>
SUBMITTED	TOTAL LEAD CONTENT (AS PER EPA 3050B)	#
SAMPLE	TOTAL CADMIUM CONTENT (AS PER EPA 3050B)	#
NOTE: M = MEET CLIENT'S REQUIREMENT F = BELOW CLIENT'S REQUIREMENT		ENT

NOTE: M = MEET CLIENT'S REQUIREMENT # = NO SPECIFIED REQUIREMENT BELOW CLIENT'S REQUIREMENT N/A = NOT APPLICABLE

PREPARED & CHECKED BY for INTERTEK INDIA PVT. LTD

Sodame

SANJAY SADANA TECHNICAL MANAGER – HARDLINE

Page 2 of 3



Intertek India Private Ltd.

290, Udyog Vihar, Phase-II, Gurgaoi, Haryana -122016. Tel: 0124-4503400, Fax: 0124-4303592. Registered Office: E-20, Block B-1, Mohan Co-Operative Industrial Area, Mathura Road, New Delhi -110044. Web site: www.intertek-labtest.com.



NUMBER : DELH20012758 H

DATE : 18TH OCT, 2020

TEST CONDUCTED:

1. LEAD CONTENT

(AS PER EPA 3050B)

TESTED SAMPLE	<u>RESULT (ppm)</u>	CLIENT'S REQUIREMENT
SUBMITTED SAMPLE	Pink plastic:<10 PPM	NOT PROVIDED
ND= NOT DETECTED DETECTION LIMIT = 10 ppm		
ppm = PARTS PER MILLION		

2. CADMIUM CONTENT

(AS PER EPA 3050B)

TESTED SAMPLE	<u>RESULT (ppm)</u>	CLIENT'S REQUIREMENT
SUBMITTED SAMPLE	Pink plastic:<10 PPM	NOT PROVIDED
ND= NOT DETECTED		

DETECTION LIMIT = 10 ppm ppm = PARTS PER MILLION

END OF TEST REPORT

This report is made solely on the basis of your instructions and/or information and materials supplied by you. It is not intended to be a recommendation for any particular course of action. Intertek does not accept a duty of care or any other responsibility to any person other than the Client in respect of this report and only accepts liability to the Client insofar as is expressly contained in the terms and conditions governing Intertek's provision of services to you. Intertek makes no warranties or representations either express or implied with respect to this report save as provided for in those terms and conditions. We have aimed to conduct the Review on a diligent and careful basis and we do not accept any liability to you for any loss arising out of or in connection with this report, in contract, tort, by statute or otherwise, except in the event of our gross negligence or willful misconduct.

Page 3 of 3



Intertek India Private Ltd. 290, Udyog Vihar, Phase-II, Gurgaon, Haryana -122016. Tel: 0124-4503400, Fax: 0124-4303592.

Registered Office: E-20, Block B-1, Mohan Co-Operative Industrial Area, Mathura Road, New Delhi -110044. Web site: www.intertek-labtest.com.



NUMBER : DELH20012758 I

DATE : 18th OCT, 2020



Page 1 of 3





<u>TEST REPORT</u>

--

NUMBER : DELH20012758 I

DATE : 18TH OCT, 2020

APPLICANT: ALL TIME PLASTICS PVT.LTD./DAMAN PLOT NO. 377/1/1&2), KACHIGAM, CHAR RASTA, DAMAN AND DIU- 396210

ATTN:

SAMPLE DESCRIPTION: THE SUBMITTED SAMPLE SAID TO BE – ST. BUCKET WITH PLASTIC HANDLE (9LTR) GREEN

	(JEIR
DATE RECEIVED	: 17 th OCT 2020
BUYER'S NAME	:
BUYING AGENT/ CONTACT	:
ORDER NO.	: DAM-PO-GL-1920-900/DT.26.12.2019
BARCODE	: 8902084060128
STYLE NUMBER	: 406012
COLOR	:
END USE	:
SEASON	:
COUNTRY OF ORIGIN	: INDIA
COUNTRY OF DESTINATION	: INDIA
MANUFACTURER'S NAME	: ALL TIME PLASTICS PVT.LTD.
CONTENT	:

TESTS CONDUCTED: AS PER THE REQUEST BY THE APPLICANT. FOR FURTHER DETAILS PLEASE REFER TO THE ENCLOSED PAGE (S).

CONCLUSION:

TESTED SAMPLE	STANDARD	<u>RESULT</u>
SUBMITTED	TOTAL LEAD CONTENT (AS PER EPA 3050B)	#
SAMPLE	TOTAL CADMIUM CONTENT (AS PER EPA 3050B)	#
NOTE: M = MEET CLIENT'S REQUIREMENTF = BELOW CLIENT'S REQUIREM# = NO SPECIFIED REQUIREMENTN/A = NOT APPLICABLI		

TESTING REMARK: AS CONFIRMED BY APPLICANT BOTH OF PRODUCT MADE BY SAME MATERIALS, NO TESTING CONDUCTED IN THIS TEST REPORT RESULT HAS BEEN INCORPORATED FROM REPORT NO. DELH19014731 AS PER APPLICANT'S REQUEST.

PREPARED & CHECKED BY for INTERTEK INDIA PVT. LTD

Sodance

SANJAY SADANA TECHNICAL MANAGER – HARDLINE

Page 2 of 3



Intertek India Private Ltd. 290, Udyog Vihar, Phase-II, Gurgaon, Haryana -122016.

Tel: 0124-4503400, Fax: 0124-4303592. Registered Office: E-20, Block B-1, Mohan Co-Operative Industrial Area, Mathura Road, New Delhi -110044. Web site: www.intertek-labtest.com.



NUMBER : DELH20012758 I

DATE : 18th OCT, 2020

TEST CONDUCTED:

1. LEAD CONTENT

(AS PER EPA 3050B)

TESTED SAMPLE	<u>RESULT (ppm)</u>	CLIENT'S REQUIREMENT
SUBMITTED SAMPLE	Green plastic:<10 PPM	NOT PROVIDED
ND= NOT DETECTED		
DETECTION LIMIT = 10 ppm	1	

ppm = PARTS PER MILLION

2. CADMIUM CONTENT

(AS PER EPA 3050B)

TESTED SAMPLE	<u>RESULT (ppm)</u>	CLIENT'S REQUIREMENT
SUBMITTED SAMPLE	Green plastic:<10 PPM	NOT PROVIDED
ND= NOT DETECTED		

DETECTION LIMIT = 10 ppm ppm = PARTS PER MILLION

END OF TEST REPORT

This report is made solely on the basis of your instructions and/or information and materials supplied by you. It is not intended to be a recommendation for any particular course of action. Intertek does not accept a duty of care or any other responsibility to any person other than the Client in respect of this report and only accepts liability to the Client insofar as is expressly contained in the terms and conditions governing Intertek's provision of services to you. Intertek makes no warranties or representations either express or implied with respect to this report save as provided for in those terms and conditions. We have aimed to conduct the Review on a diligent and careful basis and we do not accept any liability to you for any loss arising out of or in connection with this report, in contract, tort, by statute or otherwise, except in the event of our gross negligence or willful misconduct.





NUMBER: DELH20012707 G

DATE : 18th OCT, 2020



ORIGINAL SAMPLE

Intertek India Pvt. Ltd.

290, Udyog Vihar, Phase-II, Gurgaon, Haryana –122016. Registered Office : E-20, Block B-1, Mohan Co-Operative Industrial Area, Mathura Road, New Delhi -110044.





NUMBER: DELH20012707 G

DATE : 18th OCT, 2020

APPLICANT: ALL TIME PLASTICS PVT. LTD./ DAMAN KACHIGAM, CHAR RASTA, BEHIND STONE QUARY DAMAN (U.T.) - 396210 DAMAN AND DIU ATTN: ZARIR PATEL / JYOTI

SAMPLE DESCRIPTION: THE SUBMITTED SAMPLE SAID TO BE – ST. BUCKET WITH PLASTIC HANDLE (9 LTR) ROSE PINK

	(9 LTR) R
DATE RECEIVED	: 07 th OCT, 2020
BUYER'S NAME	:
BUYING AGENT/ CONTACT	:
ORDER NO.	: DAM-PO-GL-1920-900 DT. 26.12.2019
BARCODE	: 8902084070837
STYLE NO.	: 407083
COLOR	:
END USE	:
SEASON	:
COUNTRY OF ORIGIN	: INDIA
COUNTRY OF DESTINATION	: INDIA
MANUFACTURER'S NAME	: ALL TIME PLASTICS PVT. LTD
CONTENT	:

TESTS CONDUCTED: AS PER THE REQUEST BY THE APPLICANT. FOR FURTHER DETAILS PLEASE REFER TO THE ENCLOSED PAGE (S).

CONCLUSION:

TESTED SAMPLE	STANDARD		<u>RESULT</u>
SUBMITTED SAMPLE		, LEAD CONTENT PER EPA 3050B)	#
		ADMIUM CONTENT PER EPA 3050B)	#
NOTE: M = MEET CLI # = NO SPECI	ENT'S REQUIREMENT FIED REQUIREMENT	F = BELOW CLIENT'S REQUIE N/A = NOT APPLICA	

TESTING REMARK: AS CONFIRMED BY APPLICANT BOTH OF PRODUCT MADE BY SAME MATERIALS, NO TESTING CONDUCTED IN THIS TEST REPORT RESULT HAS BEEN INCORPORATED FROM REPORT NO. DELH20012707A AS PER APPLICANT'S REQUEST

PREPARED & CHECKED BY for INTERTEK INDIA PVT. LTD

Stadame

SANJAY SADANA TECHNICAL MANAGER – HARDLINE





NUMBER: DELH20012707 G

DATE : 18TH OCT, 2020

TEST CONDUCTED:

1. LEAD CONTENT

(AS PER EPA 3050B)

TESTED SAMPLE	<u>RESULT (ppm)</u>	CLIENT'S REQUIREMENT	
SUBMITTED SAMPLE	ROSE PINK PLASTIC: <10 PPM	NOT PROVIDED	
ND- NOT DETECTED			

ND= NOT DETECTED DETECTION LIMIT = 10 ppm ppm = PARTS PER MILLION

CADMIUM CONTENT

2.

(AS PER EPA 3050B)

TESTED SAMPLE	<u>RESULT (ppm)</u>	<u>CLIENT'S REQUIREMENT</u>
SUBMITTED SAMPLE	ROSE PINK PLASTIC: <10 PPM	NOT PROVIDED
ND= NOT DETECTED		

DETECTION LIMIT = 10 ppm ppm = PARTS PER MILLION

END OF TEST REPORT

This report is made solely on the basis of your instructions and/or information and materials supplied by you. It is not intended to be a recommendation for any particular course of action. Intertek does not accept a duty of care or any other responsibility to any person other than the Client in respect of this report and only accepts liability to the Client insofar as is expressly contained in the terms and conditions governing Intertek's provision of services to you. Intertek makes no warranties or representations either express or implied with respect to this report save as provided for in those terms and conditions. We have aimed to conduct the Review on a diligent and careful basis and we do not accept any liability to you for any loss arising out of or in connection with this report, in contract, tort, by statute or otherwise, except in the event of our gross negligence or wilful misconduct.





NUMBER: DELH20012707 H

DATE : 18th OCT, 2020



ORIGINAL SAMPLE

Intertek India Pvt. Ltd.

290, Udyog Vihar, Phase-II, Gurgaon, Haryana –122016. Registered Office : E-20, Block B-1, Mohan Co-Operative Industrial Area, Mathura Road, New Delhi -110044.





NUMBER: DELH20012707 H

DATE : 18th OCT, 2020

APPLICANT: ALL TIME PLASTICS PVT. LTD./ DAMAN KACHIGAM, CHAR RASTA, BEHIND STONE QUARY DAMAN (U.T.) - 396210 DAMAN AND DIU ATTN: ZARIR PATEL / JYOTI

SAMPLE DESCRIPTION: THE SUBMITTED SAMPLE SAID TO BE - ST. BUCKET WITH PLASTIC HANDLE

(9	LTR)	PASTEL BLUE	

DATE RECEIVED	: 08 th OCT, 2020
BUYER'S NAME	:
BUYING AGENT/ CONTACT	:
ORDER NO.	: DAM-PO-GL-1920-900 DT. 26.12.2019
BARCODE	: 8902084070837
STYLE NO.	: 407083
COLOR	:
END USE	:
SEASON	:
COUNTRY OF ORIGIN	: INDIA
COUNTRY OF DESTINATION	: INDIA
MANUFACTURER'S NAME	: ALL TIME PLASTICS PVT. LTD
CONTENT	:

TESTS CONDUCTED: AS PER THE REQUEST BY THE APPLICANT. FOR FURTHER DETAILS PLEASE REFER TO THE ENCLOSED PAGE (S).

CONCLUSION:

TESTED SAMPLE	STANDARD		<u>RESULT</u>
SUBMITTED SAMPLE		, LEAD CONTENT PER EPA 3050B)	#
		ADMIUM CONTENT PER EPA 3050B)	#
NOTE: M = MEET CLI # = NO SPECI	ENT'S REQUIREMENT FIED REQUIREMENT	F = BELOW CLIENT'S REQUIE N/A = NOT APPLICA	

TESTING REMARK: AS CONFIRMED BY APPLICANT BOTH OF PRODUCT MADE BY SAME MATERIALS, NO TESTING CONDUCTED IN THIS TEST REPORT RESULT HAS BEEN INCORPORATED FROM REPORT NO. DELH20012707B AS PER APPLICANT'S REQUEST

PREPARED & CHECKED BY for INTERTEK INDIA PVT. LTD

Sodance

SANJAY SADANA TECHNICAL MANAGER – HARDLINE





NUMBER: DELH20012707 H

DATE : 18th OCT, 2020

TEST CONDUCTED:

1. LEAD CONTENT

(AS PER EPA 3050B)

TESTED SAMPLE	<u>RESULT (ppm)</u>	CLIENT'S REQUIREMENT
SUBMITTED SAMPLE	PASTEL BLUE PLASTIC: <10 PPM	NOT PROVIDED
ND= NOT DETECTED		

ND= NOT DETECTED DETECTION LIMIT = 10 ppm ppm = PARTS PER MILLION

CADMIUM CONTENT

2.

(AS PER EPA 3050B)

TESTED SAMPLE	<u>RESULT (ppm)</u>	<u>CLIENT'S REQUIREMENT</u>	
SUBMITTED SAMPLE	PASTEL BLUE PLASTIC: <10 PPM	NOT PROVIDED	
ND= NOT DETECTED			

DETECTION LIMIT = 10 ppm ppm = PARTS PER MILLION

END OF TEST REPORT

This report is made solely on the basis of your instructions and/or information and materials supplied by you. It is not intended to be a recommendation for any particular course of action. Intertek does not accept a duty of care or any other responsibility to any person other than the Client in respect of this report and only accepts liability to the Client insofar as is expressly contained in the terms and conditions governing Intertek's provision of services to you. Intertek makes no warranties or representations either express or implied with respect to this report save as provided for in those terms and conditions. We have aimed to conduct the Review on a diligent and careful basis and we do not accept any liability to you for any loss arising out of or in connection with this report, in contract, tort, by statute or otherwise, except in the event of our gross negligence or wilful misconduct.





NUMBER: DELH20012707 I

DATE : 18th OCT, 2020



ORIGINAL SAMPLE

Intertek India Pvt. Ltd.

290, Udyog Vihar, Phase-II, Gurgaon, Haryana –122016. Registered Office : E-20, Block B-1, Mohan Co-Operative Industrial Area, Mathura Road, New Delhi -110044.





NUMBER: DELH20012707 I

: 18TH OCT, 2020 DATE

ALL TIME PLASTICS PVT. LTD./ DAMAN **APPLICANT:** KACHIGAM, CHAR RASTA, BEHIND STONE QUARY DAMAN (U.T.) - 396210 DAMAN AND DIU ATTN: ZARIR PATEL / JYOTI

SAMPLE DESCRIPTION: THE SUBMITTED SAMPLE SAID TO BE - ST. BUCKET WITH PLASTIC HANDLE

	(9 LTR) (LC) CREAM
DATE RECEIVED	: 08 th OCT, 2020
BUYER'S NAME	:
BUYING AGENT/ CONTACT	:
ORDER NO.	: DAM-PO-GL-1920-900 DT. 26.12.2019
BARCODE	: 8902084070837
STYLE NO.	: 407083
COLOR	:
END USE	:
SEASON	:
COUNTRY OF ORIGIN	: INDIA
COUNTRY OF DESTINATION	: INDIA
MANUFACTURER'S NAME	: ALL TIME PLASTICS PVT. LTD
CONTENT	:

TESTS CONDUCTED: AS PER THE REQUEST BY THE APPLICANT. FOR FURTHER DETAILS PLEASE REFER TO THE ENCLOSED PAGE (S).

CONCLUSION:

TESTED SAMPLE	STANDARD		<u>RESULT</u>
SUBMITTED SAMPLE		, LEAD CONTENT PER EPA 3050B)	#
		ADMIUM CONTENT PER EPA 3050B)	#
NOTE: M = MEET CLI # = NO SPECI	ENT'S REQUIREMENT FIED REQUIREMENT	F = BELOW CLIENT'S REQUIE N/A = NOT APPLICA	

TESTING REMARK: AS CONFIRMED BY APPLICANT BOTH OF PRODUCT MADE BY SAME MATERIALS, NO TESTING CONDUCTED IN THIS TEST REPORT RESULT HAS BEEN INCORPORATED FROM REPORT NO. DELH20012707C AS PER APPLICANT'S REQUEST

PREPARED & CHECKED BY for INTERTEK INDIA PVT. LTD

Stadame

SANJAY SADANA **TECHNICAL MANAGER – HARDLINE**





NUMBER: DELH20012707 I

DATE : 18th OCT, 2020

TEST CONDUCTED:

1. LEAD CONTENT

(AS PER EPA 3050B)

TESTED SAMPLE	<u>RESULT (ppm)</u>	CLIENT'S REQUIREMENT
SUBMITTED SAMPLE	CREAM PLASTIC: <10 PPM	NOT PROVIDED
ND- NOT DETECTED		

ND= NOT DETECTED DETECTION LIMIT = 10 ppm ppm = PARTS PER MILLION

CADMIUM CONTENT

2.

(AS PER EPA 3050B)

TESTED SAMPLE	<u>RESULT (ppm)</u>	CLIENT'S REQUIREMENT
SUBMITTED SAMPLE	CREAM PLASTIC: <10 PPM	NOT PROVIDED
ND- NOT DETECTED		

ND= NOT DETECTED DETECTION LIMIT = 10 ppm ppm = PARTS PER MILLION

END OF TEST REPORT

This report is made solely on the basis of your instructions and/or information and materials supplied by you. It is not intended to be a recommendation for any particular course of action. Intertek does not accept a duty of care or any other responsibility to any person other than the Client in respect of this report and only accepts liability to the Client insofar as is expressly contained in the terms and conditions governing Intertek's provision of services to you. Intertek makes no warranties or representations either express or implied with respect to this report save as provided for in those terms and conditions. We have aimed to conduct the Review on a diligent and careful basis and we do not accept any liability to you for any loss arising out of or in connection with this report, in contract, tort, by statute or otherwise, except in the event of our gross negligence or wilful misconduct.

