

NUMBER: DELH20012699-E

DATE : 18th OCT, 2020



Page 1 of 3





NUMBER: DELH20012699-E

DATE : 18TH OCT, 2020

APPLICANT: ALL TIME PLASTICS PVT. LTD./ DAMAN KACHIGAM, CHAR RASTA, BEHIND STONE QUARY DAMAN (U.) 396210

ATTN: ZARIR PATEL / JYOTI

SAMPLE DESCRIPTION: THE SUBMITTED SAMPLE SAID TO BE –ST. BUCKET PLASTIC HANDLE WITH LID (9 LTR) BLUE

DATE RECEIVED	:
BUYER'S NAME	:
BUYING AGENT/ CONTACT	:
ORDER NO.	: DAM-PO-GL-1920-900 DT. 26.12.2019
BARCODE	: 8902084062276
HSN CODE	•
STYLE NO.	: 406227
COLOR	:
END USE	:
SEASON	:
COUNTRY OF ORIGIN	: INDIA
COUNTRY OF DESTINATION	: INDIA
MANUFACTURER'S NAME	: ALL TIME PLASTICS PVT. LTD
CONTENT	:

TESTS CONDUCTED: AS PER THE REQUEST BY THE APPLICANT. FOR FURTHER DETAILS PLEASE REFER TO THE ENCLOSED PAGE (S).

CONCLUSION:

TESTED SAMPLE	STANDARD	<u>RESULT</u>
SUDMITTED SAMDI F	TOTAL LEAD CONTENT (AS PER EPA 3050B)	#
SUBMITTED SAMPLE —	TOTAL CADMIUM CONTENT (AS PER EPA 3050B)	#

= NO SPECIFIED REQUIREMENT

N/A = NOT APPLICABLE

TESTING REMARK: AS CONFIRMED BY APPLICANT BOTH OF PRODUCT MADE BY SAME MATERIALS, NO TESTING CONDUCTED IN THIS TEST REPORT RESULT HAS BEEN INCORPORATED FROM REPORT NO. DELH19014732 AS PER APPLICANT'S REQUEST

PREPARED & CHECKED BY for INTERTEK INDIA PVT. LTD

odance

SANJAY SADANA TECHNICAL MANAGER – HARDLINE

Page 2 of 3



Intertek India Private Ltd.



NUMBER: DELH20012699-E

DATE : 18TH OCT, 2020

TEST CONDUCTED:

1. LEAD CONTENT

(AS PER EPA 3050B)

TESTED SAMPLE	<u>RESULT (ppm)</u>	CLIENT'S REQUIREMENT
SUBMITTED SAMPLE	PLASTIC: <10 PPM	NOT PROVIDED
ND= NOT DETECTED		

DETECTION LIMIT = 10 ppm ppm = PARTS PER MILLION

2. CADMIUM CONTENT

(AS PER EPA 3050B)

TESTED SAMPLE	<u>RESULT (ppm)</u>	<u>CLIENT'S REQUIREMENT</u>
SUBMITTED SAMPLE	PLASTIC: <10 PPM	NOT PROVIDED

ND= NOT DETECTED DETECTION LIMIT = 10 ppm ppm = PARTS PER MILLION

END OF TEST REPORT

This report is made solely on the basis of your instructions and/or information and materials supplied by you. It is not intended to be a recommendation for any particular course of action. Intertek does not accept a duty of care or any other responsibility to any person other than the Client in respect of this report and only accepts liability to the Client insofar as is expressly contained in the terms and conditions governing Intertek's provision of services to you. Intertek makes no warranties or representations either express or implied with respect to this report save as provided for in those terms and conditions. We have aimed to conduct the Review on a diligent and careful basis and we do not accept any liability to you for any loss arising out of or in connection with this report, in contract, tort, by statute or otherwise, except in the event of our gross negligence or wilful misconduct.

Page 3 of 3



Intertek India Private Ltd. 290, Udyog Vihar, Phase-II, Gurgaon, Haryana -122016.

Tel: 0124-4503400, Fax: 0124-4303592. Registered Office: E-20, Block B-1, Mohan Co-Operative Industrial Area, Mathura Road, New Delhi -110044. Web site: www.intertek-labtest.com.



NUMBER: DELH20012699-G

DATE $: 18^{\text{TH}} \text{ OCT}, 2020$



Page 1 of 3





NUMBER: DELH20012699-G

DATE : 18TH OCT, 2020

APPLICANT: ALL TIME PLASTICS PVT. LTD./ DAMAN KACHIGA, CHAR RASTA, BEHIND STONE QUARY DAMAN (U.) 396210

ATTN: ZARIR PATEL / JYOTI

SAMPLE DESCRIPTION: THE SUBMITTED SAMPLE SAID TO BE –ST. BUCKET PLASTIC HANDLE WITH LID (9 LTR) GREEN

DATE RECEIVED	:
BUYER'S NAME	:
BUYING AGENT/ CONTACT	:
ORDER NO.	: DAM-PO-GL-1920-900 DT. 26.12.2019
BARCODE	: 8902084062276
HSN CODE	;
STYLE NO.	: 406227
COLOR	:
END USE	:
SEASON	:
COUNTRY OF ORIGIN	: INDIA
COUNTRY OF DESTINATION	: INDIA
MANUFACTURER'S NAME	: ALL TIME PLASTICS PVT. LTD
CONTENT	:

TESTS CONDUCTED: AS PER THE REQUEST BY THE APPLICANT. FOR FURTHER DETAILS PLEASE REFER TO THE ENCLOSED PAGE (S).

CONCLUSION:

TESTED SAMPLE	STANDARD		<u>RESULT</u>
SUBMITTED SAMPLE		L LEAD CONTENT PER EPA 3050B)	#
SUBMITTED SAMPLE		C ADMIUM CONTENT PER EPA 3050B)	#
NOTE: M = MEET	CLIENT'S REQUIREMENT	F = BELOW CLIENT'S REQUIREM	ENT

= NO SPECIFIED REQUIREMENT

N/A = NOT APPLICABLE

TESTING REMARK: AS CONFIRMED BY APPLICANT BOTH OF PRODUCT MADE BY SAME MATERIALS, NO TESTING CONDUCTED IN THIS TEST REPORT RESULT HAS BEEN INCORPORATED FROM REPORT NO. DELH19014731 AS PER APPLICANT'S REQUEST

PREPARED & CHECKED BY for INTERTEK INDIA PVT. LTD

Sodame

SANJAY SADANA TECHNICAL MANAGER – HARDLINE

Page 2 of 3



Intertek India Private Ltd.



NUMBER: DELH20012699-G

DATE : 18TH OCT, 2020

TEST CONDUCTED:

1. LEAD CONTENT

(AS PER EPA 3050B)

TESTED SAMPLE	<u>RESULT (ppm)</u>	CLIENT'S REQUIREMENT
SUBMITTED SAMPLE	PLASTIC: <10 PPM	NOT PROVIDED
ND= NOT DETECTED		

DETECTION LIMIT = 10 ppm ppm = PARTS PER MILLION

2. CADMIUM CONTENT

(AS PER EPA 3050B)

<u>RESULT (ppm)</u>	<u>CLIENT'S REQUIREMENT</u>
PLASTIC: <10 PPM	NOT PROVIDED

ND= NOT DETECTED DETECTION LIMIT = 10 ppm ppm = PARTS PER MILLION

END OF TEST REPORT

This report is made solely on the basis of your instructions and/or information and materials supplied by you. It is not intended to be a recommendation for any particular course of action. Intertek does not accept a duty of care or any other responsibility to any person other than the Client in respect of this report and only accepts liability to the Client insofar as is expressly contained in the terms and conditions governing Intertek's provision of services to you. Intertek makes no warranties or representations either express or implied with respect to this report save as provided for in those terms and conditions. We have aimed to conduct the Review on a diligent and careful basis and we do not accept any liability to you for any loss arising out of or in connection with this report, in contract, tort, by statute or otherwise, except in the event of our gross negligence or wilful misconduct.

Page 3 of 3



Intertek India Private Ltd.

290, Udyog Vihar, Phase-II, Gurgaon, Haryana -122016. Tel: 0124-4503400, Fax: 0124-4303592.

Registered Office: E-20, Block B-1, Mohan Co-Operative Industrial Area, Mathura Road, New Delhi -110044. Web site: www.intertek-labtest.com.



NUMBER: DELH20012699-F

DATE : 18th OCT, 2020



Page 1 of 3





NUMBER: DELH20012699-F

DATE : 18TH OCT, 2020

APPLICANT: ALL TIME PLASTICS PVT. LTD./ DAMAN KACHIGAM, CHAR RASTA, BEHIND STONE QUARY DAMAN (U.) 396210

ATTN: ZARIR PATEL / JYOTI

SAMPLE DESCRIPTION: THE SUBMITTED SAMPLE SAID TO BE –ST. BUCKET PLASTIC HANDLE WITH LID (9 LTR) PINK

:
:
:
: DAM-PO-GL-1920-900 DT. 26.12.2019
: 8902084062276
• •
: 406227
:
:
:
: INDIA
: INDIA
: ALL TIME PLASTICS PVT. LTD
:

TESTS CONDUCTED: AS PER THE REQUEST BY THE APPLICANT. FOR FURTHER DETAILS PLEASE REFER TO THE ENCLOSED PAGE (S).

CONCLUSION:

TESTED SAMPLE	STANDARD		<u>RESULT</u>
SUDMITTED CAMDIE	TOTAL LEAD CONTENT (AS PER EPA 3050B)		#
SUBMITTED SAMPLE	(AS PER EPA 3050B)		#
	CLIENT'S REQUIREMENT	F = BELOW CLIENT'S REQUIREM	IENT
# = NO SI	PECIFIED REQUIREMENT	N/A = NOT APPLICABL	E

TESTING REMARK: AS CONFIRMED BY APPLICANT BOTH OF PRODUCT MADE BY SAME MATERIALS, NO TESTING CONDUCTED IN THIS TEST REPORT RESULT HAS BEEN INCORPORATED FROM REPORT NO. DELH19014730 AS PER APPLICANT'S REQUEST

PREPARED & CHECKED BY for INTERTEK INDIA PVT. LTD

dance

SANJAY SADANA TECHNICAL MANAGER – HARDLINE

Page 2 of 3



Intertek India Private Ltd.



NUMBER: DELH20012699-F

DATE : 18th OCT, 2020

TEST CONDUCTED:

1. LEAD CONTENT

(AS PER EPA 3050B)

TESTED SAMPLE	<u>RESULT (ppm)</u>	CLIENT'S REQUIREMENT
SUBMITTED SAMPLE	PLASTIC: <10 PPM	NOT PROVIDED
ND= NOT DETECTED		

DETECTION LIMIT = 10 ppm ppm = PARTS PER MILLION

2. CADMIUM CONTENT

(AS PER EPA 3050B)

TESTED SAMPLE	<u>RESULT (ppm)</u>	<u>CLIENT'S REQUIREMENT</u>
SUBMITTED SAMPLE	PLASTIC: <10 PPM	NOT PROVIDED
ND= NOT DETECTED DETECTION LIMIT = 10 ppr	n	

ppm = PARTS PER MILLION

END OF TEST REPORT

This report is made solely on the basis of your instructions and/or information and materials supplied by you. It is not intended to be a recommendation for any particular course of action. Intertek does not accept a duty of care or any other responsibility to any person other than the Client in respect of this report and only accepts liability to the Client insofar as is expressly contained in the terms and conditions governing Intertek's provision of services to you. Intertek makes no warranties or representations either express or implied with respect to this report save as provided for in those terms and conditions. We have aimed to conduct the Review on a diligent and careful basis and we do not accept any liability to you for any loss arising out of or in connection with this report, in contract, tort, by statute or otherwise, except in the event of our gross negligence or wilful misconduct.

Page 3 of 3



Intertek India Private Ltd. 290, Udyog Vihar, Phase-II, Gurgaon, Haryana -122016.

Tel: 0124-4503400, Fax: 0124-4303592. Registered Office: E-20, Block B-1, Mohan Co-Operative Industrial Area, Mathura Road, New Delhi -110044. Web site: www.intertek-labtest.com.



NUMBER: DELH20012336 H

DATE : 13^{TH} OCT, 2020



Page 1 of 3





NUMBER: DELH20012336 H

DATE : 13th OCT, 2020

APPLICANT: ALL TIME PLASTICS PVT. LTD./ DAMAN KACHIGAM, CHAR RASTA, BEHIND STONE QUARY DAMAN (U.T.) - 396210 DAMAN AND DIU ATTN: ZARIR PATEL / JYOTI

SAMPLE DESCRIPTION: THE SUBMITTED SAMPLE SAID TO BE – St. Bucket Plastic Handle With Lid (9 Ltr) – Cream

DATE RECEIVED	: 07 th OCT, 2020
BUYER'S NAME	:
BUYING AGENT/ CONTACT	:
ORDER NO.	: DAM-PO-GL-1920-900 DT. 26.12.2019
BARCODE	: 8902084070912
STYLE NO.	: 407091
COLOR	:
END USE	:
SEASON	:
COUNTRY OF ORIGIN	: INDIA
COUNTRY OF DESTINATION	: INDIA
MANUFACTURER'S NAME	: ALL TIME PLASTICS PVT. LTD
CONTENT	:

TESTS CONDUCTED: AS PER THE REQUEST BY THE APPLICANT. FOR FURTHER DETAILS PLEASE REFER TO THE ENCLOSED PAGE (S).

CONCLUSION:

TESTED SAMPLE	STANDARD		RESULT
SUBMITTED SAMPLE		LEAD CONTENT ER EPA 3050B)	#
		ADMIUM CONTENT ER EPA 3050B)	#
NOTE: M = MEET CLI # = NO SPECI	ENT'S REQUIREMENT FIED REQUIREMENT	F = BELOW CLIENT'S REQUIE N/A = NOT APPLICA	

TESTING REMARK: AS CONFIRMED BY APPLICANT BOTH OF PRODUCT MADE BY SAME MATERIALS, NO TESTING CONDUCTED IN THIS TEST REPORT RESULT HAS BEEN INCORPORATED FROM REPORT NO. DELH20012707C AS PER APPLICANT'S REQUEST

PREPARED & CHECKED BY for INTERTEK INDIA PVT. LTD

dance

SANJAY SADANA TECHNICAL MANAGER – HARDLINE

Page 2 of 3



Intertek India Private Ltd.



NUMBER: DELH20012336 H

DATE : 13TH OCT, 2020

TEST CONDUCTED:

1. LEAD CONTENT

(AS PER EPA 3050B)

TESTED SAMPLE	<u>RESULT (ppm)</u>	CLIENT'S REQUIREMENT
SUBMITTED SAMPLE	CREAM PLASTIC: <10 PPM	NOT PROVIDED
ND= NOT DETECTED		

DETECTION LIMIT = 10 ppm ppm = PARTS PER MILLION

2. CADMIUM CONTENT

(AS PER EPA 3050B)

TESTED SAMPLE	<u>RESULT (ppm)</u>	CLIENT'S REQUIREMENT
SUBMITTED SAMPLE	CREAM PLASTIC: <10 PPM	NOT PROVIDED

ND= NOT DETECTED DETECTION LIMIT = 10 ppm ppm = PARTS PER MILLION

END OF TEST REPORT

This report is made solely on the basis of your instructions and/or information and materials supplied by you. It is not intended to be a recommendation for any particular course of action. Intertek does not accept a duty of care or any other responsibility to any person other than the Client in respect of this report and only accepts liability to the Client insofar as is expressly contained in the terms and conditions governing Intertek's provision of services to you. Intertek makes no warranties or representations either express or implied with respect to this report save as provided for in those terms and conditions. We have aimed to conduct the Review on a diligent and careful basis and we do not accept any liability to you for any loss arising out of or in connection with this report, in contract, tort, by statute or otherwise, except in the event of our gross negligence or wilful misconduct.

Page 3 of 3



Intertek India Private Ltd. 290, Udyog Vihar, Phase-II, Gurgaon, Haryana -122016. Tel: 0124-4503400, Fax: 0124-4303592.

Registered Office: E-20, Block B-1, Mohan Co-Operative Industrial Area, Mathura Road, New Delhi -110044. Web site: www.intertek-labtest.com.



NUMBER: DELH20012336 G

DATE : 13^{TH} OCT, 2020



ORIGINAL SAMPLE

Page 1 of 3





NUMBER: DELH20012336 G

DATE : 13TH OCT, 2020

APPLICANT: ALL TIME PLASTICS PVT. LTD./ DAMAN KACHIGAM, CHAR RASTA, BEHIND STONE QUARY DAMAN (U.T.) - 396210 DAMAN AND DIU

ATTN: ZARIR PATEL / JYOTI

SAMPLE DESCRIPTION: THE SUBMITTED SAMPLE SAID TO BE – St. Bucket Plastic Handle With Lid (9 Ltr) – Pastel Blue

DATE RECEIVED BUYER'S NAME BUYING AGENT/ CONTACT ORDER NO. BARCODE STYLE NO. COLOR END USE SEASON COUNTRY OF ORIGIN	: 07 TH OCT, 2020 : : DAM-PO-GL-1920-900 DT. 26.12.2019 : 8902084070912 : 407091 : : : INDIA
SEASON	: : INDIA : INDIA : ALL TIME PLASTICS PVT. LTD :

TESTS CONDUCTED: AS PER THE REQUEST BY THE APPLICANT. FOR FURTHER DETAILS PLEASE REFER TO THE ENCLOSED PAGE (S).

CONCLUSION:

TESTED SAMPLE	STANDARD		RESULT
SUBMITTED SAMPLE		LEAD CONTENT ER EPA 3050B)	#
		ADMIUM CONTENT ER EPA 3050B)	#
NOTE: M = MEET CLI # = NO SPECI	ENT'S REQUIREMENT FIED REQUIREMENT	F = BELOW CLIENT'S REQUIE N/A = NOT APPLICA	

TESTING REMARK: AS CONFIRMED BY APPLICANT BOTH OF PRODUCT MADE BY SAME MATERIALS, NO TESTING CONDUCTED IN THIS TEST REPORT RESULT HAS BEEN INCORPORATED FROM REPORT NO. DELH20012707B AS PER APPLICANT'S REQUEST

PREPARED & CHECKED BY for INTERTEK INDIA PVT. LTD

dance

SANJAY SADANA TECHNICAL MANAGER – HARDLINE

Page 2 of 3

Intertek India Private Ltd. 290, Udyog Vihar, Phase-II, Gurgaon, Haryana -122016.



NUMBER: DELH20012336 G

DATE : 13TH OCT, 2020

TEST CONDUCTED:

1. LEAD CONTENT

(AS PER EPA 3050B)

TESTED SAMPLE	<u>RESULT (ppm)</u>	CLIENT'S REQUIREMENT
SUBMITTED SAMPLE	PASTEL BLUE PLASTIC: <10 PPM	NOT PROVIDED
ND= NOT DETECTED		

DETECTION LIMIT = 10 ppm ppm = PARTS PER MILLION

2. CADMIUM CONTENT

(AS PER EPA 3050B)

TESTED SAMPLE	<u>RESULT (ppm)</u>	<u>CLIENT'S REQUIREMENT</u>
SUBMITTED SAMPLE	PASTEL BLUE PLASTIC: <10 PPM	NOT PROVIDED

ND= NOT DETECTED DETECTION LIMIT = 10 ppm ppm = PARTS PER MILLION

END OF TEST REPORT

This report is made solely on the basis of your instructions and/or information and materials supplied by you. It is not intended to be a recommendation for any particular course of action. Intertek does not accept a duty of care or any other responsibility to any person other than the Client in respect of this report and only accepts liability to the Client insofar as is expressly contained in the terms and conditions governing Intertek's provision of services to you. Intertek makes no warranties or representations either express or implied with respect to this report save as provided for in those terms and conditions. We have aimed to conduct the Review on a diligent and careful basis and we do not accept any liability to you for any loss arising out of or in connection with this report, in contract, tort, by statute or otherwise, except in the event of our gross negligence or wilful misconduct.

Page 3 of 3





NUMBER: DELH20012336 F

DATE : 13^{TH} OCT, 2020



Page 1 of 3





NUMBER: DELH20012336 F

DATE : 13th OCT, 2020

APPLICANT: ALL TIME PLASTICS PVT. LTD./ DAMAN KACHIGAM, CHAR RASTA, BEHIND STONE QUARY DAMAN (U.T.) - 396210 DAMAN AND DIU

ATTN: ZARIR PATEL / JYOTI

SAMPLE DESCRIPTION: THE SUBMITTED SAMPLE SAID TO BE – St. Bucket Plastic Handle With Lid (9 Ltr) – Rose Pink

DATE RECEIVED BUYER'S NAME BUYING AGENT/ CONTACT	: 07 th OCT, 2020 : :
ORDER NO. BARCODE	: DAM-PO-GL-1920-900 DT. 26.12.2019 : 8902084070912
STYLE NO.	: 407091
COLOR	:
END USE	:
SEASON	:
COUNTRY OF ORIGIN	: INDIA
COUNTRY OF DESTINATION	: INDIA
MANUFACTURER'S NAME	: ALL TIME PLASTICS PVT. LTD
CONTENT	:

TESTS CONDUCTED: AS PER THE REQUEST BY THE APPLICANT. FOR FURTHER DETAILS PLEASE REFER TO THE ENCLOSED PAGE (S).

CONCLUSION:

TESTED SAMPLE	STANDARD		RESULT
SUBMITTED SAMPLE		LEAD CONTENT ER EPA 3050B)	#
		ADMIUM CONTENT ER EPA 3050B)	#
NOTE: M = MEET CLI # = NO SPECI	ENT'S REQUIREMENT FIED REQUIREMENT	F = BELOW CLIENT'S REQUIE N/A = NOT APPLICA	

TESTING REMARK: AS CONFIRMED BY APPLICANT BOTH OF PRODUCT MADE BY SAME MATERIALS, NO TESTING CONDUCTED IN THIS TEST REPORT RESULT HAS BEEN INCORPORATED FROM REPORT NO. DELH20012707A AS PER APPLICANT'S REQUEST

PREPARED & CHECKED BY for INTERTEK INDIA PVT. LTD

dance

SANJAY SADANA TECHNICAL MANAGER – HARDLINE

Page 2 of 3

Intertek India Private Ltd.



NUMBER: DELH20012336 F

DATE : 13TH OCT, 2020

TEST CONDUCTED:

1. LEAD CONTENT

(AS PER EPA 3050B)

TESTED SAMPLE	<u>RESULT (ppm)</u>	CLIENT'S REQUIREMENT
SUBMITTED SAMPLE	ROSE PINK PLASTIC: <10 PPM	NOT PROVIDED
ND= NOT DETECTED		

DETECTION LIMIT = 10 ppm ppm = PARTS PER MILLION

2. CADMIUM CONTENT

(AS PER EPA 3050B)

TESTED SAMPLE	<u>RESULT (ppm)</u>	<u>CLIENT'S REQUIREMENT</u>
SUBMITTED SAMPLE	ROSE PINK PLASTIC: <10 PPM	NOT PROVIDED

ND= NOT DETECTED DETECTION LIMIT = 10 ppm ppm = PARTS PER MILLION

END OF TEST REPORT

This report is made solely on the basis of your instructions and/or information and materials supplied by you. It is not intended to be a recommendation for any particular course of action. Intertek does not accept a duty of care or any other responsibility to any person other than the Client in respect of this report and only accepts liability to the Client insofar as is expressly contained in the terms and conditions governing Intertek's provision of services to you. Intertek makes no warranties or representations either express or implied with respect to this report save as provided for in those terms and conditions. We have aimed to conduct the Review on a diligent and careful basis and we do not accept any liability to you for any loss arising out of or in connection with this report, in contract, tort, by statute or otherwise, except in the event of our gross negligence or wilful misconduct.

Page 3 of 3



Intertek India Private Ltd. 290, Udyog Vihar, Phase-II, Gurgaon, Haryana -122016. Tel: 0124-4503400, Fax: 0124-4303592.

Registered Office: E-20, Block B-1, Mohan Co-Operative Industrial Area, Mathura Road, New Delhi -110044. Web site: www.intertek-labtest.com.