

NUMBER: DELH21013391- E

DATE : 28TH SEP, 2021



ORIGINAL SAMPLE





NUMBER: DELH21013391- E **TEST REPORT**

DATE : 28TH SEP, 2021

ALL TIME PLASTICS PVT.LTD. APPLICANT:

PLOT NO. 377/1/1&2), KACHIGAM, CHAR RASTA, DAMAN - 396210

ATTN: **ZARIR PATEL**

SAMPLE DESCRIPTION: DISH DRAINER (474 X 372 X 76 MM) (ASSORTED)

: 25TH JULY, 2021 DATE RECEIVED

BUYER'S NAME : --BUYING AGENT/ CONTACT : --

ITEM CODE : 408248-18 HSN CODE : 39241090 BARCODE : 8902084080980 **COLOR** : BLUSH

END USE COUNTRY OF ORIGIN COUNTRY OF DESTINATION : --

MANUFACTURER'S NAME : ALL TIME PLASTICS PVT. LTD.

TESTS CONDUCTED: AS PER THE REQUEST BY THE APPLICANT. FOR FURTHER DETAILS PLEASE

REFER TO THE ENCLOSED PAGE (S).

CONCLUSION:

TESTED SAMPLE	<u>STANDARD</u>	RESULT
	TOTAL LEAD CONTENT (WITH REFERENE TO REGULATION (EC) NO. 1907/2006 (REACH) AND ITS AMENDMENTS, ANNEX XVII, ENTRY 63)	М
SUBMITTED SAMPLE	TOTAL CADMIUM CONTENT (AS PER EC NO. 1907/2006 (REACH) AND ITS AMENDMENTS, ANNEX XVII, ENTRY 23)	М
	BISPHENOL-A CONTENT TEST (BY SOLVENT EXTRACTION FOLLOWED BY LC-MS / MS)	М

NOTE: M = MEET CLIENT'S REQUIREMENT # = NO SPECIFIED REQUIREMENT

F = BELOW CLIENT'S REQUIREMENT N/A = NOT APPLICABLE

FOR INTERTEK INDIA PVT. LTD

SANJAY SADANA

Stodame

TECHNICAL MANAGER - HARDLINE



NUMBER: DELH21013391- E

DATE : 28TH SEP, 2021

TEST CONDUCTED:

1. TOTAL LEAD CONTENT IN SUBSTRATE

TEST REGULATION: WITH REFERENCE TO EC NO. 1907/2006 (REACH) AND ITS AMENDMENTS, ANNEX XVII, ENTRY 63

TEST METHOD: ANALYSIS WAS PERFOMRED BY ICP-MS/AAS

TESTED SAMPLE	RESULT (ppm)	CLIENT'S REQUIREMENT
SUBMITTED SAMPLE	BLUSH PLASTIC: <10 PPM	< 500 PPM

REMARK: ND = NOT DETECTED

DETECTION LIMIT = 10 PPM

*REQUIREMENT IS REFERED FROM REACH ANNEX XVII, ENTRY 63

2. TOTAL CADMIUM CONTENT IN SUBSTRATE

TEST REGULATION: EC NO. 1907/2006 (REACH) AND ITS AMENDMENTS, ANNEX XVII, ENTRY 23 TEST METHOD: WITH REF. TO EN112-ANALYSIS WAS PERFOMRED BY ICP-MS/AAS

TESTED SAMPLE	RESULT (ppm)	CLIENT'S REQUIREMENT
SUBMITTED SAMPLE	BLUSH PLASTIC: <10 PPM	<100 PPM

REMARK: ND = NOT DETECTED

DETECTION LIMIT = 10 PPM

*REQUIREMENT IS REFERED FROM REACH ANNEX XVII, ENTRY 23

3. BISPHENOL-A CONTENT TEST:

(BY SOLVENT EXTRACTION FOLLOWED BY LC-MS / MS)

TESTED COMPONENT	<u>RESULTS</u>	CLIENT'S REQUIREMENT
SUBMITTED SAMPLE	COMPLIES BLUSH PLASTIC: ND	SHALL NOT CONTAIN ANY DETECTABLE LEVELS OF BISPHENOL A (BPA)

DETECTION LIMIT: 0.1 PPM

END OF TEST REPORT

This report is made solely on the basis of your instructions and/or information and materials supplied by you. It is not intended to be a recommendation for any particular course of action. Intertek does not accept a duty of care or any other responsibility to any person other than the Client in respect of this report and only accepts liability to the Client insofar as is expressly contained in the terms and conditions governing Intertek's provision of services to you. Intertek makes no warranties or representations either express or implied with respect to this report save as provided for in those terms and conditions. We have aimed to conduct the Review on a diligent and careful basis and we do not accept any liability to you for any loss arising out of or in connection with this report, in contract, tort, by statute or otherwise, except in the event of our gross negligence or willful misconduct.

Page 3 of 3

290, Udyog Vihar, Phase-II, Gurgaon, Haryana –122016. Registered Office: E-20, Block B-1, Mohan Co-Operative Industrial Area, Mathura Road, New Delhi -110044 Tel: 0124-4503400, Fax: 0124-4303592 www.Intertek.com





NUMBER: DELH21013391- F

DATE : 28TH SEP, 2021



ORIGINAL SAMPLE



Tel: 0124-4503400,

Fax: 0124-4303592

www.Intertek.com

Intertek India Pvt. Ltd.



NUMBER: DELH21013391- F

DATE : 28TH SEP, 2021

ALL TIME PLASTICS PVT.LTD. APPLICANT:

PLOT NO. 377/1/1&2), KACHIGAM, CHAR RASTA, DAMAN - 396210

ATTN: **ZARIR PATEL**

SAMPLE DESCRIPTION: DISH DRAINER (474 X 372 X 76 MM) (ASSORTED)

: 25TH JULY, 2021 DATE RECEIVED

BUYER'S NAME : --BUYING AGENT/ CONTACT : --

ITEM CODE : 408248-18 HSN CODE : 39241090 BARCODE : 8902084080980

COLOR : GREY **END USE** COUNTRY OF ORIGIN COUNTRY OF DESTINATION : --

MANUFACTURER'S NAME : ALL TIME PLASTICS PVT. LTD.

TESTS CONDUCTED: AS PER THE REQUEST BY THE APPLICANT. FOR FURTHER DETAILS PLEASE REFER TO THE ENCLOSED PAGE (S).

CONCLUSION:

TESTED SAMPLE	<u>STANDARD</u>	RESULT
	TOTAL LEAD CONTENT (WITH REFERENE TO REGULATION (EC) NO. 1907/2006 (REACH) AND ITS AMENDMENTS, ANNEX XVII, ENTRY 63)	М
SUBMITTED SAMPLE	TOTAL CADMIUM CONTENT (AS PER EC NO. 1907/2006 (REACH) AND ITS AMENDMENTS, ANNEX XVII, ENTRY 23)	М
	BISPHENOL-A CONTENT TEST (BY SOLVENT EXTRACTION FOLLOWED BY LC-MS / MS)	М

NOTE: M = MEET CLIENT'S REQUIREMENT # = NO SPECIFIED REQUIREMENT

F = BELOW CLIENT'S REQUIREMENT N/A = NOT APPLICABLE

FOR INTERTEK INDIA PVT. LTD

SANJAY SADANA

Stodame

TECHNICAL MANAGER - HARDLINE



NUMBER: DELH21013391- F

: 28TH SEP, 2021 DATE

TEST CONDUCTED:

1. TOTAL LEAD CONTENT IN SUBSTRATE

TEST REGULATION: WITH REFERENCE TO EC NO. 1907/2006 (REACH) AND ITS AMENDMENTS, ANNEX XVII, ENTRY 63

TEST METHOD: ANALYSIS WAS PERFOMRED BY ICP-MS/AAS

TESTED SAMPLE	RESULT (ppm)	CLIENT'S REQUIREMENT
SUBMITTED SAMPLE	GREY PLASTIC: <10 PPM	< 500 PPM

REMARK: ND = NOT DETECTED

DETECTION LIMIT = 10 PPM

*REQUIREMENT IS REFERED FROM REACH ANNEX XVII, ENTRY 63

2. TOTAL CADMIUM CONTENT IN SUBSTRATE

TEST REGULATION: EC NO. 1907/2006 (REACH) AND ITS AMENDMENTS, ANNEX XVII, ENTRY 23 TEST METHOD: WITH REF. TO EN112-ANALYSIS WAS PERFOMRED BY ICP-MS/AAS

TESTED SAMPLE	RESULT (ppm)	CLIENT'S REQUIREMENT
SUBMITTED SAMPLE	GREY PLASTIC: <10 PPM	<100 PPM

REMARK: ND = NOT DETECTED

DETECTION LIMIT = 10 PPM

*REQUIREMENT IS REFERED FROM REACH ANNEX XVII, ENTRY 23

3. BISPHENOL-A CONTENT TEST:

(BY SOLVENT EXTRACTION FOLLOWED BY LC-MS / MS)

TESTED COMPONENT	<u>RESULTS</u>	CLIENT'S REQUIREMENT
SUBMITTED SAMPLE	COMPLIES GREY PLASTIC: ND	SHALL NOT CONTAIN ANY DETECTABLE LEVELS OF BISPHENOL A (BPA)

DETECTION LIMIT: 0.1 PPM

This report is made solely on the basis of your instructions and/or information and materials supplied by you. It is not intended to be a recommendation for any particular course of action. Intertek does not accept a duty of care or any other responsibility to any person other than the Client in respect of this report and only accepts liability to the Client insofar as is expressly contained in the terms and conditions governing Intertek's provision of services to you. Intertek makes no warranties or representations either express or implied with respect to this report save as provided for in those terms and conditions. We have aimed to conduct the Review on a diligent and careful basis and we do not accept any liability to you for any loss arising out of or in connection with this report, in contract, tort, by statute or otherwise, except in the event of our gross negligence or willful misconduct.

Page 3 of 3

290, Udyog Vihar, Phase-II, Gurgaon, Haryana –122016. Registered Office: E-20, Block B-1, Mohan Co-Operative Industrial Area, Mathura Road, New Delhi -110044.

Fax: 0124-4303592 www.Intertek.com





NUMBER: DELH21013391- G

DATE $: 28^{\text{TH}} \text{ SEP, } 2021$



ORIGINAL SAMPLE



Intertek India Pvt. Ltd.



NUMBER: DELH21013391- G **TEST REPORT**

DATE : 28TH SEP, 2021

ALL TIME PLASTICS PVT.LTD. APPLICANT:

PLOT NO. 377/1/1&2), KACHIGAM, CHAR RASTA, DAMAN - 396210

ATTN: **ZARIR PATEL**

SAMPLE DESCRIPTION: DISH DRAINER (474 X 372 X 76 MM) (ASSORTED)

: 25TH JULY, 2021 DATE RECEIVED

BUYER'S NAME : --BUYING AGENT/ CONTACT : --

ITEM CODE : 408248-18 HSN CODE : 39241090 BARCODE : 8902084080980 **COLOR** : WHITE

END USE COUNTRY OF ORIGIN COUNTRY OF DESTINATION : --

MANUFACTURER'S NAME : ALL TIME PLASTICS PVT. LTD.

TESTS CONDUCTED: AS PER THE REQUEST BY THE APPLICANT. FOR FURTHER DETAILS PLEASE

REFER TO THE ENCLOSED PAGE (S).

CONCLUSION:

TESTED SAMPLE	<u>STANDARD</u>	RESULT
	TOTAL LEAD CONTENT (WITH REFERENE TO REGULATION (EC) NO. 1907/2006 (REACH) AND ITS AMENDMENTS, ANNEX XVII, ENTRY 63)	М
SUBMITTED SAMPLE	TOTAL CADMIUM CONTENT (AS PER EC NO. 1907/2006 (REACH) AND ITS AMENDMENTS, ANNEX XVII, ENTRY 23)	М
	BISPHENOL-A CONTENT TEST (BY SOLVENT EXTRACTION FOLLOWED BY LC-MS / MS)	М

NOTE: M = MEET CLIENT'S REQUIREMENT # = NO SPECIFIED REQUIREMENT

F = BELOW CLIENT'S REQUIREMENT N/A = NOT APPLICABLE

FOR INTERTEK INDIA PVT. LTD

SANJAY SADANA

Stodame

TECHNICAL MANAGER - HARDLINE

Page 2 of 3

Tel: 0124-4503400,



NUMBER: DELH21013391- G

DATE : 28TH SEP, 2021

TEST CONDUCTED:

1. TOTAL LEAD CONTENT IN SUBSTRATE

TEST REGULATION: WITH REFERENCE TO EC NO. 1907/2006 (REACH) AND ITS AMENDMENTS, ANNEX XVII, ENTRY 63

TEST METHOD: ANALYSIS WAS PERFOMRED BY ICP-MS/AAS

TESTED SAMPLE	RESULT (ppm)	CLIENT'S REQUIREMENT
SUBMITTED SAMPLE	WHITE PLASTIC: <10 PPM	< 500 PPM

REMARK: ND = NOT DETECTED

DETECTION LIMIT = 10 PPM

*REQUIREMENT IS REFERED FROM REACH ANNEX XVII, ENTRY 63

2. TOTAL CADMIUM CONTENT IN SUBSTRATE

TEST REGULATION: EC NO. 1907/2006 (REACH) AND ITS AMENDMENTS, ANNEX XVII, ENTRY 23 TEST METHOD: WITH REF. TO EN112-ANALYSIS WAS PERFOMRED BY ICP-MS/AAS

TESTED SAMPLE	RESULT (ppm)	CLIENT'S REQUIREMENT
SUBMITTED SAMPLE	WHITE PLASTIC: <10 PPM	<100 PPM

REMARK: ND = NOT DETECTED

DETECTION LIMIT = 10 PPM

*REQUIREMENT IS REFERED FROM REACH ANNEX XVII, ENTRY 23

3. BISPHENOL-A CONTENT TEST:

(BY SOLVENT EXTRACTION FOLLOWED BY LC-MS / MS)

TESTED COMPONENT	<u>RESULTS</u>	CLIENT'S REQUIREMENT
SUBMITTED SAMPLE	COMPLIES WHITE PLASTIC: ND	SHALL NOT CONTAIN ANY DETECTABLE LEVELS OF BISPHENOL A (BPA)

DETECTION LIMIT: 0.1 PPM

END OF TEST REPORT

This report is made solely on the basis of your instructions and/or information and materials supplied by you. It is not intended to be a recommendation for any particular course of action. Intertek does not accept a duty of care or any other responsibility to any person other than the Client in respect of this report and only accepts liability to the Client insofar as is expressly contained in the terms and conditions governing Intertek's provision of services to you. Intertek makes no warranties or representations either express or implied with respect to this report save as provided for in those terms and conditions. We have aimed to conduct the Review on a diligent and careful basis and we do not accept any liability to you for any loss arising out of or in connection with this report, in contract, tort, by statute or otherwise, except in the event of our gross negligence or willful misconduct.

Page 3 of 3

290, Udyog Vihar, Phase-II, Gurgaon, Haryana –122016. Registered Office : E-20, Block B-1, Mohan Co-Operative Industrial Area, Mathura Road,

New Delhi -110044.



