

NUMBER: DELH20012713 B

DATE $: 17^{\text{TH}} \text{ OCT}, 2020$



ORIGINAL SAMPLES

Page 1 of 5



Intertek India Private Ltd. 290, Udyog Vihar, Phase-II, Gurgaon, Haryana -122016. Tel: 0124-4503400, Fax: 0124-4303592. Registered Office: E-20, Block B-1, Mohan Co-Operative Industrial Area, Mathura Road, New Delhi -110044. Web site: www.intertek-labtest.com.



NUMBER: DELH20012713 B

DATE : 17th OCT, 2020

APPLICANT:ALL TIME PLASTICS PVT. LTD./ DAMAN
KACHIGA, CHAR RASTA, BEHIND STONE QUARY DAMAN (U.) 396210ATTN:ZARIR PATEL / JYOTI

SAMPLE DESCRIPTION: THE SUBMITTED SAMPLE SAID TO BE – 403981 -Polka Container 22 (250 ml) (3 Pc set)- Red

DATE RECEIVED	: 08 th OCT, 2020
BUYER'S NAME	:
BUYING AGENT/ CONTACT	:
ORDER NO.	: DAM-PO-GL-1920-900 DT. 26.12.2019
BARCODE	: 8902084039810
STYLE NO.	: 403981
COLOR	:
END USE	:
SEASON	:
COUNTRY OF ORIGIN	: INDIA
COUNTRY OF DESTINATION	: INDIA
MANUFACTURER'S NAME	: ALL TIME PLASTICS PVT. LTD
CONTENT	:

TESTS CONDUCTED: AS PER THE REQUEST BY THE APPLICANT. FOR FURTHER DETAILS PLEASE REFER TO THE ENCLOSED PAGE (S).

CONCLUSION:

T <u>ESTED SAMPLE</u>	s <u>т/</u>	ANDARD	R <u>ESULT</u>
		IER SAFE TEST TEST METHOD)	М
		DL-A CONTENT DN FOLLOWED BY LC-MS/MS)	М
	_	IGRATION TEST S 9845)	М
SUBMITTED SAMPLE	_	EAD CONTENT 2 EPA 3050B)	#
		MIUM CONTENT 2 EPA 3050B)	#
		ZER TEST OUSE TEST METHOD)	М
	MICROWAVE TEST (AS PER IN HOUSE TEST METHOD)		м
	` CLIENT'S REQUIREMENT PECIFIED REQUIREMENT	F = BELOW CLIENT'S REQUIREM N/A = NOT APPLICABL	

TESTING REMARK: AS CONFIRMED BY APPLICANT BOTH OF PRODUCT MADE BY SAME MATERIALS, NO TESTING CONDUCTED IN THIS TEST REPORT RESULT HAS BEEN INCORPORATED FROM REPORT NO. DELH19014673AS PER APPLICANT'S REQUEST

PREPARED & CHECKED BY for INTERTEK INDIA PVT. LTD

Sodame

SANJAY SADANA TECHNICAL MANAGER – HARDLINE

Page 2 of 5

ín

Intertek India Private Ltd.

290, Udyog Vihar, Phase-II, Gurgaon, Haryana -122016. Tel: 0124-4503400, Fax: 0124-4303592.

Registered Office: E-20, Block B-1, Mohan Co-Operative Industrial Area, Mathura Road, New Delhi -110044. Web site: www.intertek-labtest.com.



NUMBER: DELH20012713 B

DATE : 17th OCT, 2020

TEST CONDUCTED:

1. DISHWASHER SAFE TEST:

(REFERENCE: IN-HOUSE TEST METHOD)

TESTING CONDITIONS:

- (1) SELECTED CYCLE: NORMAL
- (2) CYCLE DURATION: 120 MINUTES (APROX.)
- (3) TEMPERATURE CONDITION: 60°C (APROX.)
- (4) NO. OF CYCLES: 10

T <u>ESTED COMPONENT</u>	RESULTS	C <u>LIENT'S REQUIREMENT</u>
SUBMITTED SAMPLE	COMPLIES NO VISUAL CHANGE OBSERVED	Shall not show any chipping, cracking, glaze crazing or other visual change in appearance.

2. BISPHENOL-A CONTENT:

(BY SOLVENT EXTRACTION FOLLOWED BY LC-MS/MS)

TESTED PART	OBSERVATION	CLIENT'S REQUIREMENT
SUBMITTED SAMPLE	COMPLIES Red Plastic: Not Detected Transparent Plastic: Not Detected	Shall Not Contain Any Detectable Levels Of Bisphenol-A (BPA)

DETECTION LIMIT: 0.1 ppm

3. OVERALL MIGRATION TEST

(TEST METHOD: IS 9845)

TEST CONDITIONS AND RESULTS:

M <u>ATERIAL PUT</u> I <u>NTO CONTACT</u>	S <u>IMULANT</u> U <u>SED</u>	TEST CONDITION	R <u>ESULT IN</u> (mg/dm²)	M <u>AX. LIMIT</u> (mg/dm²)
	3% Acetic acid	40°C for 10 DAYS	<5	<10
SUBMITTED SAMPLE- LID	10% Ethanol & H ₂ O	40°C for 10 DAYS	<5	<10
PART	95% Ethanol	40°C for 10 DAYS	<5	<10
	Iso-Octane	20°C for 2 DAYS	<5	<10

Page 3 of 5



Intertek India Private Ltd.

290, Udyog Vihar, Phase-II, Gurgaon, Haryana -122016. Tel: 0124-4503400, Fax: 0124-4303592.

Registered Office: E-20, Block B-1, Mohan Co-Operative Industrial Area, Mathura Road, New Delhi -110044. Web site: www.intertek-labtest.com.



NUMBER: DELH20012713 B

DATE : 17th OCT, 2020

M <u>ATERIAL PUT</u> I <u>NTO CONTACT</u>	S <u>IMULANT</u> U <u>SED</u>	TEST CONDITION	R <u>ESULT IN</u> (mg/dm²)	M <u>AX. LIMIT</u> (<u>mg/dm²)</u>
	3% Acetic acid	40°C for 10 DAYS	<5	<10
SUBMITTED SAMPLE-	10% Ethanol & H ₂ O	40°C for 10 DAYS	<5	<10
CONTAINER PART	95% Ethanol	40°C for 10 DAYS	<5	<10
	Iso-Octane	20°C for 2 DAYS	<5	<10

REMARK: <= LESS THAN RESULTS ARE GIVEN IN mg/dm²

4. LEAD CONTENT

(AS PER EPA 3050B)

T <u>ESTED SAMPLE</u>	R <u>ESULT (ppm)</u>	C <u>LIENT'S REQUIREMENT</u>
SUBMITTED SAMPLE	Red Plastic: <10 PPM Transparent Plastic: <10 PPM	NOT PROVIDED
ND= NOT DETECTED		

DETECTION LIMIT = 10 ppm ppm = PARTS PER MILLION

CADMIUM CONTENT

5.

(AS PER EPA 3050B)

T <u>ESTED SAMPLE</u>	R <u>ESULT (ppm)</u>	C <u>LIENT'S REQUIREMENT</u>
SUBMITTED SAMPLE	Red Plastic: <10 PPM Transparent Plastic: <10 PPM	NOT PROVIDED
ND= NOT DETECTED		

ND= NOT DETECTED DETECTION LIMIT = 10 ppm ppm = PARTS PER MILLION

Page 4 of 5



Intertek India Private Ltd.



NUMBER: DELH20012713 B

DATE : 17TH OCT, 2020

6. FREEZER TEST

(AS PER IN HOUSE TEST METHOD)

TESTING CONDITIONS:

- 1 FREEZER TEMPARATURE: 0 °F
- **EXPOSURE PERIOD: 24 HOURS** 2

TESTED SAMPLE	RESULTS	REQUIREMENT
SUBMITTED SAMPLE	COMPLIES (No visual change observed)	SHALL NOT SHOW ANY DISCOLORATION, DEFORMATION, CRACKING, CRAZING, CHIPPING OR OTHER CHANGE FROM THE ORIGINAL STATE.

7. MICROWAVE TEST

(AS PER IN HOUSE TEST METHOD)

TESTED SAMPLE	RESULTS	REQUIREMENT
SUBMITTED SAMPLE	COMPLIES (No visual change observed)	SHALL NOT SHOW ANY CHIPPING, CRACKING, CRAZING OR OTHER CHANGE FROM THE ORIGINAL STATE IS RATED AS A FAILURE.

END OF TEST REPORT

This report is made solely on the basis of your instructions and/or information and materials supplied by you. It is not intended to be a recommendation for any particular course of action. Intertek does not accept a duty of care or any other responsibility to any person other than the Client in respect of this report and only accepts liability to the Client insofar as is expressly contained in the terms and conditions governing Intertek's provision of services to you. Intertek makes no warranties or representations either express or implied with respect to this report save as provided for in those terms and conditions. We have aimed to conduct the Review on a diligent and careful basis and we do not accept any liability to you for any loss arising out of or in connection with this report, in contract, tort, by statute or otherwise, except in the event of our gross negligence or wilful misconduct.

Page 5 of 5



Intertek India Private Ltd. 290, Udyog Vihar, Phase-II, Gurgaon, Haryana -122016.

Tel: 0124-4503400, Fax: 0124-4303592. Registered Office: E-20, Block B-1, Mohan Co-Operative Industrial Area, Mathura Road, New Delhi -110044. Web site: www.intertek-labtest.com.